



Illinois Environmental Protection Agency

Bureau of Water • 1021 N. Grand Avenue E. • P.O. Box 19276 • Springfield • Illinois • 62794-9276

Division of Water Pollution Control ANNUAL FACILITY INSPECTION REPORT

for NPDES Permit for Storm Water Discharges from Separate Storm Sewer Systems (MS4)

This fillable form may be completed online, a copy saved locally, printed and signed before it is submitted to the Compliance Assurance Section at the above address. Complete each section of this report.

Report Period: From March, 2021 To March, 2022

Permit No. ILR40 0275

MS4 OPERATOR INFORMATION: (As it appears on the current permit)

Name: VILLAGE OF SHILOH Mailing Address 1: 1 PARK DRIVE
Mailing Address 2: _____ County: St. Clair
City: SHILOH State: IL Zip: 62269 Telephone: 618-632-1022
Contact Person: Robert Weilmuenster Email Address: rweilmuenster@shilohil.org
(Person responsible for Annual Report)

Name(s) of governmental entity(ies) in which MS4 is located: (As it appears on the current permit)

ILLINOIS DEPARTMENT OF TRANSPORTATION ST. CLAIR COUNTY & ST. CLAIR TOWNSHIP
O'FALLON TOWNSHIP, CASEYVILLE TOWNSHIP SHILOH VALLEY TOWNSHIP

THE FOLLOWING ITEMS MUST BE ADDRESSED.

A. Changes to best management practices (check appropriate BMP change(s) and attach information regarding change(s) to BMP and measurable goals.)

- | | | | |
|--|--------------------------|---|--------------------------|
| 1. Public Education and Outreach | ☐ | 4. Construction Site Runoff Control | ☐ |
| 2. Public Participation/Involvement | ☐ | 5. Post-Construction Runoff Control | ☐ |
| 3. Illicit Discharge Detection & Elimination | ☐ | 6. Pollution Prevention/Good Housekeeping | ☐ |

B. Attach the status of compliance with permit conditions, an assessment of the appropriateness of your identified best management practices and progress towards achieving the statutory goal of reducing the discharge of pollutants to the MEP, and your identified measurable goals for each of the minimum control measures.


C. Attach results of information collected and analyzed, including monitoring data, if any during the reporting period.

D. Attach a summary of the storm water activities you plan to undertake during the next reporting cycle (including an implementation schedule.)

E. Attach notice that you are relying on another government entity to satisfy some of your permit obligations (if applicable).

F. Attach a list of construction projects that your entity has paid for during the reporting period.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))


Owner Signature:

ROBERT WEILMUENSTER

Printed Name:

5/23/22
Date:

MAYOR

Title:

EMAIL COMPLETED FORM TO: epa.ms4annualinsp@illinois.gov

or Mail to: ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

WATER POLLUTION CONTROL
COMPLIANCE ASSURANCE SECTION #19
1021 NORTH GRAND AVENUE EAST
POST OFFICE BOX 19276
SPRINGFIELD, ILLINOIS 62794-9276

ADMINISTRATIVE REVISIONS TO THE NOTICE OF INTENT

Revisions to the original Notice of Intent (NOI) are reflected below.

MS4 Operator Mailing Address:

Yes

☐

No

☒

Persons Responsible:

Yes

☐

No

☒

Name:

Title:

Telephone Number:

Area of Responsibility:

Introduction

In 2003, St. Clair County (County), Illinois and its communities created a Co-Permittee Group to join forces in complying with the National Pollutant Discharge Elimination System (NPDES) for Municipal Separate Storm Sewer Systems (MS4) Phase II requirements. As stated in the original 2003 Notice of Intent (NOI), the County and the Co-Permittee communities were to pool resources and work together to comply with the commitments made within the NOI for the benefit of all within the County.

The Co-Permittee Group was active during this reporting period. Significant progress was made sharing Best Management Practices (BMPs) for document retention, operation procedures, and maintenance activities.

Best Management Practice (BMP) Summary of 2020-2021 Activities

In 2003, each member of the Co-Permittee Group submitted a NOI in compliance with the first 5-year cycle. In 2008, a NOI was submitted in compliance with the next 5-year cycle, as written in the first MS4 permit. The 2009 NOI was submitted in compliance with additional requirements in the second MS4 permit. In 2013, a new NOI was submitted for the next 5-year cycle and was in place starting in March 2014. As stated in the 2003, 2008, 2009, and 2013 NOIs, each Co-Permittee Member identified certain activities to comply with the Phase II requirements. Below is an abbreviated summary of the BMPs that were written in the NOI for each of the minimum control measures.

March 2021-February 2022:

- 1) **A.1-** Stormwater brochures for businesses, homeowners, children, and green infrastructures were to be promoted and displayed by each community in a public place.
- 2) **A.4-** St. Clair County sponsored a booth at the County Fair and/or Earth Day and distributed the storm water and green infrastructure brochures.
- 3) **A.5-** St. Clair County posted newsletters on the County Health Department website during school months. Co-Permittee Members distributed educational materials to schools in their communities. The amount of material distributed was to be tracked by the communities.
- 4) **B.3-** The Co-Permittee Group met three (3) times to review upcoming permit requirements, notice of intent, review stormwater management program, operations training, and to develop and submit the Annual Report.
- 5) **B.5-** Co-Permittee Members solicited and encouraged public assistance in monitoring the community's stormwater system. Public inquiries and complaints were responded to and recorded.
- 6) **B.6-** St. Clair County continued to promote programs related to stormwater activities and recycling programs. The community tracked its participation.

- 7) **C.1-** Co-Permittee Members updated any new or revised storm sewers and performed stream observations at bridge inspections.
- 8) **C.5-** A survey of previously installed stencils was to be performed as well as replacing or placing any that needed inlet stencils.
- 9) **C.6-** Communication brochures were distributed to the community. Co-Permittee Members discussed any known illicit discharge ordinance compliance issues in the communities.
- 10) **C.9-** Co-Permittee Members developed brochures addressing specific stormwater ordinance prohibited activities and distributed with educational brochures.
- 11) **D.1, E.2, E.4-** Community stormwater ordinances were to be updated, if needed, and require a SWPPP on site plans disturbing more than one acre.
- 12) **D.2, F.1-** The Co-Permittee held an Operations Training class. Topics included a review of the history of drainage systems, the Clean Water Act and NPDES permits, and the impacts of storm water.
- 13) **D.5-** St. Clair County continued to maintain a stormwater hotline number to address public concerns related to storm water issues. County tracked and reported the number of calls.
- 14) **F.6-** Communities reviewed operating procedures and BMPs and modified if necessary.

The following pages highlight changes made to the BMPs from the NOI, BMP status, and activities planned for the next reporting year. Additional information is also provided from the County and each Community.

It is to be noted that some BMPs will continue on to the next NOI, but some will be stopped, and others added to fulfill the requirements of the permit. The 2021-2026 NOI can be found on the IEPA website.

City of: Village of Shiloh

FOIA Officer for the reporting year:

Name: Brenda Kern

Title: Village Clerk

Telephone Number: 618-632-1022

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2021 through February 2022

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached?		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO	If attached information, describe.	YES	NO	Activity	Schedule
BMP No. A.1 - Distributed Paper Materials- Informational Brochures							
Milestone For Reporting Year: Promote the availability of brochures to the residents.							
			The Village has brochures available to residents at the Village Hall. Educational topics include illicit discharge compliance, green infrastructure (rain barrels, permeable pavers), storage and disposal of fuels, outdoor usage of soaps and solvents, winter de-icing, and lawn and garden care. The St. Clair County storm water hotline number is included.			The County will continue to make educational brochures available to the public.	Ongoing through 2021-2022 permit year.
		✓			✓		
BMP No. A.4- Community Event- Sponsor Annual Booth at St. Clair County Earth Day Festival							
Milestone For Reporting Year: St. Clair County sponsored a booth at the Earth Day Festival.							
			The St. Clair County Health Department canceled their 2022 Earth Day celebrations due to Covid-19			St. Clair County is responsible for the booth and tracking the number of brochures handed out.	The 2022 Earth Day event will be in May.
		✓			✓		
BMP No. A.5- Classroom Education Material							
Milestone For Reporting Year: Communities distributed educational materials and tracked the number of brochures and other materials handed out to the schools.							
			St. Clair County posted educational newsletters on the Health Department's website. Due to COVID-19 pandemic, the 2021 school festival was canceled.			The communities will inform local schools that the newsletters are available on the Health Department's website.	Ongoing through 2021-2022 permit year.
		✓			✓		

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2021 through February 2022

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached?		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.		
Comment	YES	NO		If attached information, describe.	YES	NO	Schedule	
BMP No. B-3- Stakeholder's Meeting- Coordinate Meetings and Annual Reports								
Milestone For Reporting Year: Co-Permittee Group met three (3) times to complete training and to develop and submit the Annual Report.								
				Co-Permittee Meetings were held on February 10th, May 13th, and December 9th, 2021. Annual reports were provided to communities in May 2021 and submitted to IEPA before June 1st, 2021. Meeting topics included: Annual Reporting and O&M Manuals, Reducing Road Salt Use and Visual Water Sampling Training, and Operations Training.			The County will continue to meet with the Co-Permittee Group to share BMPs and training opportunities. The Co-Permittee Group has planned three compliance/training activities for 2021.	Ongoing through 2021-2022 permit year.
	☒				☒			
BMP No. B-5- Volunteer Monitoring- Solicit and Encourage Public Assistance in Monitoring the Community's Stormwater System & Stormwater Hotline								
Milestone For Reporting Year: Community will work to involve more public assistance in reporting stormwater issues.								
				The Village updated websites with both the community and County contact information for the reporting of stormwater issues. Any calls or emails will be recorded and addressed.			The community will continue to respond to and record all public complaints of illicit discharge and/or dumping and stormwater issues.	Ongoing through 2021-2022 permit year.
	☒				☒			
BMP No. B-6- Program Coordination- Participate in programs targeted at public awareness, including: Inlet Stenciling and Recycling								
Milestone for Reporting Year: St. Clair County continued to promote programs related to stormwater activities. Communities tracked participation.								
				County will continue to promote programs related to stormwater activities and recycling. Multiple media outlets will be used to communicate with municipalities.			County will continue to promote programs related to stormwater activities. Multiple media outlets will be used to communicate with municipalities.	Ongoing through 2021-2022 permit year.
	☒				☒			

PERMIT #:

COMMUNITY NAME:

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2021 through February 2022

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached? If attached information, describe.		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO		YES	NO	Activity	Schedule
BMP No. B.7- Other Public Involvement - the community will provide a public meeting annually for the MS4 program							
Milestone for Reporting Year: The communities will provide a public meeting annually for the MS4 program.							
	☒	☐	The Village was unable to address concerns regarding the adequacy of the MS4 program at a public meeting due to the COVID-19 pandemic.	☒	☐	Community will continue to hold a public meeting to solicit public input regarding the adequacy of the MS4 program.	Ongoing through 2021-2022 permit year.
BMP No. C.1- Storm Sewer Map Preparation							
Milestone for Reporting Year: Co-Permittee member communities reviewed outfall maps and conducted stream observations annually at bridge inspections.							
	☒	☐	Co-Permittee communities reviewed their outfall maps for completeness and updated them if necessary. The Village currently has 100% of outfall locations, the municipal storm sewer system, and names of waters receiving outfall discharges mapped.	☒	☐	Communities will begin to update their storm system maps to include modifications to the system.	Ongoing through 2021-2022 permit year.
BMPs No. C.2, C.9- Regulatory Control Program- Ordinance language for illicit discharge/public notification							
Milestone for Reporting Year: Communication brochures were distributed to the community.							
	☒	☐	St. Clair County did not distribute brochures at the Earth Day event since it was canceled but has them available at the County Health Department.	☒	☐	This BMP will not continue into the next NOI.	
BMP No. C.5- Inlet Stenciling							
Milestone for Reporting Year: Survey condition of inlet stencils.							
	☒	☐	The Village assessed the condition of the stencils. Currently, 100% of the inlets are marked (1,800). The Village installed 50 stencils, which includes new locations and replacing damaged stencils at old locations.	☒	☐	Communities will survey samples of stencils previously installed, replace ones that need to be replaced, and assure all new inlets are installed with stencils.	Ongoing through 2021-2022 permit year.

COMMUNITY NAME:

PERMIT #:

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2021 through February 2022

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached?		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO	If attached information, describe.	YES	NO	Activity	Schedule
BMP No. C.6- Program Evaluation and Assessment							
Milestone for Reporting Year: Perform illicit discharge detection and elimination in the Community's stormwater system.							
Communities will perform stream observations during their annual bridge inspections or quarterly stormwater sampling and take appropriate action if illicit discharge is found. The County performed illicit discharge stream monitoring at Prairie DuPont Creek on 2/23/22, Little Silver Creek on 2/28/22 and Richland Creek on 3/1/22.	☒	☐		☒	☐	Communities will continue to perform stream observations and address illicit discharge per the community ordinance.	Ongoing through 2021-2022 permit year.
BMP No. C.9- Public Notification							
Milestone for Reporting Year: Community will update ordinance brochure.							
Brochures will be updated to address specific stormwater ordinance prohibited activities and distributed with brochures addressed in BMP No. A.1	☒	☐		☒	☐	Ordinance brochures will be updated and distributed to the community throughout years 2015-2020.	Brochure to be updated in 2021-2022 reporting year.
BMPs No. D.1, E.2, and E.4- Site Plan and Pre-Construction Review Procedures							
Milestone for Reporting Year: Update stormwater ordinance.							
Stormwater ordinance updates were not required this reporting year.	☒	☐		☒	☐	This BMP will not continue into the next NOI.	
BMP No. D.1- Regulatory Control Program							
Milestone for Reporting Year: Require SWPPP on all site plans disturbing more than one acre of land inside the Community.							
The Village will require SWPPP on sites disturbing over 1-acre and enforces ordinance provisions.	☒	☐		☒	☐	The community will continue to require SWPPP on sites disturbing over 1-acre and verify the proper use of sediment and erosion control techniques.	Ongoing through 2021-2022 permit year.

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2021 through February 2022

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached? If attached information, describe.		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO	YES	NO	Activity	Schedule	
BMP No. D.2- Erosion and Sediment Control BMPs							
Milestone for Reporting Year: Community will participate in BMP training during Annual Operations Training.							
BMP training was provided during the Annual Operations Training on December 9, 2021.	☒		☒		Community will continue to participate in BMP training.	Ongoing through 2021-2022 permit year.	
BMP No. D.5- Stormwater Hotline							
Milestone for Reporting Year: County continued to maintain a stormwater hotline number to address public concerns related to stormwater issues. County tracked and reported the number of calls.							
St. Clair County maintained the hotline number during the reporting period. Communities respond to complaints of residents for stormwater related issues.	☒		☒		County and Communities will respond to calls and emails for stormwater issues.	Ongoing through 2021-2022 permit year.	
BMPs No. D.6 and E.5- Training for Construction Site Inspectors							
Milestone for Reporting Year: Inspector training was provided this year.							
No Construction Site Inspection training was required this year.	☒		☒		The last Construction Site Inspection training took place in April 2017. This BMP will not continue into the next NOI.		
BMP No. E.2- Regulatory Control Program							
Milestone for Reporting Year: Enforce Stormwater Ordinance.							
Communities will continue to enforce their stormwater ordinance and track changes made to the ordinance.	☒		☒		Communities will continue to enforce their stormwater ordinance.	Ongoing through 2021-2022 permit year.	

PERMIT #:

COMMUNITY NAME:

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2021 through February 2022

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached?		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO	YES	NO	Activity	Schedule	
BMP No. E.4- Pre-Construction Review of BMP Designs							
Milestone for Reporting Year: Review post-construction BMPs.							
	☒				Communities will review the post construction BMPs on all sites that disturb more than 1-acre in land.	Ongoing through 2021-2022 permit year.	
BMP No. F.1- Employee Training Program							
Milestone for Reporting Year: The Co-Permittee held an Operations Training class.							
	☒				The Co-Permittee Group will continue holding an Operations Training class as part of education requirements.	Ongoing through 2021-2022 permit year.	
BMP No. F.6- Other Municipal Operations Controls- Standard Operating Procedures							
Milestone for Reporting Year: Communities reviewed operating procedures and BMPs and modified if necessary.							
	☒				Storm Water operation procedures for the Village of Shiloh will be reviewed annually as needed.	Ongoing through 2021-2022 permit year.	

COMMUNITY NAME: Village of Shiloh

ILR400275

PERMIT #:

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2021 through February 2022

ADDITIONAL INFORMATION

<u>BMP A.5</u>	<u>Classroom Educational Materials</u> The County has taken steps to educate school children on the severity of stormwater pollution. The St. Clair County Health Department issues a newsletter each month and it is posted on the St. Clair County Health Department's website. The newsletter consists of articles for students with a wide range of pollution topics, including stormwater. The newsletter also lists upcoming recycling events and schools that have won past recycling contests.
<u>BMP B.6</u>	<u>Community Events - Recycling Programs</u> Throughout the year, St. Clair County sponsored community events that potentially could positively impact stormwater quality. These activities include an ongoing "Clean Sweep" program. The county website includes a list of recycling sites for over 29 different materials. The County sponsors recycling of tires, paint, batteries, fluorescent bulbs, plastic, hazardous waste, and medicine. Nine tandem loads of tires were collected for recycling, sponsored by the IEPA on September 21st and 22nd of 2021. Participation in other recycling programs were "Litter Clean Up" on September 11th, 2021. The County also sponsors large item pickup.
<u>BMP B.7</u>	<u>Other Public Involvement</u> St. Clair County solicited public input regarding the adequacy of the MS4 program during the public input meeting on January 31, 2022. No feedback regarding the MS4 program was received. The public is encouraged to assist in monitoring the community's stormwater system by reporting illegal dumping and discharge or stormwater issues either directly to their municipality or through the County. The St. Clair County stormwater hotline number is posted on the website and is provided in educational brochures. St. Clair County is actively involved in groups and organizations that are connected with MS4.
<u>BMP C.5</u>	<u>Illicit Source Removal Procedures</u> The St. Clair County Highway Department sponsors an Adopt-a-Highway Program throughout the County. By sponsoring this program, St. Clair County is eliminating a significant source of stormwater pollution by keeping trash out of streams and keeping road ditches clear of debris for storm events.

Additional Community Activities

(Make additional copies of form, if necessary)

List any additional community-sponsored activities performed between March 1, 2021 and February 28, 2022 not listed in the *Notice of Intent* (NOI) submittal, but which address one of the six minimum control measures:

The Village has a municipality website and posts annual reports, NOI, and the storm water hotline number.

The Village participates in recycling paper, tires, batteries, electronics and large item pickup. Three elementary and middle schools in Shiloh sponsored weekly paper recycling drive, collecting approximately 150 five-cubic-yard dumpsters of paper waste.

One 20-cubic-yard dumpster was used by the Village for trash picked up out of road ditches and waterways. The dumpster was emptied monthly.

The Village has cleaned various catch basins since March 2021.

The Village is involved with the following associations: East-West Gateway Council of Governments and Scott Air Force Base Community Partnership - Storm water.

Circle which minimum control measure is addressed:

- | | |
|--|---|
| ☒ 1. Public Education & Outreach | ☐ 4. Construction Site Runoff |
| ☒ 2. Public Participation/Involvement | ☐ 5. Post-Construction Runoff Control |
| ☒ 3. Illicit Discharge Detection & Elimination | ☒ 6. Pollution Prevention/Good Housekeeping |


C. Reliance on Government Entities for Permit Obligations

The Village is part of the St. Clair County Co-Permittee Group

CI. List of Construction Projects during the Current Reporting Year

Permit #	Project
ILR10AZ09	Hartman Lakes Phase 2 (+/- 17.6 Acres)
ILR10Y242	Summit of Shiloh (+/- 94.8 Acres)
ILR10BP30	Auffenberg Site Facility (+/- 27.6 Acres)
ILR10AZ40	Encompass Health (+/- 8.9 Acres)
ILR10ZA6Q	Greystone Estates – Phase 2 (+/- 9.5 Acres)

Village of Shiloh Storm Water Sampling Locations



Year 2021

Sampling Site #1



Behind Freddy's Frozen
Custard – at #3320 Green Mt
Crossing Drive

Sampling Site #2



Bridge on Frank Scott Pkwy
East – 750 feet west of
Fountain Lakes Entrance

Sampling Site #3



Behind residence at #21
Prairie View Rd – 280 feet
west from behind home

Notes:

At Sampling Sites #1 & #2 the drainage flows **into** the Village from the north.
At Sampling Site #3 the drainage flows **out** of the Village to the southwest.

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)	#1	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Box Culvert	
Quarter/ Year	01/21	Date/Time Collected	01/26/21@9:30am	Date/Time Examined	01/26/21@1:00pm
Est. Time of Rainfall Start	01/25/21@3am	Rainfall Amount	1.80 inches	Runoff Source	☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)		#2	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Bridge
Quarter/ Year	01/21	Date/Time Collected	01/26/21@10:00am		Date/Time Examined
Est. Time of Rainfall Start	01/25/21@3am	Rainfall Amount	1.80 inches		Runoff Source
				☐ Snowmelt	☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)	#3	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Creek	
Quarter/ Year	01/21	Date/Time Collected	01/26/21@10:30am	Date/Time Examined	01/26/21@1:30pm
Est. Time of Rainfall Start	01/25/21@3am	Rainfall Amount	1.80 inches	Runoff Source	☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility		Village of Shiloh		Permit ILR40 -		0275	
Sampler's Name (please print)		Mike Campbell		Qualifying Rain Event		☒ Yes ☐ No	
Outfall ID. (refer to site map)		#1		Outfall Description (ex: ditch, grassed swale, concrete pipe)		Box Culvert	
Quarter/ Year	02/21	Date/Time Collected	04/29/21@9am		Date/Time Examined	04/29/21@1pm	
Est. Time of Rainfall Start	04/28/21@2am	Rainfall Amount	1 inch		Runoff Source	☐ Snowmelt ☒ Rainfall	
Parameter		Parameter Description		Parameter Characteristics			
Color		Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____			
Clarity		Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____			
Oil Sheen		Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____			
Odor		Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____			
Floating Solids		Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____			
Suspended Solids		Is there anything suspended in the sample? ☐ Yes ☒ No		Description:			
Damage to Outfall Structure		Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____			
Vegetation Conditions		Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____			
WAIT 30 MINUTES							
Settled Solids		Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):			
Foam		Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)			
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.							
Sampler's Signature and Date		Mike Campbell					

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)		#2	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Bridge
Quarter/ Year	02/21	Date/Time Collected	04/29/21@9:30am	Date/Time Examined	04/29/21@1:15pm
Est. Time of Rainfall Start	04/28/21@2am	Rainfall Amount	1 inch	Runoff Source	☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☐ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)	#3	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Creek	
Quarter/ Year	02/21	Date/Time Collected	04/29/21@10am	Date/Time Examined	04/29/21@1:30pm
Est. Time of Rainfall Start	04/28/21@2am	Rainfall Amount	1 inch	Runoff Source	☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☐ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)		#1	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Box Culvert
Quarter/ Year	03/21	Date/Time Collected	07/12/21@8am		Date/Time Examined
Est. Time of Rainfall Start	07/11/21@9am	Rainfall Amount	1 inch		Runoff Source
					☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☐ Yellow ☐ Brown ☐ Red ☒ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)	#2	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Bridge	
Quarter/ Year	03/21	Date/Time Collected	07/12/21@8:30am	Date/Time Examined	07/12/21@11:30am
Est. Time of Rainfall Start	07/11/21@9am	Rainfall Amount	1 inch	Runoff Source	☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☐ Yellow ☐ Brown ☐ Red ☒ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility		Village of Shiloh		Permit ILR40 -		0275	
Sampler's Name (please print)		Mike Campbell		Qualifying Rain Event		☒ Yes ☐ No	
Outfall ID. (refer to site map)		#3		Outfall Description (ex: ditch, grassed swale, concrete pipe)		Creek	
Quarter/ Year	03/21	Date/Time Collected	07/12/21@9am		Date/Time Examined	07/12/21@12pm	
Est. Time of Rainfall Start	07/11/21@9am	Rainfall Amount	1 inch		Runoff Source	☐ Snowmelt ☒ Rainfall	
Parameter	Parameter Description			Parameter Characteristics			
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)			☐ Yellow ☐ Brown ☐ Red ☒ Gray ☐ Other _____			
Clarity	Is the stormwater clear? ☐ Yes ☒ No			☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____			
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No			☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____			
Odor	Does the sample have an odor? ☐ Yes ☒ No			☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____			
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No			☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____			
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No			Description:			
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No			☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____			
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.			☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____			
WAIT 30 MINUTES							
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No			Description (note type, size, & material):			
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No			Description (shake bottle gently, is there foam?)			
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.							
Sampler's Signature and Date		Mike Campbell					

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility		Village of Shiloh		Permit ILR40 -		0275	
Sampler's Name (please print)		Mike Campbell		Qualifying Rain Event		☒ Yes ☐ No	
Outfall ID. (refer to site map)		#1		Outfall Description (ex: ditch, grassed swale, concrete pipe)		Box Culvert	
Quarter/ Year	04/21	Date/Time Collected	12/17/21@9am		Date/Time Examined	12/17/21@1pm	
Est. Time of Rainfall Start	12/16/21@10pm	Rainfall Amount	0.5 inches		Runoff Source	☐ Snowmelt ☒ Rainfall	
Parameter		Parameter Description		Parameter Characteristics			
Color		Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____			
Clarity		Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____			
Oil Sheen		Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____			
Odor		Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____			
Floating Solids		Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____			
Suspended Solids		Is there anything suspended in the sample? ☐ Yes ☒ No		Description:			
Damage to Outfall Structure		Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____			
Vegetation Conditions		Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____			
WAIT 30 MINUTES							
Settled Solids		Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):			
Foam		Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)			
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.							
Sampler's Signature and Date		Mike Campbell					

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shiloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)		#2	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Bridge
Quarter/ Year	04/21	Date/Time Collected	12/17/21@9:30am	Date/Time Examined	12/17/21@1:10pm
Est. Time of Rainfall Start	12/16/21@10pm	Rainfall Amount	0.5 inches	Runoff Source	☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Quarterly Visual Monitoring Form

Fill out a separate form for each sample collected (one form per outfall)

Facility	Village of Shloh		Permit ILR40 -	0275	
Sampler's Name (please print)	Mike Campbell		Qualifying Rain Event	☒ Yes ☐ No	
Outfall ID. (refer to site map)	#3	Outfall Description (ex: ditch, grassed swale, concrete pipe)		Creek	
Quarter/ Year	04/21	Date/Time Collected	12/17/21@10am	Date/Time Examined	12/17/21@1:20pm
Est. Time of Rainfall Start	12/16/21@10pm	Rainfall Amount	0.5 inches	Runoff Source	☐ Snowmelt ☒ Rainfall
Parameter	Parameter Description		Parameter Characteristics		
Color	Does the stormwater appear to have any color? ☒ Yes ☐ No (Clear)		☒ Yellow ☐ Brown ☐ Red ☐ Gray ☐ Other _____		
Clarity	Is the stormwater clear? ☐ Yes ☒ No		☐ Opaque ☒ Milky/Cloudy ☐ Suspended Solids ☐ Other _____		
Oil Sheen	Can you see a rainbow effect or sheen on the water surface? ☐ Yes ☒ No		☐ Floating Oil Globules ☐ Rainbow Sheen ☐ Other _____		
Odor	Does the sample have an odor? ☐ Yes ☒ No		☐ Chemical ☐ Musty ☐ Rotten Eggs ☐ Sewage ☐ Other _____		
Floating Solids	Is there anything on the surface of the sample? ☐ Yes ☒ No		☐ Suds ☐ Garbage ☐ Sewage ☐ Oily Film ☐ Other _____		
Suspended Solids	Is there anything suspended in the sample? ☐ Yes ☒ No		Description:		
Damage to Outfall Structure	Is there any damage to the outfall structure? ☐ Yes ☒ No		☐ Concrete Cracking ☐ Corrosion ☐ Peeling Paint ☐ Other _____		
Vegetation Conditions	Describe plant growth around the stormwater discharge location using the check boxes.		☐ Inhibited Growth ☒ Normal ☐ Excessive ☐ Other _____		
WAIT 30 MINUTES					
Settled Solids	Is there something settled on the bottom of the sample? ☐ Yes ☒ No		Description (note type, size, & material):		
Foam	Is there foam or material forming on the top of the sample surface? ☐ Yes ☒ No		Description (shake bottle gently, is there foam?)		
Detail any concerns, corrective actions taken, and any other indicators of pollution present in the sample.					
Sampler's Signature and Date	Mike Campbell				

Educational Material at Shiloh Municipal Building

Storm water brochures for Residents, Businesses, and Kids
In the Lobby of the Shiloh Municipal Building.



Code Officials Booth at Village Picnic



Certificate of Completion



CERTIFIES THAT

Chris Etling

WAS IN ATTENDANCE AND COMPLETED THE ONLINE COURSE
2020-2021 Annual Report and New NOI Preparation
ON FEBRUARY 10, 2021, 9:30 AM - 10:30 AM

Noelle Gaspard

NOELLE GASPARD, P.E., CFM, GIS
RJN GROUP

February 10, 2021

DATED

Professional Development Hours (PDHs) = 1.0

Certificate of Completion



CERTIFIES THAT

Dave Miller

WAS IN ATTENDANCE AND COMPLETED THE ONLINE COURSE
2020-2021 Annual Report and New NOI Preparation
ON FEBRUARY 10, 2021, 9:30 AM - 10:30 AM

Noelle Gaspard


NOELLE GASPARD, P.E., CFM, GIS
RJN GROUP

February 10, 2021

DATED

Professional Development Hours (PDHs) = 1.0

Certificate of Completion



CERTIFIES THAT

Mike Campbell

WAS IN ATTENDANCE AND COMPLETED THE ONLINE COURSE
2020-2021 Annual Report and New NOI Preparation
ON FEBRUARY 10, 2021, 9:30 AM - 10:30 AM

Noelle Gaspard

NOELLE GASPARD, P.E., CFM, GIS
RJN GROUP

February 10, 2021

DATED

Professional Development Hours (PDHs) = 1.0

CERTIFICATE OF ATTENDANCE

Chris Etling

Name

Village of Shiloh

Organization

has participated in the MS4 training that included
"Annual Report Preparation" and "New 2022 NOI"
presented by Noelle Gaspard of RJN Group
on **May 13, 2021** and is awarded **1 PDH**.

Noelle Gaspard

Noelle Gaspard, PE, GISP, CFM
Stormwater Practice Lead
RJN Group, Inc.

rjn group
Engineering infrastructure for tomorrow

CERTIFICATE OF ATTENDANCE

David Miller

Name

Village of Shiloh

Organization

has participated in the MS4 training that included
"Annual Report Preparation" and "New 2022 NOI"
presented by Noelle Gaspard of RJN Group
on **May 13, 2021** and is awarded **1 PDH**.

Noelle Gaspard

Noelle Gaspard, PE, GISP, CFM
Stormwater Practice Lead
RJN Group, Inc.

rjngroup
Engineering infrastructure for tomorrow

CERTIFICATE OF ATTENDANCE

Mike Campbell

Name

Village of Shiloh

Organization

has participated in the MS4 training that included
"Annual Report Preparation" and "New 2022 NOI"
presented by Noelle Gaspard of RJN Group
on **May 13, 2021** and is awarded **1 PDH**.

Noelle Gaspard

Noelle Gaspard, PE, GISP, CFM
Stormwater Practice Lead
RJN Group, Inc.

rjn group
Engineering infrastructure for tomorrow



Administrative Department
1 Park Drive • Shiloh, Illinois 62269

(618) 632-1022 Phone
(618) 632-8942 Fax
shiloh@shilohil.org

2021-2022 Salt Usage

- **January 6, 2022**, we used approximately 5 tons of salt. Small event, but we treated hills, busy intersections, along with our main thoroughfares.
- **January 15, 2022**, we used approximately 7 tons of salt. ½" of snow that covered the roads, but we treated hills, busy intersections, along with our main thoroughfares.
- **February 2-5, 2022**, we used approximately 57 tons of salt. 1 ¼" of sleet/freezing rain mix, and 8 ½" of blowing/ drifting snow. We treated every street, along with our parks and parking lots.

Total Tonnage = approximately 69 tons

Typical Paper Recycling Container at Area Schools



1-container at each school; Shiloh Elementary School, Shiloh Middle School, and Whiteside Middle School. Containers are emptied weekly.



Administrative Department
1 Park Drive • Shiloh, Illinois 62269

(618) 632-1022 Phone
(618) 632-8942 Fax
shiloh@shilohil.org

Shiloh Public Works
Street Sweeping

32 truckloads of leaves and debris was collected from various roads



RECYCLE DRIVE

Boy Scout Troop 40
Electronics &
Metals Drive

APR
17TH

9AM-
1PM



TV/Monitor
CRT cost:
~~\$20~~ \$40

CASH CHECK VENMO PAYPAL

Vehicles • Appliances
Batteries • Electronics
Machinery • Office Equipment



Questions?
618.344.7232

126 Seibert Rd
Shiloh, IL

NOT ACCEPTED: PAPER GLASS PLASTIC CARDBOARD TIRES
HAZARDOUS MATERIALS WOOD CONCRETE RAILROAD MAT.





Administrative Department
1 Park Drive • Shiloh, Illinois 62269

(618) 632-1022 Phone
(618) 632-8942 Fax
shiloh@shilohil.org

**Government Only
Used Tire Collection
September 22, 2020
(32 tires)**



Site Collection Area



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-2829

217/782-0610

8/8/2019

GREENMOUNT RETAIL CENTER LLC
KEN GOESSLING
1331 PARK PLAZA DR STE 4
OFALLON, IL 62269

RE: FACILITY : HARTMAN LAKES PHASE II, OFALLON, IL
COUNTY : ST CLAIR, NPDES Permit No : ILR10AZ09
Notice of Coverage Under Construction Site Activity Storm Water General Permit

Dear NPDES Permittee:

We have reviewed your application and determined that storm water discharges associated with industrial activity from construction sites are appropriately covered by the attached General NPDES Permit issued by the Agency. Your discharge is covered by this permit effective as of the date of this letter or as identified by the conditions of the permit. The Permit as issued covers application requirements, a storm water pollution prevention plan and reporting requirements.

As a Permit Holder, it is your responsibility to:

1. Submit a modified Notice of Intent of any ownership or address change to the Permit Section within 30 days;
2. A Notice of Termination must be sent to the Agency, at the address indicated on the Notice of Termination, once your construction project has been completed and the site is properly stabilized. A Notice of Termination form has been enclosed for your convenience;

This letter shows your facility permit number below the construction site name. Please save this number and reference it in all future correspondence. Should you have any questions concerning the Permit, please contact Melissa Parrott at (217) 782-0610.

Very truly yours,

Amy L. Dragovich, P.E.
Manager, Permit Section
Division of Water Pollution Control

CC : Records Unit, Millennia Services, St. Clair County SWCD, Region : Collinsville

4302 N. Main St., Rockford, IL 61103 (815) 967-7760
395 S. State, Elgin, IL 60120 (847) 608-3131
2125 S. First St., Champaign, IL 61820 (217) 278-5800
2009 Mall St., Collinsville, IL 62234 (618) 346-5120

9511 Harrison St., Des Plaines, IL 60016 (847) 294-4000
5407 N. University St., Aurora 113, Peoria, IL 61614 (309) 693-5462
2309 W. Main St., Suite 116, Marion, IL 62959 (618) 993-7200
100 W. Randolph, Suite 11-300, Chicago, IL 60601 (312) 614-6026



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-2829

217/782-0610

04/17/2017

Archview Developers LLC
Ryan Florek
7 Golden Bear Court
Belleville, IL 62220

RE: FACILITY: Summit of Shiloh Phase 1 Shiloh, IL
COUNTY: ST CLAIR NPDES Permit No:ILR10Y242
Notice of Coverage Under Construction Site Activity Storm Water General Permit

Dear NPDES Permittee:

We have reviewed your application and determined that storm water discharges associated with industrial activity from construction sites are appropriately covered by the attached General NPDES Permit issued by the Agency. Your discharge is covered by this permit effective as of the date of this letter or as identified by the conditions of the permit. The Permit as issued covers application requirements, a storm water pollution prevention plan and reporting requirements.

As a Permit Holder, it is your responsibility to:

1. Submit a modified Notice of Intent of any ownership or address change to the Permit Section within 30 days;
2. A Notice of Termination must be sent to the Agency, at the address indicated on the Notice of Termination, once your construction project has been completed and the site is properly stabilized. A Notice of Termination form has been enclosed for your convenience;

This letter shows your facility permit number below the construction site name. Please save this number and reference it in all future correspondence. Should you have any questions concerning the Permit, please contact Cathy Demeroukas at (217) 782-0610.

Very truly yours,

Alan Keller, P.E.
Manager, Permit Section
Division of Water Pollution Control

CC: Records Unit St. Clair County SWCD, Millennia Services, Region: Collinsville

4302 N. Main St., Rockford, IL 61103 (815) 967-7760
595 S. State, Elgin, IL 60120 (847) 608-3131
3125 S. First St., Champaign, IL 61820 (217) 278-5600
2309 Mall St., Collinsville, IL 62204 (618) 346-5120

7511 Harrison St., Des Plaines, IL 60016 (647) 294-4000
5407 N. University St., Arbor Vitae, Peoria, IL 61614 (309) 693-5462
2309 W. Main St., Suite 115, Marion, IL 62959 (618) 993-7200
100 W. Randolph, Suite 1100, Chicago, IL 60601 (312) 612-6026



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-2829

217/782-0610

8/18/2020

AUFFENBERG SHILOH LLC
MIKE AUFFENBERG
176 AUTO CT
OFALLON, IL 62269

RE: FACILITY : AUFFENBERG AUTO FACILITY, SHILOH, IL
COUNTY : ST CLAIR, NPDES Permit No : ILR10BP30
Notice of Coverage Under Construction Site Activity Storm Water General Permit

Dear NPDES Permittee:

We have reviewed your application and determined that storm water discharges associated with industrial activity from construction sites are appropriately covered by the attached General NPDES Permit issued by the Agency. Your discharge is covered by this permit effective as of the date of this letter or as identified by the conditions of the permit. The Permit as issued covers application requirements, a storm water pollution prevention plan and reporting requirements.

As a Permit Holder, it is your responsibility to:

1. Submit a modified Notice of Intent of any ownership or address change to the Permit Section within 30 days;
2. A Notice of Termination must be sent to the Agency, at the address indicated on the Notice of Termination, once your construction project has been completed and the site is properly stabilized. A Notice of Termination form has been enclosed for your convenience;

This letter shows your facility permit number below the construction site name. Please save this number and reference it in all future correspondence. Should you have any questions concerning the Permit, please contact Melissa Parrott at (217) 782-0610.

Very truly yours,

Amy L. Dragovich, P.E.
Manager, Permit Section
Division of Water Pollution Control

CC : Records Unit, TWM, St. Clair County SWCD, Region : Collinsville

4302 N. Main St., Rockford, IL 61103 (815) 967-7760
595 S. Stone, Elgin, IL 60120 (847) 608-3131
2125 S. First St., Champaign, IL 61820 (217) 276-5800
2009 Main St., Collinsville, IL 62234 (618) 346-5120

9511 Harrison St., Des Plaines, IL 60016 (847) 294-4000
5407 N. University St., Aurora, IL 61614 (309) 693-5462
2309 W. Main St., Suite 116, Marion, IL 62959 (618) 993-7200
100 W. Randolph, Suite 11-300, Chicago, IL 60601 (312) 614-6026

PLEASE PRINT ON RECYCLED PAPER



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-2829

217/782-0610

9/3/2019

ENCOMPASS HEALTH
RODNEY GILCHRIST
9001 LIBERTY PARKWAY
BIRMINGHAM, AL 25243

(ENCOMPASS HEALTH)

RE: FACILITY : THE REHABILITATION INSTITUTE OF SOUTHERN ILLINOIS, SHILOH, IL
COUNTY : ST CLAIR, NPDES Permit No : ILR10AZ40
Notice of Coverage Under Construction Site Activity Storm Water General Permit

Dear NPDES Permittee:

We have reviewed your application and determined that storm water discharges associated with industrial activity from construction sites are appropriately covered by the attached General NPDES Permit issued by the Agency. Your discharge is covered by this permit effective as of the date of this letter or as identified by the conditions of the permit. The Permit as issued covers application requirements, a storm water pollution prevention plan and reporting requirements.

As a Permit Holder, it is your responsibility to:

1. Submit a modified Notice of Intent of any ownership or address change to the Permit Section within 30 days;
2. A Notice of Termination must be sent to the Agency, at the address indicated on the Notice of Termination, once your construction project has been completed and the site is properly stabilized. A Notice of Termination form has been enclosed for your convenience;

This letter shows your facility permit number below the construction site name. Please save this number and reference it in all future correspondence. Should you have any questions concerning the Permit, please contact Melissa Parrott at (217) 782-0610.

Very truly yours,

Amy L. Dragovich, P.E.
Manager, Permit Section
Division of Water Pollution Control

CC : Records Unit, TWM, St. Clair County SWCD, Region : Collinsville

4302 N. Main St., Rockford, IL 61103 (815) 967-7760
595 S. State, Elgin, IL 60120 (847) 698-0101
2125 S. East St., Champaign, IL 61820 (217) 276-3800
2009 Main St., Collinsville, IL 62234 (618) 346-5120

9311 Harrison St., Des Plaines, IL 60016 (847) 294-4000
5407 N. University St., Aurora, IL 61614 (309) 693-5462
2309 W. Main St., Suite 114, Marion, IL 62959 (618) 993-7200
100 W. Randolph, Suite 11-300, Chicago, IL 60601 (312) 4-6026

PLEASE PRINT OR RECYCLED PAPER



Illinois Environmental Protection Agency

Bureau of Water • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

Division of Water Pollution Control Notice of Intent (NOI) for General Permit to Discharge Storm Water Associated with Construction Site Activities

Permit Information

Master Permit Number: ILR100000

NPDES ID: ILR10ZA60

State/Territory to which your project/site is discharging: IL

Is your project/site located on federally recognized Indian Country Lands? No

By Indicating "Yes" below, I confirm that I understand that this General Permit only authorizes the allowable stormwater discharges in Part LB.1 and Part LB.2. Any discharges not expressly authorized in part LB.3 of this permit cannot become authorized or shielded from liability under CWA Section 402(k) by disclosure to EPA, State, or local authorities after issuance of this permit via any means, including the Notice of Intent (NOI) to be covered by the permit, the Stormwater Pollution Prevention Plan (SWPPP), during an inspection, etc. If any discharges requiring NPDES permit coverage other than the allowable stormwater discharges listed in Part LB.1 and Part LB.2, they must be covered under another NPDES permit.

Yes

Is your construction site less than one acre? No

Owner and Operator Information

Owner (Company) Information

Owner (Company) Name: SD2, LLC.

Owner Type: Private

Owner (Company) Mailing Address

Address Line 1: 18650 Chesterfield Grove Road

Address Line 2: Suite 110

City: Chesterfield

ZIP/Postal Code: 63005

State: MO

Owner (Company) Point of Contact Information

First Name Middle Initial Last Name: Matt Lanter

Professional Title: President

Phone: 616-632-9779

Ext.:

Email: mail@kalfordhomes.com

Operator (Contractor) Information

Is the Operator Information the same as the Owner Information? No

Operator (Contractor) Name: Atlanta Asphalt

Operator (Contractor) Mailing Address

Address Line 1: 4287 Frank Scott Pkwy W

Address Line 2:

City: Belleville

ZIP/Postal Code: 62223

State: IL

Operator (Contractor) Point of Contact Information

First Name Middle Initial Last Name: Scott Reichert

Professional Title:

Phone: 618-233-1955

Ext.:

Email:

NOI Preparer Information

☒ This NOI is being prepared by someone other than the certifier.

February 1, 2021

Mr. Norm Etling
County Engineer
St. Clair County
1415 North Belt West
Belleville, IL 62226

Subject: Phase II Storm Water Permit Implementation
2021-2022 Co-Permittee Scope of Work

Dear Mr. Etling:

Complying with the intent of the established Storm Water Co-Permittee Group (Group), RJN Group, Inc. (RJN) is pleased to provide you with this proposal for consulting services for the Phase II storm water implementation for Permit Year 2021-2022. We are once again looking forward to continuing assistance with St. Clair County and the Group for the Phase II storm water initiatives. Much of this year's focus will be on continuing to meet the new requirements introduced in the National Pollutant Discharge Elimination System (NPDES) permit effective March 2016. A new updated permit is expected to be released during 2021. We have available an experienced project team to support the Group's needs in a manner as was accomplished in the previous phases of this project. Our team has the experience to prioritize project activities and guide the Group through the Phase II National Pollutant Discharge Elimination System permit implementation process.

BASIC SCOPE OF SERVICES

The scope of services is meant to provide necessary Phase II storm water plan implementation assistance over the next year (March 2021 through February 2022), which will coincide with Year 1 of the new five-year permit period. A new five-year NOI will be submitted this year.

Phase II Storm Water Activities

Phase II Storm Water Task 1 – Develop and Present Three Co-Permittee Meetings

One of the most important aspects of the Phase II plan implementation is the coordination of the Group. To accomplish this, periodic meetings with the Group will be required. RJN will develop the meeting agenda and content and prepare handouts, surveys, and PowerPoint presentations as necessary. RJN will present meeting topics and facilitate discussions during the meeting. Meeting reminders will be emailed to each Co-Permittee community.

The approximate schedule for the three meetings and general topics to be covered are summarized below:

Meeting 1	February 2021	Annual Report Preparation & New NOI for 2021-2022
Meeting 2	April 2021	Finalizing Annual Reports and Speaker



Meeting 3

October 2021

Operations Training/Best Management Practices
(BMPs) Training

Phase II Storm Water Task 2 – Minimum Control Measures (MCM) #6 – Government Operations Training Program

RJN will assemble the program content for the Government Operations Training Program. The purpose of this task is to develop a one- to three-hour training course that will concentrate on BMPs that should be used as normal municipal operations so that storm water runoff is not impacted. Specific operations to be covered in the training will include road maintenance activities, snow removal activities, road salting activities, fleet maintenance, chemical/petroleum storage and handling, and waste handling and disposal. RJN will conduct the Government Operations Training Program and present content to address sediment control and green infrastructure in accordance with the NOI.

Phase II Storm Water Task 3 – Develop Annual Reports

RJN will develop the annual reports that are required to be submitted to the Illinois Environmental Protection Agency (IEPA) for the Co-Permittee communities. The annual reports will be standardized where applicable, and the communities will provide the unique details to tailor each community's annual report. A draft will be submitted to each community for review and comment. The report will be finalized based on minor comment changes by the community. The final report will be submitted to each community for signature and submittal to the IEPA. Additionally, NOIs will be updated and submitted to the IEPA during the 2021-2022 permit year if the person responsible for MS4 compliance in the community has changed.

ESTIMATED FEE

RJN is prepared to perform the above-stated scope of services based on a lump-sum payment of \$1,800.00 per municipality for the minimum-required scope of services. Payment is required prior to RJN providing assistance with the annual reporting requirements, March 1, 2021.

RJN looks forward to the opportunity to continue the mutually beneficial relationship and to assist the Group. If you agree with the scope and terms of this proposal, please sign and date as indicated at the bottom of this page and return to RJN. Thank you for your consideration.

Sincerely,

A handwritten signature in cursive script that reads 'Mita Garasia'.

Mita Garasia
Sr. Project Engineer

TRANSPORTATION COMMITTEE
Minutes
January 31, 2022
6:00 PM County Court House
Conference Room B 564

Members in Attendance

Richard Vernier Chairman
Marty Crawford Vice Chairman
Robert Allen
Richie Meile
Mike O'Donnell
Robert Trentman

Guests

Doctor Moore County Administrator
Robert Langford County Board
Lonnie Mosley County Board
Curtis McCall Jr. County Board
Herb Simmons ESDA Director
Randy Pierce News Media

Members Absent

Roy Mosley Jr.

The Chairman called the meeting to order with the Pledge of Allegiance at 6:00 PM.

The Expense Claim Report for December 20, 2021 to January 31, 2022 was circulated for review and signing.

Mr. Meile made a motion seconded by Mr. Allen to approve the minutes from the 12-20-2021 meeting. All members present voted aye.

The Chairman asked if there were any comments on the agenda. None were presented.

The Chairman asked if there were any comments from the audience. None were presented.

Action Items

- 1) Mr. O'Donnell made a motion seconded by Mr. Crawford to advise the County Engineer to approve the plat for the Mernick Hills Subdivision Plat. All members present voted aye.
- 2) The County Engineer gave a briefing on the MS4 procedures and the NOI. No questions or comments were received following the update.

Resolutions:

- A) Approving Section 21-00000-01-LA authorizing the contract with Lockmueller Group and Volkert Inc. for appraisal and review appraisal services. Mr. Meile made a motion seconded by Mr. Allen to approve. All members present voted aye.
- B) Approving \$485,000.00 from the County's Rebuild Illinois Funds for design and construction of improvements to structures 082-3081 and 082-3082 on County Highway 97, Curtiss-Steinberg Road. Section 20-00304-06-BR. Mr. Crawford made a motion seconded by Mr. Allen to approve. All members present voted aye.
- C) Approving \$60,000.00 from the County's Bridge Fund for design, removal and replacement of an existing pipe culvert on County Highway 71, Saxtown Road. Section 21-00199-03-DR. Mr. O'Donnell made a motion seconded by Mr. Meile to approve. All members present voted aye.
- D) Approving a permit for Spectrum Mid America to install a buried communication cable along the east side of S. 74th Street for 1,098 feet; starting at Magna Drive. Mr. Crawford made a motion seconded by Mr. Allen to approve. All members present voted aye.
- E) Approving a permit for Spectrum Mid America to install a buried communication line along the north side of Frank Scott Parkway West and Hawkbell DR. to IL Rte. 161. Mr. O'Donnell made a motion seconded by Mr. Meile to approve. All members present voted aye.
- F) Accepting the low bid for Corrugated Steel Culvert Pipes and Bands for the various sizes bid. Mr. Trentman made a motion seconded by Mr. Allen to approve. All members present voted aye.
- G) Accept the low bids for various bituminous maintenance products for 2022. Section 22-00000-00-GM. Mr. Crawford made a motion seconded by Mr. Meile to approve. All members present voted aye.
- H) Accept the low bids for various aggregate items for 2022. Mr. Allen made a motion seconded by Mr. O'Donnell to approve. All members present voted aye.

Engineer's Report

Road widening and entrance project for Encompass Health/BJC underway
Right in and right out additional widening at Auffenberg awaiting LOC from developer.
Pickup Truck received 12-28-2021
Checked on single axle truck delivery. One is being outfitted with bed etc. The other is still at plant
Checked on 1 Ton dump trucks; still at plant.
Shop candidates Department of Agriculture testing for chemical mixing; both passed.
Old Collinsville Road joint correction project scheduled for a Summer Letting.
TARP grant receipt info for Curtis Steinberg patch and overlay-Summer 2023 letting
Frank Scott Parkway widening scheduled for March letting.
Interviewed 4 firms for various land acquisition items
MFT program prepared for all townships
Parcel info provided to Board of Review for 11 parcels
MS4 NOI sent in
2022 material bids opened 1-18-2022
FEMA class 1-26-2022
Engineer distributed the St. Clair County portion of the 2022 Priority Freight Project information.
Mr. Allen made a motion seconded by Mr. Meile to accept the Engineer's Report. All members in attendance voted aye.

The Chairman asked if there was any Old Business.

Mr. Allen asked if there were any requests for additional information about the transfer station off of Bunkum.
The engineer reported none through his office.

Mr. Trentman requested maintenance look at the Hartman Lane Bridge Deck. The engineer said he would advise accordingly.

The Chairman asked if there was any New Business. None was presented.

Mr. Trentman made a motion seconded by Mr. Allen to adjourn.

The Chairman adjourned the meeting at 6:21 PM

F:\lenormtransagenda01-31-2022

TRANSPORTATION COMMITTEE
Minutes Monday February 28, 2022
6:00 PM County Court House
Conference Room B 564

Members In attendance

Mr. Vernier Chairman
Robert Allen
Richard Meile
Robert Trentman

Members Absent

Marty Crawford Vice Chairman
Roy Mosley Jr.
Mike O'Donnell

Guests

Chairman Kern	County Board Chair
Robert Langford	County Board
Lonnie Mosley	County Board
Scott Greenwald	County Board
Steve Gomric	County Board
Harry Hollingsworth	County Board
Herb Simmons	ESDA Director
Robert Wilhelm	County Board

The Chairman called the meeting to order with the Pledge of Allegiance at 6:00 PM.

A correction to the Agenda was noted that the meeting time was erroneously listed as 5:30 and should have been 6:00 P.M.

Mr. Allen made a motion seconded by Mr. Meile to approve the minutes from the 1-31-2022 meeting. All members present voted aye

The Chairman asked if there were any Comments on the Agenda other than the one noted above. None were presented.

The Chairman asked if there were any comments from the audience. None were presented

Resolutions:

- A) Authorizing a Joint Agreement between St. Clair County and the St. Clair County Transit District for the Transit District to construct a bike trail within the right- of -way of Old Collinsville Road, County Highway 70, from Lebanon Avenue northerly for approximately 1900 feet; Section 18-00276-05-BT. Mr. Trentman made a motion to approve seconded by Mr. Allen. All members present voted aye.

- B) Authorizing an improvement to Floraville Road, County Highway 9, approximately 1050 feet northwesterly of Quirin Road. Improvement to consist of replacing the existing cross road culvert with a 36" diameter concrete pipe and incidentals. Resolution to include the authorization of \$8500.00 from the County's Bridge Fund and \$91,500.00 from the County's Rebuild Illinois Fund; Section 19-00228-03-DR. Mr. Meile made a motion seconded by Mr. Allen to approve. All members present voted aye.

Engineer's Report

Progress meeting with Ameren on their improvement projects 3-3-2022. Last one cancelled due to weather. Right in and right out additional widening at Auffenberg awaiting LOC from developer.

Green Mount widening plans from Lebanon to IL161 underway.

255 Interchange sewer meeting 2-16-2022

Potential operator promotion safety evaluation 2-11-2022. Individual promoted to operator.

Meeting on 2-18-2022 with Transit District on several issues. One relating to private development and one relating to Metrolink extension and Old 158.

Reviewed appraisals for property to be purchased in the name of the County on Imbs Station Road for 255 Interchange Project.

Preliminary plans for 255 Interchange under review

Investigate and send out Flood Plain Violation letters

Tentative Letting Schedule for 2022:

Frank Scott Parkway Widening	3-11-2022
------------------------------	-----------

Floraville Road Culvert Replacement	3-21-2022
-------------------------------------	-----------

Old Collinsville Road Pavement Preservation	4-29-2022
---	-----------

Curtis Steinberg Bridge repairs	8-22-2022
---------------------------------	-----------

Imbs Station Road Bridge Replacement	11-18-2022
--------------------------------------	------------

The engineer advised there is a meeting on the Curtis Steinberg Bridge Repair project on 3-7-2022 to address concerns about the bridge closing in lieu of the Amazon opening in March, the Grizzlies' schedule and holiday season. Currently the plans call for the project to be completed by 9-2022.

Mr. Allen made a motion to approve seconded by Mr. Mele all members present voted aye.

The Chairman asked if there was any Old Business. None was reported.

The Chairman asked if there was any New Business. Mr. Trentman said he would like to go on record thanking Randy Georgen for all his help on the 11th Street Project and his prompt response to questions on other issues.

Mr. Allen made a motion seconded by Mr. Trentman to adjourn.

The Chairman adjourned the meeting at 6:15 M

2021 ANNUAL REPORT

St. Clair County Clean Sweep

2021 was another big year for Clean Sweep with forty-nine scheduled cleanups, accumulating approximately 30,000 tons of waste.

During this year of COVID 19, we have been in the areas of O'Fallon, Swansea, Belleville, East St. Louis, Centreville, Cahokia, Alorton, Signal Hill, and Caseyville. Other areas have been cancelled due to COVID 19.

We assisted IEPA in collecting and hauling approximately 300 tons of tires for disposal. We continue to pick up trash at Silver Creek Preserve in Mascoutah and St. Ellen Park in O'Fallon.

We move dumpsters for special group cleanups on a weekly basis.

We continue to assist Code Enforcement and the Health Department in clearing and hauling away debris from neighborhood blighted sites throughout the County Townships.


We have scheduled cleanups in St. Clair Township beginning in January 2022.

Our crew still consists of three men with hopes to add another man for our next year.


Being proactive with citizens of St. Clair County, I can see that we are deeply appreciated.

Kevin McDaniel
St. Clair County Clean Sweep

Pontiac-William Holiday School District 105 Music Director Michelle White, left, did not let the hot, sunny weather of late summer keep her from performing her duties as she wore a special piece of protective head gear outdoors at Pontiac Junior High School on a recent school day while working with students.




Jimmy Aderole, left, and Henry Chen, shown here on North Illinois Street, were two of the 13 people who volunteered a couple hours of their Saturday morning on September 11 to participate in the community clean-up program called "Trekking for Trash" that occurs once a month. On that day, the trekkers collected 20 bags full of litter and debris from local roadsides. Watch upcoming issues of The Tribune for further information concerning the next time this will occur.



The Caseyville Public Library hosted a "star party" on Friday evening, September 10, in the yard outside of its building, complete with lessons about astronomy, for those are interested in gazing at the nighttime skies.

Fairview Heights Tribune 9/23/2021



Follow us on Facebook
Fairview Heights Tribune

...and check us out at www.heraldpubs.com

Members of the Fren taken out into the dis is done periodically a served.

Free Vacc

By Randy Pierce
tribune@heraldpubs.com

Anyone age 12 and needing a coronavirus vaccine will have the opportunity to get it next Tuesday, Sept. 28, between noon and 4 p.m. at the Caseyville Village Hall, 909 South Main St.

This clinic is for those seeking a first Pfizer BioNTech vaccination needing a second one. The vaccine clinic is being offered by the Illinois Department of Public Health in partnership with the Village of Caseyville as part of outreach efforts to get more people protected from COVID-19.


Those interested in signing up for an appointment can go to <http://idph-mychart.pchos.com/IDPH/signupschedule/embeddedschedule?vt=24629&pt=9001410010955>.

According to information released by the St. Clair County Health Department, there were 68 new positive test cases in the county from September 14 to the following day and four deaths reported during that time period, bringing the total to 528 since March 2020.

From September

Trinity Catholic Church and the items they received were as follows:

- Wine bottle and glasses
- Paula Roburg, candle with mosaic lamp shade - Jim



Bob Friederich was one of 18 volunteers who were out in Fairview Heights on Saturday morning, Nov. 13, collecting litter and small bits of debris as part of the local "Trekking for Trash" program which will be occurring again on Saturday, Dec. 18.

The Tribune HERALD PUBLICATIONS

410 E Main St. • Mascoutah, Ill. 62258

ing of Belleville, and engineers, Thouvernot, Wade and Moerchen of Swansea, Simmons called attention to the fact that the effort was completed "under budget."

Those transit district board members in attendance who were recognized by Simmons included George Markezich, a resident of Caseyville Township, former St. Clair County Board Chairman and retired Chief Circuit Judge John Baricevic, former Swansea Mayor Mike Buehlhorn and Lonnie Mosley, vice-chairman of the St. Clair County Board. Also present were Caseyville Township Trustee Randy Gibbs and Town Clerk Justin Gough who arrived, appropriately so, on his bicycle.

Simmons further recognized the transit district director, St. Clair County Board member Ken Sharkey of Fairview Heights, who was unable to be present for the dedication.

There is a paved leg of the MetroBikeLink System that runs for 3.5 miles from the MetroLink station at St. Clair Avenue and Illi-

extending from there another 1.5 miles adjacent to the main route.

That Fairview Heights path carries us through a pastoral landscape of trees, flowers, wild creeks and historical significance connected to the time flourishing of many coal mines near what is to be a CSX Railroad line.

In the 19th century, there was a military company with the name Winslow that was a station along the St. Louis Southeastern Railway line, acquired by the Levee and Nashville Railroad in 1879, where a path extends near Fairview Heights.

All of this has unfolded since 2002 when the first section of the bike trail opened and consisted of four miles of pathway connecting SWIC to the MetroLink station in Swansea.

Further information about the bicycle trail system and public transportation in this area can be found by going to www.scctd.org.





ST. CLAIR COUNTY HEALTH DEPARTMENT

19 PUBLIC SQUARE, SUITE 150
BELLEVILLE, ILLINOIS 62220-1624
www.health.co.st-clair.il.us



John West, M.A.
President

Barbara A. Hohlt, B.S., L.E.H.P.
Executive Director

Administrative/Fiscal
618.233.7703
618.222.1630 fax

Infectious Disease Prevention
• Communicable Disease
618.233.6175
618.233.9356 fax
• Southwestern Illinois
HIV Care Connect
618.825.4501
618.825.4585 fax
Emergency Preparedness
618.233.7703
618.233.9356 fax

Personal Health
• Maternal-Child
Health Programs
618.233.6170
618.236.0821 fax
• Breast and Cervical Cancer
618.233.7703
618.233.7713 fax

Environmental Health
• 618.233.7769
• 618.236.0676 fax

Like and Follow us on:
Facebook: @SCC.HealthDepartment
Twitter: @stclairhealth



Public Health
Prevent. Promote. Protect.
St. Clair County
Health Department
together for your health

MEMORANDUM

TO: All Units of Local Government, Cities, Villages, Townships, Highway Commissioners and Public Works Directors

FROM: Michael Gates, Environmental Protection Coordinator

DATE: September 8, 2021

RE: **LOCAL GOVERNMENT ONLY** Used Tire Collection 2021

The Illinois Environmental Protection Agency is pleased to sponsor a used tire collection for St. Clair County. This tire collection is limited to **Governmental Entities ONLY** and is **NOT open to the general public**. No used tires from ULG fleets or from private entities are allowed. Please **DO NOT** advertise or promote this collection to the public.

The collection will be held on **Tuesday, September 21, 2021 and Wednesday, September 22, 2021 from 8:00a.m. - 3:00p.m.** both days.

The Illinois Department of Transportation is graciously allowing the use of their property at **8313 Shiloh Valley Township Line Road, Lebanon, Illinois.**

Tires on rims, large truck, and tractor tires **MUST** be kept separate to facilitate unloading in a different area at the collection site.

Please take the necessary steps to ensure waste materials, such as bricks, lumber, and garbage are removed from each load **PRIOR** to delivery.

If you have any specific questions, please contact me or:

Michael Gates
St. Clair County Health Dept.
Desk: (618) 825-4451
Email: michael.gates@co.st-clair.il.us

Jacob McQuaid
Illinois Environmental Protection
Agency
Desk: (618) 346-5152
Email:
Jacob.McQuaid@illinois.gov



CERTIFICATE OF ATTENDANCE

NORM ETUNG attended and participated in the ASCE webinar presentation on the "Investigation of Damage from Superstorm Sandy" by Joseph G. DiPompeo, PE, SECB, F.SEI, F.ASCE on April 13, 2021.

1.0 Professional Development Hour awarded.

Amount Paid: \$0.00

A handwritten signature in blue ink, which appears to read "Stephen Noeth".

Stephen Noeth, PE, SE
Program Committee Co-chair
ASCE St. Louis Section

CERTIFICATE OF COMPLETION



Awarded to:

JAMES HARMS

for attendance of the following pipeline safety training program:

**Pipeline Emergency Response and
Damage Prevention**

Attended: January 19, 2022

Fairview Heights, IL

Course Numbers:

(IEPA) Water Operations 13492

(IEPA) Excavator 7126

This certificate may qualify for additional
In-Service Credit Hours in your state.



A handwritten signature in black ink, appearing to read "Steve Roberts".

Steve Roberts – M. Ed
Vice President of Training



EAST-WEST GATEWAY
Council of Governments



EVENT DETAIL

« All Events

Water Resources Committee (WRC) Virtual Meeting



DUE TO THE OUTBREAK OF COVID-19, THE COUNCIL'S OFFICES ARE CURRENTLY CLOSED TO THE PUBLIC AND WILL BE UNTIL FURTHER NOTICE

You can listen, talk, and/or view the February 4, 2021, meeting via:

Computer:

<https://global.gotomeeting.com/join/839034973>

Access code for meeting through computer: 839-034-973

Or

Phone:

+1(872) 240-3212

[Meeting packet for January 2021](#)

You can find more information about the WRC, including past meeting packets, on the [Committees](#) page.

+ Add to gCal

+ Add to iCal

ASCE > FORWARD
FASTER

JOIN TODAY.

IT'S THE
FAST LANE
TO YOUR
BRIGHTEST
FUTURE.



Enter search criteria...


[MENU](#)

COUNTIES

Adams County (</page/AdamsCounty>)

(</resource/resmgr/illinois.svg>)

Alexander County (</page/AlexanderCounty>)

Bond County (</page/BondCounty>)

Brown County (<https://iaceng.site-ym.com/page/BrownCounty>)

Boone County (<https://iaceng.site-ym.com/page/BooneCounty>)

Bureau County (<https://iaceng.site-ym.com/page/BureauCounty>)

Calhoun County (<https://iaceng.site-ym.com/page/CalhounCounty>)

Carroll County (<https://iaceng.site-ym.com/page/CarrollCounty>)

Cass County (<https://iaceng.site-ym.com/page/CassCounty>)

Champaign County (<https://iaceng.site-ym.com/page/ChampaignCounty>)

Christian County (<https://iaceng.site-ym.com/page/ChristianCounty>)

Clark County (<https://iaceng.site-ym.com/page/ClarkCounty>)

Clay County (<https://iaceng.site-ym.com/page/ClayCounty>)

Clinton County (<https://iaceng.site-ym.com/page/ClintonCounty>)

Coles County (<https://iaceng.site-ym.com/page/ColesCounty>)

Cook County (<https://iaceng.site-ym.com/page/CookCounty>)

Crawford County (<https://iaceng.site-ym.com/page/CrawfordCounty>)

Cumberland County (<https://iaceng.site-ym.com/page/CumberlandCounty>)

DeKalb County (<https://iaceng.site-ym.com/page/DeKalbCounty>)

DeWitt County (<https://iaceng.site-ym.com/page/DeWittCounty>)



Douglas County (<https://iaceng.site-ym.com/page/DouglasCounty>)

DuPage County (<https://iaceng.site-ym.com/page/DuPageCounty>)

Edgar County (<https://iaceng.site-ym.com/page/EdgarCounty>)

Edwards County (<https://iaceng.site-ym.com/page/EdwardsCounty>)

Effingham County (<https://iaceng.site-ym.com/page/EffinghamCounty>)

Fayette County (<https://iaceng.site-ym.com/page/FayetteCounty>)

Ford County (<https://iaceng.site-ym.com/page/FordCounty>)

Franklin County (<https://iaceng.site-ym.com/page/FranklinCounty>)

Fulton County (<https://iaceng.site-ym.com/page/FultonCounty>)

Gallatin County (<https://iaceng.site-ym.com/page/GallatinCounty>)

Greene County (<https://iaceng.site-ym.com/page/GreeneCounty>)

Grundy County (<https://iaceng.site-ym.com/page/GrundyCounty>)

Hamilton County (<https://iaceng.site-ym.com/page/HamiltonCounty>)

Hancock County (<https://iaceng.site-ym.com/page/HancockCounty>)

Hardin County (<https://iaceng.site-ym.com/page/HardinCounty>)

Henderson County (<https://iaceng.site-ym.com/page/HendersonCounty>)

Henry County (<https://iaceng.site-ym.com/page/HenryCounty>)

Iroquois County (<https://iaceng.site-ym.com/page/IroquoisCounty>)

Jackson County (<https://iaceng.site-ym.com/page/JacksonCounty>)

Jasper County (<https://iaceng.site-ym.com/page/JasperCounty>)

Jefferson County (<https://iaceng.site-ym.com/page/JeffersonCounty>)

Jersey County (<https://iaceng.site-ym.com/page/JerseyCounty>)

Jo Daviess County (<https://iaceng.site-ym.com/page/JoDaviessCounty>)

Johnson County (<https://iaceng.site-ym.com/page/JohnsonCounty>)

Kane County (<https://iaceng.site-ym.com/page/KaneCounty>)

Kankakee County (<https://iaceng.site-ym.com/page/KankakeeCounty>)

Kendall County (<https://iaceng.site-ym.com/page/KendallCounty>)

Knox County (<https://iaceng.site-ym.com/page/KnoxCounty>)

Lake County (<https://iaceng.site-ym.com/page/LakeCounty>)

LaSalle County (<https://iaceng.site-ym.com/page/LaSalleCounty>)

Lawrence County (<https://iaceng.site-ym.com/page/LawrenceCounty>)

Lee County (<https://iaceng.site-ym.com/page/LeeCounty>)

Livingston County (<https://iaceng.site-ym.com/page/LivingstonCounty>)

Logan County (<https://iaceng.site-ym.com/page/LoganCounty>)

Macon County (<https://iaceng.site-ym.com/page/MaconCounty>)

Macoupin County (<https://iaceng.site-ym.com/page/MacoupinCounty>)

Madison County (<https://iaceng.site-ym.com/page/MadisonCounty>)

Marion County (<https://iaceng.site-ym.com/page/MarionCounty>)

Marshall County (<https://iaceng.site-ym.com/page/MarshallCounty>)

Mason County (<https://iaceng.site-ym.com/page/MasonCounty>)

Massac County (<https://iaceng.site-ym.com/page/MassacCounty>)

McDonough County (<https://iaceng.site-ym.com/page/McDonoughCounty>)

McHenry County (<https://iaceng.site-ym.com/page/McHenryCounty>)

McLean County (<https://iaceng.site-ym.com/page/McLeanCounty>)

Menard County (<https://iaceng.site-ym.com/page/MenardCounty>)

Mercer County (<https://iaceng.site-ym.com/page/MercerCounty>)

Monroe County (<https://iaceng.site-ym.com/page/MonroeCounty>)

Montgomery County (<https://iaceng.site-ym.com/page/MontgomeryCounty>)

Morgan County (<https://iaceng.site-ym.com/page/MorganCounty>)

Moultrie County (<https://iaceng.site-ym.com/page/MoultrieCounty>)

Ogle County (<https://iaceng.site-ym.com/page/OgleCounty>)

Peoria County (<https://iaceng.site-ym.com/page/PeoriaCounty>)

Perry County (<https://iaceng.site-ym.com/page/PerryCounty>)

Piatt County (<https://iaceng.site-ym.com/page/PiattCounty>)

Pike County (<https://iaceng.site-ym.com/page/PikeCounty>)

Pope County (<https://iaceng.site-ym.com/page/PopeCounty>)

Pulaski County (<https://iaceng.site-ym.com/page/PulaskiCounty>)

Putnam County (<https://iaceng.site-ym.com/page/PutnamCounty>)

Randolph County (<https://iaceng.site-ym.com/page/RandolphCounty>)

Richland County (<https://iaceng.site-ym.com/page/RichlandCounty>)

Rock Island County (<https://iaceng.site-ym.com/page/RockIslandCounty>)

Saline County (<https://iaceng.site-ym.com/page/SalineCounty>)

Sangamon County (<https://iaceng.site-ym.com/page/SangamonCounty>)

Schuyler County (<https://iaceng.site-ym.com/page/SchuylerCounty>)

Scott County (<https://iaceng.site-ym.com/page/ScottCounty>)

Shelby County (<https://iaceng.site-ym.com/page/ShelbyCounty>)

St. Clair County (<https://iaceng.site-ym.com/page/StClairCounty>)

Stark County (<https://iaceng.site-ym.com/page/StarkCounty>)

Stephenson County (<https://iaceng.site-ym.com/page/StephensonCounty>)

Tazewell County (<https://iaceng.site-ym.com/page/TazewellCounty>)

Union County (<https://iaceng.site-ym.com/page/UnionCounty>)

Vermillion County (<https://iaceng.site-ym.com/page/VermillionCounty>)

Wabash County (<https://iaceng.site-ym.com/page/WabashCounty>)

Warren County (<https://iaceng.site-ym.com/page/WarrenCounty>)

Washington County (<https://iaceng.site-ym.com/page/WashingtonCounty>)

Wayne County (<https://iaceng.site-ym.com/page/WayneCounty>)

White County (<https://iaceng.site-ym.com/page/WhiteCounty>)

Whiteside County (<https://iaceng.site-ym.com/page/WhitesideCounty>)

Will County (<https://iaceng.site-ym.com/page/WillCounty>)

Williamson County (<https://iaceng.site-ym.com/page/WilliamsonCounty>)

Winnebago County (<https://iaceng.site-ym.com/page/WinnebagoCounty>)

Woodford County (<https://iaceng.site-ym.com/page/WoodfordCounty>)

SIGN IN

Login with Facebook(<https://ws.yourmembership.com/Ams/SocialOAuth/facebook?Continue=%2fAms%2fFinalizeLogin%2ffacet>)

Login with LinkedIn(<https://ws.yourmembership.com/Ams/SocialOAuth/linkedin?Continue=%2fAms%2fFinalizeLogin%2flinkedir>)

OR

Username

Password

SIGN IN

Forgot your password? (/general/email_pass.asp)

Haven't registered yet? (/general/register_start.asp)

LATEST NEWS

[MORE \(/NEWS/\)](/NEWS/)

4/28/2022

Four of the Scholarship Recipients (</news/603836/Four-of-the-Scholarship-Recipients.htm>)

4/28/2022

2022 NACE Conference (</news/603788/2022-NACE-Conference.htm>)

CALENDAR

[MORE \(/EVENTS/EVENT_LIST.ASP\)](/EVENTS/EVENT_LIST.ASP)

5/19/2022

District 5 Quarterly Meeting (</events/EventDetails.aspx?id=1641039>)