



Illinois Environmental Protection Agency

Bureau of Water • 1021 N. Grand Avenue E. • P.O. Box 19276 • Springfield • Illinois • 62794-9276

Division of Water Pollution Control ANNUAL FACILITY INSPECTION REPORT

for NPDES Permit for Storm Water Discharges from Separate Storm Sewer Systems (MS4)

This fillable form may be completed online, a copy saved locally, printed and signed before it is submitted to the Compliance Assurance Section at the above address. Complete each section of this report.

Report Period: From March, 2024 To March, 2025

Permit No. ILR40 0318

MS4 OPERATOR INFORMATION: (As it appears on the current permit)

Name: CITY OF COLUMBIA Mailing Address 1: 208 SOUTH RAPP AVENUE
Mailing Address 2: _____ County: St. Clair
City: COLUMBIA State: IL Zip: 62236 Telephone: 618-281-7144 x 107
Contact Person: CHRIS SMITH Email Address: csmith@columbiail.gov
(Person responsible for Annual Report)

Name(s) of governmental entity(ies) in which MS4 is located: (As it appears on the current permit)

ILLINOIS DEPARTMENT OF TRANSPORTATION ST. CLAIR COUNTY
SUGARLOAF TOWNSHIP

THE FOLLOWING ITEMS MUST BE ADDRESSED.

A. Changes to best management practices (check appropriate BMP change(s) and attach information regarding change(s) to BMP and measurable goals.)

- | | | | |
|--|--------------------------|---|--------------------------|
| 1. Public Education and Outreach | ☐ | 4. Construction Site Runoff Control | ☐ |
| 2. Public Participation/Involvement | ☐ | 5. Post-Construction Runoff Control | ☐ |
| 3. Illicit Discharge Detection & Elimination | ☐ | 6. Pollution Prevention/Good Housekeeping | ☐ |

B. Attach the status of compliance with permit conditions, an assessment of the appropriateness of your identified best management practices and progress towards achieving the statutory goal of reducing the discharge of pollutants to the MEP, and your identified measurable goals for each of the minimum control measures.

C. Attach results of information collected and analyzed, including monitoring data, if any during the reporting period.

D. Attach a summary of the storm water activities you plan to undertake during the next reporting cycle (including an implementation schedule.)

E. Attach notice that you are relying on another government entity to satisfy some of your permit obligations (if applicable).

F. Attach a list of construction projects that your entity has paid for during the reporting period.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

Owner Signature:

CHRIS SMITH, P.E.

Printed Name:

5/14/25
Date:

CITY ENGINEER

Title:

EMAIL COMPLETED FORM TO: epa.ms4annualinsp@illinois.gov

or Mail to: ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
WATER POLLUTION CONTROL
COMPLIANCE ASSURANCE SECTION #19
1021 NORTH GRAND AVENUE EAST
POST OFFICE BOX 19276
SPRINGFIELD, ILLINOIS 62794-9276

ADMINISTRATIVE REVISIONS TO THE NOTICE OF INTENT

Revisions to the original Notice of Intent (NOI) are reflected below.

MS4 Operator Mailing Address:

Yes

☐

No

☒

Persons Responsible:

Yes

☐

No

☒

Name:

Title:

Telephone Number:

Area of Responsibility:

Introduction

In 2003, St. Clair County (County), Illinois and its communities created a Co-Permittee Group to join forces in complying with the National Pollutant Discharge Elimination System (NPDES) for Municipal Separate Storm Sewer Systems (MS4) Phase II requirements. As stated in the original 2003 Notice of Intent (NOI), the County and the Co-Permittee communities were to pool resources and work together to comply with the commitments made within the NOI for the benefit of all within the County.

The Co-Permittee Group was active during this reporting period. Significant progress was made sharing Best Management Practices (BMPs) for document retention, operation procedures, and maintenance activities.

Best Management Practice (BMP) Summary of 2024-2025 Activities

In 2003, each member of the Co-Permittee Group submitted a NOI in compliance with the first 5-year cycle. In 2008, a NOI was submitted in compliance with the next 5-year cycle, as written in the first MS4 permit. The 2009 NOI was submitted in compliance with additional requirements in the second MS4 permit. In 2013, a new NOI was submitted and the last NOI was submitted in 2021. As stated in each NOI, each Co-Permittee Member identified certain activities to comply with the Phase II requirements. Below is an abbreviated summary of the BMPs that were written in the NOI for each of the minimum control measures.

March 2024-February 2025:

- 1) **A.1-** Stormwater brochures for businesses, homeowners, children, and green infrastructures were to be promoted and displayed by each community in a public place.
- 2) **A.4-** St. Clair County sponsored a booth at the County Fair and/or Earth Day and distributed the storm water and green infrastructure brochures.
- 3) **A.5-** St. Clair County posted newsletters on the County Health Department website during school months. Co-Permittee Members distributed educational materials to schools in their communities. The amount of material distributed was to be tracked by the communities.
- 4) **B.3-** The Co-Permittee Group met four (4) times to review upcoming permit requirements, notice of intent, review stormwater management program, operations training, and to develop and submit the Annual Report.
- 5) **B.5-** Co-Permittee Members solicited and encouraged public assistance in monitoring the community's stormwater system. Public inquiries and complaints were responded to and recorded.
- 6) **B.6-** St. Clair County continued to promote programs related to stormwater activities and recycling programs. The community tracked its participation.

- 7) **B.7-** Co-Permittee Members will provide a public meeting annually for public input.
- 8) **C.1-** Co-Permittee Members updated any new or revised storm sewers and performed stream observations at bridge inspections.
- 9) **C.5-** A survey of previously installed stencils was to be performed as well as replacing or placing any that needed inlet stencils.
- 10) **C.6-** Communication brochures were distributed to the community. Co-Permittee Members discussed any known illicit discharge ordinance compliance issues.
- 11) **C.9-** Co-Permittee Members developed brochures addressing specific stormwater ordinance prohibited activities and distributed with educational brochures.
- 12) **D.1-** Require SWPPP on site plans disturbing more than one acre.
- 13) **D.2-** The Co-Permittee will hold a BMP Training class.
- 14) **D.5-** St. Clair County Continued to Maintain a stormwater hotline number to address public concerns related to stormwater issues. County tracked and reported the number of calls.
- 15) **E.2-** Enforce Stormwater Ordinance and track changes made to the ordinance.
- 16) **E.4-** Require and review SWPPPs on site plans disturbing more than 1-acre of land.
- 17) **F.1-** the Co-Permittee will hold an Operations Training class focused on a review of the history of drainage systems, the Clean Water Act and NPDES permits, and the impacts of stormwater.
- 18) **F.6-** Communities reviewed operating procedures and BMPs and modified, if necessary.

The following pages highlight changes made to the BMPs from the NOI, BMP status, and activities planned for the next reporting year. Additional information is also provided from the County and each Community.

City of : City of Columbia

FOIA Officer for the reporting year:

Name: Doug Brimm

Title: City Administrator

Telephone Number: (618) 281-7144

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached?		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO		If attached information, describe.	YES	NO	Schedule
BMP No. A.1 - Distributed Paper Materials- Informational Brochures							
Milestone For Reporting Year: Promote the availability of brochures to the residents.							
				The City has brochures available to residents at City Hall, Library, & City Website. Educational topics include paint and related decor, lawn and garden care, illicit discharge ordinance compliance, and stormwater ordinances. The St. Clair County Stormwater Hotline number is included.			Ongoing through 2021-2026 permit year.
		✓				✓	
BMP No. A.4- Community Event- Sponsor Annual Booth at St. Clair County Earth Day Festival							
Milestone For Reporting Year: St. Clair County sponsored a booth at the Earth Day Festival.							
				An Earth Day Event was not held this year but the St. Clair County Health Department sent out information to the schools.			Ongoing through 2021-2026 permit year.
		✓				✓	
BMP No. A.5- Classroom Education Material							
Milestone For Reporting Year: County posts a newsletter on County Health Department website for students during the school months.							
				St. Clair County posted educational newsletters on the Health Department's website.			Ongoing through 2021-2026 permit year.
		✓		See page 10 Review of Classroom Education Materials and Exhibit A.5-A for more information		✓	
				The communities will inform local schools that the newsletters are available on the Health Department's website.			Ongoing through 2021-2026 permit year.

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Informing monitoring? If attached information, describe.		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO	YES	NO	Activity	Schedule	
BMP No. B-3- Stakeholder's Meeting- Coordinate Meetings and Annual Reports, Sponsor Various Programs							
Milestone For Reporting Year: Co-Permittee Group met four (4) times to complete training and to develop and submit the Annual Report.							
			See page 10 and Exhibits B.3-A to B.3-E for more information		The County will continue to meet with the Co-Permittee Group to share BMPs and training opportunities. The Co-Permittee Group has planned four compliance/training activities for the next program year.	Ongoing through 2021-2026 permit year.	
	✓			✓			
BMP No. B-5- Volunteer Monitoring- Solicit and Encourage Public Assistance in Monitoring the Community's Stormwater System & Stormwater Hotline							
Milestone For Reporting Year: Community will work to involve more public assistance in reporting stormwater issues.							
					The community will continue to respond to and record all public complaints of illicit discharge and/or dumping and stormwater issues.	Ongoing through 2021-2026 permit year.	
	✓			✓			
BMP No. B.6- Program Coordination- Participate in programs targeted at public awareness, including: Inlet Stenciling and Recycling							
Milestone for Reporting Year: St. Clair County continued to promote programs related to stormwater activities. Communities tracked participation.							
			See page 10 and Exhibit B.6-A for more information.		County will continue to promote programs related to stormwater activities. Multiple media outlets will be used to communicate with municipalities.	Ongoing through 2021-2026 permit year.	
	✓			✓			

PERMIT #:

COMMUNITY NAME:

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2024 through February 2025

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached?		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	Yes	No	See page 10 and Exhibit B.7-A for more information.	Yes	No	Activity	Schedule
BMP No. B.7- Other Public Involvement - the community will provide a Public Meeting annually for public input regarding the MS4 Program							
Milestone for Reporting Year: The communities will provide a public meeting annually for the MS4 program.							
	☒	☐	The City held a public meeting to invite public input regarding the adequacy of the MS4 Program on 3/03/25. No public comment was received. The County held a public meeting to invite public input regarding the adequacy of the MS4 Program on 1/13/25.	☒	☐	Community will continue to hold a public meeting to solicit public input regarding the adequacy of the MS4 program.	Ongoing through 2021-2026 permit year.
BMP No. C.1- Storm Sewer Map Preparation - The County currently has 100% of outfalls locations & names of receiving waters mapped.							
Milestone for Reporting Year: Co-Permittee member communities reviewed outfall maps and conducted stream observations annually at bridge inspections.							
	☒	☐	Co-Permittee communities reviewed their outfall maps for completeness and updated them if necessary. The City currently has 100% of outfall locations and names of receiving waters mapped. There were no changes this reporting year.	☒	☐	Communities will begin/continue to update their storm system maps to include modifications to the system.	Ongoing through 2021-2026 permit year.
BMPs No. C.5- Inlet Stenciling							
Milestone for Reporting Year: Survey condition of inlet stencils.							
	☒	☐	The City has 100% of inlets marked and is reviewing and replacing markers, as needed. Illicit Discharge Detection & Elimination Training was covered during the June 4, 2024 Quarterly Meeting. The City attended this meeting.	☒	☐	Communities will survey samples of stencils previously installed, replace ones that need to be replaced, and assure all new inlets are installed with stencils.	Ongoing through 2021-2026 permit year.
BMP No. C.6- Program Evaluation and Assessment							
Milestone for Reporting Year: Perform illicit discharge detection and elimination in the Community's stormwater system.							
	☒	☐	Communities will perform stream observations during annual bridge inspections or stormwater sampling and take appropriate action if any illicit discharge is found. The City performed quarterly illicit discharge stream monitoring at 4 creek locations.	☒	☐	Communities will continue to perform stream observations and address illicit discharge per the community ordinance.	Ongoing through 2021-2026 permit year.

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached?		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO	If attached information, describe.	YES	NO	Activity	Schedule
BMP No. C.9- Public Notification							
Milestone for Reporting Year: Community will update ordinance brochure.							
			The City has developed a brochure addressing specific stormwater ordinance prohibited activities available for distribution.			Ordinance brochures will be updated and distributed as needed.	Ongoing through 2021-2026 permit year.
		✓	Display Locations - City Hall, Library, & City Website		✓		
			There were no changes this reporting year.				
BMP No. D.1 Regulatory Control Program							
Milestone for Reporting Year: Require SWPPP on all site plans disturbing more than one acre of land inside the Community.							
			The City requires SWPPP on sites disturbing over 1-acre and enforces ordinance provisions.			The community will continue to require SWPPP on sites disturbing over 1-acre and verify the proper use of sediment and erosion control techniques.	Ongoing through 2021-2026 permit year.
		✓			✓		
BMPs No. D.2- Erosion and Sediment Control BMPs							
Milestone for Reporting Year: Community will participate in BMP training during Annual Operations Training.							
			BMP Training was covered during the September 17, 2024 Quarterly Meeting. The City attended this meeting.			Community will continue to participate in BMP Training.	Ongoing through 2021-2026 permit year.
		✓			✓		
BMP No. D.5- Stormwater Hotline							
Milestone for Reporting Year: County continued to maintain a stormwater hotline number to address public concerns related to stormwater issues.							
			St. Clair County maintained the hotline number during the reporting year. Communities respond to complaints from residents regarding stormwater related issues.			County and Communities will respond to calls and emails related to stormwater issues.	Ongoing through 2021-2026 permit year.
		✓			✓		

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2024 through February 2025

A. Changes to Best Management- Were there any changes to the BMPs?		B. The status of compliance with the permit, the appropriateness of the BMP and progress towards achieving reduction of discharged pollutants to the MEP, and identified measurable goals for each of the minimum control measures.		C. Provide results of information collected and analyzed, including monitoring data. Information attached? If attached information, describe.		D. Summarize the stormwater activities you plan to undertake with an implementation schedule.	
Comment	YES	NO		YES	NO	Activity	Schedule
BMP No. E.2- Regulatory Control Program							
Milestone for Reporting Year: Enforce County's Stormwater Ordinance							
	☒	☐	Communities will continue to enforce the County's stormwater ordinance and track changes made to the ordinance. There were no changes this year.	☐	☒	Communities will continue to enforce their stormwater ordinance.	Ongoing through 2021-2026 permit year.
BMP No. E.4- Pre-Construction Review of BMP Designs							
Milestone for Reporting Year: Require a Stormwater Prevention Plan (SWPPP) on all site plans disturbing more than one acre of land and review post construction.							
	☒	☐	The City requires and reviews SWPPPs on site plans disturbing more than 1-acre of land. Post Construction Management Training was covered during the September 17, 2024 Quarterly Meeting. The City attended this meeting.	☒	☐	Communities will review the post-construction BMPs on all sites that disturb more than 1-acre of land.	Ongoing through 2021-2026 permit year.
BMPs No. F.1- Employee Training							
Milestone for Reporting Year: Community will participate in an Operations Training for employees whose job impacts stormwater runoff.							
	☒	☐	Operations Training was covered during the December 3, 2024 Quarterly Meeting. The City attended this meeting.	☒	☐	The Co-Permittee Group will continue to review Operations Training at one meeting per program year.	Ongoing through 2021-2026 permit year.
BMP No. F.6- Other Municipal Operations Controls - Standard Operating Procedures							
Milestone for Reporting Year: Communities reviewed operating procedures and BMPs and modified, if necessary.							
	☒	☐	The City will continue to enforce their stormwater ordinance located at the Department of Public Works breakroom and will track changes made to the ordinance. The City had no changes this year.	☐	☒	Communities will continue to enforce their stormwater ordinance.	Ongoing through 2021-2026 permit year.

COMMUNITY NAME: City of Columbia

PERMIT #: ILR400318

IEPA Annual Report for Stormwater Discharges from MS4 Communities- Period: March 2024 to March 2025

ADDITIONAL INFORMATION

BMP A.5	Classroom Educational Materials St. Clair County posted educational newsletters on the Health Department's website. See attached Exhibit A.5-A for more information.
BMP B.3	Stakeholder's Meeting - Coordinate Meetings and Annual Reports, Sponsor Various Programs The St. Clair County MS4 Co-Permittee Group held four quarterly training meetings during the 2024-2025 permit year. Topics covered included: Annual Reporting, Data Collections, ILR40 Updates, Sediment & Erosion Control Training, Operations/Good Housekeeping Training, and Post-Construction Management Training. Members were issued Certificates of Attendance and Training Completion. See attached Exhibit B.3-A to Exhibit B.3-E for additional details.
BMP B.6	Program Involvement-Participate in programs targeted at public awareness, including Inlet Stenciling and Recycling St. Clair County continued to promote programs and public awareness related to stormwater activities and recycling. See attached Exhibit B.6-A for additional details.
BMP B.7	Other Public Involvement - The community will provide a public meeting annually for public input regarding the MS4 Program St. Clair County held a Public Meeting to invite public input regarding the adequacy of the MS4 Program on January 13, 2025. No comments were received. The County Engineer informed the committee of updates and reports. See attached Exhibit B.7-A for additional details.
BMP C.5	Inlet Stenciling - Illicit Source Removal Procedures St. Clair County Highway Department sponsors Clean Sweep Program throughout the County. By sponsoring this program, St. Clair County is eliminating a significant source of stormwater pollution by keeping debris out of streams and road ditches. See attached Clean Sweep Spreadsheet with totals collected included: Exhibit B.6-A.
BMP D.2	Erosion and Sediment Control BMPs St. Clair County will provide annual BMP training at (1) Quarterly Meeting. See attached Exhibit D.2-A for more details.
BMP E.4	Pre-Construction Review of BMP Designs St. Clair County requires and reviews SWPPPs on site plans disturbing more than 1-acre of land. Post Construction Management Training was covered during the September 17, 2024 Quarterly Meeting. See Exhibit E.4-A for more details.

Additional Community Activities

(Make additional copies of form, if necessary)

List any additional community-sponsored activities performed between March 1, 2024 and February 28, 2025 not listed in the *Notice of Intent* (NOI) submittal, but which address one of the six minimum control measures:

The City has a municipality Website and posts the stormwater hotline number, annual reports, educational brochures, the stormwater pollution prevention plan, and the NOI.

The City swept 1,351 miles of roadway and removed 1955.5 cubic yards of debris using disposal method(s) - Dumpster / Landfill. - See Exhibit Additional Community Activities-A for details.

The City Sponsored an Electronics Recycling Day on August 3, 2024 collecting 11,000 pounds. See Exhibit B.6-A for more information.

The City participated in Live Christmas Tree Recycling with (1) drop-off location at Bolm-Schuhdraft Park and pick-up service on January 11, 2025.

Recycling is available to residents with a drop-off location at Monroe County Recycling Center and pickup is offered weekly with trash pickup.

The City sponsored a Pharmaceutical Collection Program with drop-off at the Police Department Lobby collecting 500-600 lbs of unwanted pharmaceuticals.

The City held large item pickup days on March 12th, May 21st, August 27th and November 5th, 2024.

Citywide leaf and limb pickups were performed. Leaf pickups were conducted for 6 weeks (11/02/24 - 12/30/24) collecting 1,416 cubic yards, and limb pickups were conducted April 1-12 and September 30 thru October 11, 2024 collecting 348 CY. - See Exhibit Additional Community Activities-A for details.

Two dumpsters (one 6-CY & one 20-CY) were used by the City for trash retrieved from road ditches and waterways. The dumpsters were emptied weekly or when full.

Ditch maintenance took place along 2.1 miles (11,088 LF) of road and debris was disposed at the Landfill. - See Exhibit Additional Community Activities-A for details.

The City provided used oil recycling collecting 430 gallons of used oil. - See Exhibit B.6-A for more information.

The City provided metal recycling collecting 17,880 lbs. - See Exhibit B.6-A for more information.

The City initiated an investigation regarding an unknown liquid detected in a residential storm sewer. - See Exhibit Additional Community Activities-A for more information.

St. Clair County Groups and Organizations - See Exhibit Additional Community Activities-B for details.

Quarterly Visual Monitoring was performed at (4) locations:

First Quarter Sample Date: 3/15/24

Second Quarter Sample Date: 5/07/24

Third Quarter Sample Date: 7/05/24

Fourth Quarter Sample Date: 11/06/24

See Exhibit Additional Community Activities-C for details

Circle which minimum control measure is addressed:

- | | |
|--|---|
| ☒ 1. Public Education & Outreach | ☐ 4. Construction Site Runoff |
| ☒ 2. Public Participation/Involvement | ☐ 5. Post-Construction Runoff Control |
| ☒ 3. Illicit Discharge Detection & Elimination | ☒ 6. Pollution Prevention/Good Housekeeping |

C. Reliance on Government Entities for Permit Obligations

Co-Permittee cooperation with the County

CI. List of Construction Projects during 2024-2025 Reporting Year

Permit #	Project	Status
ILR10ZDBT	St. Louis Steamers Soccer Club-Columbia Site	Active
ILR10ZDGA	Columbia High School Parking Lot Improvements	Active
ILR10ZDOV	Columbia High School Building Addition	Active
ILR10ZCDH	Valmeyer Road Reconstruction	Terminated
ILR10ZE10	Country Crossings II	Active
ILR10ZED2	Immaculate Conception Parish Athletic Complex	Active
ILR10ZES0	Columbia Club - New Club House	Active
ILR10ZDDI	Admiral Trost Office Lot 9 Office Building	Active
ILR10ZF5V	Creekside Park	Active
ILR10ZF75	Timber Rock Estates	Active

EXHIBIT A.5-A

Education Materials for Schools



WHEN IT RAINS, IT DRAINS IT ALL HAS TO GO SOMEWHERE

Water from inside our homes goes to a wastewater facility for purification. But water from roofs, streets, and outdoor spigots goes untreated directly into storm drains - straight to our waterways - picking up all kinds of contaminants along the way!

DID YOU KNOW

Excess nutrients, specifically nitrogen and phosphorus, pollute stormwater run-off from urban areas, contributing to **the third greatest cause of lake deterioration** in the US.

DID YOU KNOW

The amount of phosphorus in the grass clippings from mowing your lawn just once can produce up to **100 pounds** of unwanted algae if it ends up in our lakes and streams.

DID YOU KNOW

Just one pound of fertilizer over application on the average lawn can equate to **34.2 pounds** of excess algae growth in streams and lakes.

DID YOU KNOW

When you wash your car in the driveway, you're washing about **120 gallons** of grime-filled water downstream. The soap, together with the dirt, grease, and grime flows untreated into nearby storm drains that run into lakes and streams.


DID YOU KNOW

When you wash your car in the driveway, you're washing about **120 gallons** of grime-filled water downstream. The soap, together with the dirt, grease, and grime flows untreated into nearby storm drains that run into lakes and streams.

DID YOU KNOW

Household waste that ends up in the trash includes **300 million pounds** of household waste that ends up in the trash every year. This includes things like old cars, appliances, and other household items.





WHY IT MATTERS

Too many nutrients in streams and lakes cause rapid growth of algae.

Algae looks bad, smells bad, degrades water quality and can be harmful to your health.

As algae decays, it uses up oxygen in the water, leading to a decline in our drinking water quality - making it more expensive to treat.

WHAT YOU CAN DO

Dispose Properly



- Compost or bag your leaves and lawn clippings
- Don't blow leaves or lawn clippings into the street
- Sweep up any spills or overspray of fertilizers on sidewalks or streets

Fertilize Efficiently



- Always follow the manufacturer's application recommendations. More isn't better!
- Fertilizing in early fall promotes healthy root systems - leading to stronger, more resilient lawns and plants

Be Car Smart



- Use a commercial car wash where water is recycled and sent to treatment facilities
- Wash your car on the lawn or gravel
- Dump your soapy bucket in the sink

Pick It Up & Pitch It



- Clean up dog waste and dispose of it properly
- Pet waste bags are available in most city parks

For Businesses



- Do your part at work to prevent stormwater pollution
- Perform necessary maintenance to ensure stormwater ponds and drainage control structures stay clear of litter and excessive sediment buildup
- Properly dispose of chemicals and grease

For Contractors



- Special stormwater permits are required for most construction sites
- See CityofMontrose.org/Stormwater for additional details
- Report excessive dust or mud trackout from construction sites

Illegal Dumping



- Do not dump chemicals or other waste materials into storm drains — It's illegal
- If you see it, report it

Reporting



- Public Works 970.240.1480
- After Hours 970.249.9110
- CityofMontrose.org/Stormwater



Stormwater Hotline
(618) 825-2690

For more information

St. Clair County Board Office

or

St. Clair County Planning and Zoning Department

10 Public Square

Belleville, IL, 62220

(618) 277-6600

St. Clair County Health Department

Pollution Prevention Program

19 Public Square, Suite 150

Belleville, IL 62220

(618) 233-7769



www.epa.gov

ST. CLAIR **COUNTY'S** **STORMWATER** **GUIDE FOR KIDS**



TAKE A DIP!




**STORMWATER POLLUTANTS
FIND THEIR WAY INTO WHERE
WE FISH, WHAT WE DRINK AND
WHERE WE SWIM.**

Everything that goes into our storm drains—grass clippings, soap, pesticides, pet waste, whatever—makes its way straight to our streams. Stormwater pollution is our biggest source of water pollution. It all adds up. It all comes back. **And you're the solution, now that you know where it goes.**



What's wrong with this picture?



The people are taking care of their home and car, but they are doing many things that can damage the environment, especially our water.

Answers:

1. Car is leaking oil & antifreeze into the street
2. Sprinkler is watering the sidewalk.
3. Man is littering.
4. Raking leaves into plastic bags—use compost
5. Pouring oil down sewer

Go to <http://www.epa.gov/OWOW/NPS/kids/whatwrng.htm>

Click on the spots where you think someone is doing something wrong for an explanation and how we can do to protect our environment.

Stormwater Tips

- ⇒ Sweep driveways instead of hosing
- ⇒ Place trash in closed containers and pick up litter from others
- ⇒ Don't pour anything into the street or storm drain. It ends up in your rivers and streams
- ⇒ Pick up after your pet when you walk them

"Please don't soil our waters!"



It's no fish story: soil erosion is our #1 water pollutant.

While working with soil it keeps waterways from filling with sediment, which can clog them and make it difficult to clean them up. And that's not a healthy good thing.



Tammy Mezo

From: Norm Etling <Norm.Etling@co.st-clair.il.us>
Sent: Monday, March 31, 2025 1:27 PM
To: Tammy Mezo
Cc: James Harms
Subject: RE: Earth Day - 2024

This Message is from an external sender.



Not in 2024 flyers were sent to all the schools by the Health Dept

From: Tammy Mezo <tmezo@gocos.net>
Sent: Monday, March 31, 2025 11:50 AM
To: Norm Etling <Norm.Etling@co.st-clair.il.us>
Subject: Earth Day - 2024

Was there an Earth Day this year?

Caution: This is an external email. Please take care when clicking links or opening attachments. When in doubt, contact your IT Department.

EXHIBIT B.3-A

St. Clair County
2024 Quarterly Meeting Notices

St. Clair County MS4 Group

Quarterly Meeting Notice

**March 5, 2024
9:00 – 11:00 a.m.
Community Center**



**Located in: Shiloh Community Park
14 Park Drive
Shiloh, IL 62269**

We look forward to seeing you!

Tony Schenk, P.E.

Jon Schaller, P.E.

Tammy Mezo, Administrative Assistant

St. Clair County MS4 Group

Quarterly Meeting Notice

**June 4, 2024
9:00 – 11:00 a.m.
Community Center**



**Located in: Shiloh Community Park
14 Park Drive
Shiloh, IL 62269**

We look forward to seeing you!

Tony Schenk, P.E.

Tammy Mezo, Administrative Assistant

St. Clair County MS4 Group

Quarterly Meeting Notice

September 17, 2024

9:00 – 11:00 a.m.

Community Center



**Located in: Shiloh Community Park
14 Park Drive
Shiloh, IL 62269**

We look forward to seeing you!

Tony Schenk, P.E.

Tammy Mezo, Administrative Assistant

St. Clair County MS4 Group

Quarterly Meeting Notice

**December 3, 2024
9:00 – 11:00 a.m.
Community Center**



**Located in: Shiloh Community Park
14 Park Drive
Shiloh, IL 62269**

We look forward to seeing you!

**Tony Schenk, P.E.
Tammy Mezo, Administrative Assistant
Brad Burnworth
Sarah Dorlac**

EXHIBIT B.3-B

St. Clair County
2024 Quarterly Meeting
Agendas

**St. Clair County MS4 Co-Permittee Group
Quarterly Meeting Agenda
March 5, 2024**

Introductions

- ☐ Gonzalez Companies, LLC
 - Tony Schenk (tschenk@gocos.net) / (618) 222-2221 ext. 101
 - Jon Schaller (jschaller@gocos.net) / (618) 222-2221 ext. 119
 - Tammy Mezo (tmezo@gocos.net) / (618) 222-2221 ext. 118
- ☐ IEPA Representative
 - Joe Stitely (joe.stitely@illinois.gov)
 - Dora Diekemper (dora.diekemper2@illinois.gov)
- ☐ Co-Permittee Group Representatives – First Meeting?

Open Discussion

- ☐ Updated Contact Information for Members
- ☐ Submission of NOI's for Change in Operator
- ☐ Collaboration Purchase of Drain Markers
- ☐ Other?

Past Events

- ☐ December 5th Quarterly Meeting
 - Good Housekeeping / Operation and Maintenance
 - ☐ Presentation and Resources
 - ☐ Employee Training and Other Resources
 - Municipal Stormwater Management and Funding Opportunities

Permit Requirements Reminders Regarding Data Collections

- ☐ Public Education and Outreach - Brochures and Events
- ☐ Public Involvement and Participation – Annual Public Meeting
- ☐ Illicit Discharge Detection and Elimination (IDDE) – Quarterly Sampling (June)
- ☐ Construction Site Runoff Control – Annual Training - (September)
- ☐ Post-Construction Management – Annual Training - (September)
- ☐ Good Housekeeping / Operation and Maintenance – Annual Training – (December)

Presentation and Resources

- ☐ Data Collection / Annual Reports
- ☐ Public Education and Outreach
- ☐ Public Involvement and Participation

Upcoming – Next Meeting Tuesday June 5th – 9:00 a.m.

- ☐ Submittal of Annual Reports – Due May 31st
- ☐ Illicit Discharge Detection and Elimination

St. Clair County MS4 Co-Permittee Group
Quarterly Meeting Agenda
June 4, 2024

Introductions

- ☐ Gonzalez Companies, LLC
 - Tony Schenk (tschenk@gocos.net) / (618) 222-2221 ext. 101
 - Tammy Mezo (tmezo@gocos.net) / (618) 222-2221 ext. 118
 - Brad Burnworth (bburnworth@gocos.net) / (618) 409-7482
 - Sarah Dorlac (sdorlac@gocos.net) / (314) 809-3343
- ☐ IEPA Representative
 - Dora Diekemper (dora.diekemper2@illinois.gov)
- ☐ Co-Permittee Group Representatives – First Meeting?

Open Discussion

- ☐ Updated Contact Information for Members
- ☐ Submission of NOI's for Change in Operator
- ☐ Upcoming MS4 Audits
- ☐ Data Collections / Annual Reports
- ☐ Other?

Past Events

- ☐ March 5th Quarterly Meeting
 - Public Involvement / Public Education and Outreach
 - ☐ Public Meeting Presentation
 - ☐ Public Education Brochures
 - Data Collections and Annual Reports

Permit Requirements Reminders Regarding Data Collections

- ☐ Public Education and Outreach - Brochures and Events
- ☐ Public Involvement and Participation – Annual Public Meeting
- ☐ Illicit Discharge Detection and Elimination (IDDE) – Quarterly Sampling (June)
- ☐ Construction Site Runoff Control – Annual Training - (September)
- ☐ Post-Construction Management – Annual Training - (September)
- ☐ Good Housekeeping / Operation and Maintenance – Annual Training – (December)

Presentation and Resources

- ☐ Illicit Discharge Detection and Elimination – Brad Burnworth
- ☐ Stormwater Monitoring Plan / Stormwater Sampling – Tony Schenk

Upcoming – Next Meeting Tuesday September 17th – 9:00 a.m.

- ☐ Construction Site Runoff Control / Post-Construction Management

**St. Clair County MS4 Co-Permittee Group
Quarterly Meeting Agenda
September 17, 2024**

Introductions

- ☐ Gonzalez Companies, LLC
 - Tony Schenk (tschenk@gocos.net) / (618) 222-2221 ext. 101
 - Tammy Mezo (tmezo@gocos.net) / (618) 222-2221 ext. 118
 - Sarah Dorlac (sdorlac@gocos.net) / (314) 809-3343
- ☐ IEPA Representative
 - Dora Diekemper (dora.diekemper2@illinois.gov)
- ☐ Co-Permittee Group Representatives – First Meeting?

Open Discussion

- ☐ Updated Contact Information for Members
- ☐ Submission of NOI's for Change in Operator
- ☐ Upcoming MS4 Audits - Unknown
- ☐ Permit Updates - Unknown
- ☐ Others – Drain Markers

Past Events

- ☐ June 4th Quarterly Meeting
 - ☐ Illicit Discharge Detection and Elimination
 - ☐ Wet/Dry Weather Screen Forms
 - ☐ Stormwater Monitoring Plan / Stormwater Sampling
 - ☐ Example Monitoring Plan
 - ☐ Discussion on Results from Testing Lab

Permit Requirements Reminders Regarding Data Collections

- ☐ Public Education and Outreach - Brochures and Events
- ☐ Public Involvement and Participation – Annual Public Meeting
- ☐ Illicit Discharge Detection and Elimination (IDDE) – Quarterly Sampling (June)
- ☐ Construction Site Runoff Control – Annual Training - (September)
- ☐ Post-Construction Management – Annual Training - (September)
- ☐ Good Housekeeping / Operation and Maintenance – Annual Training – (December)

Presentation and Resources

- ☐ Construction Site Runoff Control – Sarah Dorlac
- ☐ Post-Construction Management / Climate Change – Tony Schenk

Upcoming – Next Meeting Tuesday December 3rd – 9:00 a.m.

- ☐ Good Housekeeping BMP's / Operation and Maintenance

St. Clair County MS4 Co-Permittee Group Quarterly Meeting Agenda

December 3, 2024

Introductions

- ☐ Gonzalez Companies, LLC
 - Tony Schenk (tschenk@gocos.net) / (618) 222-2221 ext. 101
 - Tammy Mezo (tmezo@gocos.net) / (618) 222-2221 ext. 118
 - Brad Burnworth (bburnworth@gocos.net) / (618) 409-7482
- ☐ IEPA Representative
 - Dora Diekemper (dora.diekemper2@illinois.gov)
- ☐ Co-Permittee Group Representatives – First Meeting?

Open Discussion

- ☐ Updated Contact Information for Members
- ☐ Submission of NOI's for Change in Operator
- ☐ Upcoming MS4 Audits – IEPA Driven
- ☐ Permit Renewal – Unknown / Website Indicates - March 2024
- ☐ 2025 Meeting Schedule / Contract Renewal

Past Events

- ☐ September 17th Quarterly Meeting
 - ☐ Construction Site Runoff Control
 - ☐ Training Opportunities
 - ☐ Resources for Site Inspections
 - ☐ Post Construction Management / Climate Change
 - ☐ ILR10 Permit Requirements – Annual Training
 - ☐ Discussion on Climate Change & Effects on MS4 Municipalities
 - ☐ EPA Programs and Resources

Permit Requirements Reminders Regarding Data Collections

- ☐ Public Education and Outreach - Brochures and Events
- ☐ Public Involvement and Participation – Annual Public Meeting
- ☐ Illicit Discharge Detection and Elimination (IDDE) – Quarterly Sampling (June)
- ☐ Construction Site Runoff Control – Annual Training - (September)
- ☐ Post-Construction Management – Annual Training - (September)
- ☐ Good Housekeeping / Operation and Maintenance – Annual Training – (December)

Presentation and Resources

- ☐ Good Housekeeping – Brad Burnworth
- ☐ Audit Preparation – Tony Schenk

Upcoming – Next Meeting Tuesday March 4th – 9:00 a.m.

- ☐ Program Year in Review
- ☐ Data Collections and Annual Reports

EXHIBIT B.3-C

St. Clair County
2024 Quarterly Meeting Sign-In
Sheets



Gonzalez Companies, LLC
Engineering – Construction Management

www.gonzalezcos.com

MEETING SIGN-IN SHEET

ST. CLAIR COUNTY MS4

21-1034.000

MS4 QUARTERLY MEETING

MARCH 5, 2024

Name	Municipality	Title	Email Changes or New	Cell Phone #
1 Cody Turner	Lebanon IL	Sup		
2 Adam Engel	Lebanon IL	operator		
3 KEVIN BERKEMANN	LEBANON IL	FOREMAN		
4 MARK Downs	O'Fallon Road Dist	Commissioner		
5 Gary Tohne	O'FALLON Road DIST	Operator		
6 Brandon Downs	O'Fallon Road Dist			
7 Alex Kurla	O'FALLON ROAD DISTRICT			
8 Bobby Ginter	O'Fallon Road District	Foreman / operator		
9 Tom Quirk	City of Fairview Heights			
10 Josh Vandever	Village of Sargeant	Supervisor		
11 James Harris	S.C.C.H. D.			
12 NARIN	"	ENGINEER		

St. Louis, MO ~ Belleville, IL ~ Chicago, IL ~ O'Fallon, IL ~ Salem, IL ~ Louisville, KY




Gonzalez Companies, LLC
Engineering – Construction Management

www.gonzalezcos.com

Name	Municipality	Title	Email Changes or New	Cell Phone #
13 Dora Dickemper	St. Clair Township	Environmental Protection Engr.	Dora.Dickemper2@illinois.gov	618-929-0313
14 Sue Guberman	St. Clair Township	Accountant		
15 Sean Schneider	Village of Shiloh	Director of Building/zoning		
16 Scott Saeger	City of Belleville	Engineer	SSaeger@belleville,mo	
17 Jason Bole	City of Belleville	Director of PW	JBole@belleville,mo	
18 Chris Ethling	Shiloh	Director of PW	Cethling@shiloh,il.org	
19 Jon Nolan	City of O'Fallon	Project Manager		
20 Tam Ahrens	City of Columbia	Assistant City Engineer		
21 Randy Bole	Village of Dupo			
22 Robert Trentman	St. Clair Twp	Rd Commish		
23				
24				
25				
26				
27				
28				
29				

St. Louis, MO ~ Belleville, IL ~ Chicago, IL ~ O'Fallon, IL ~ Salem, IL ~ Louisville, KY



Gonzalez Companies, LLC
Engineering – Construction Management

www.gonzalezcos.com

MEETING SIGN-IN SHEET

ST. CLAIR COUNTY MS4

21-1034.000

MS4 QUARTERLY MEETING

JUNE 4, 2024

Name	Municipality	Title	Email Changes or New	Cell Phone #
1 ✓ Tim Atkins	CITY OF CUMBERA	ASSISTANT CITY ENG.		
2 ✓ Tom Quirk	CITY OF FALLON HEIGHTS	CITY ENGINEER		
3 Sue Gruberman	St. Clair Township	Accountant		
4 James Harris	St. Clair County			
5 ✓ NOE M	"			
6 ✓ Bobby Gunkel	O'Fallon Township	Former Laborer		
7 ✓ Alex King	O'Fallon Twp	LABORER		
8 ✓ Mark Downs	O'Fallon Road	Commissioner		
9 ✓ Brandon Downs	O'Fallon Road	laborer		
10 ✓ Philip J. C. C. C.	VILLAGE CATERVINE			
11 ✓ Mark H. H. H. H.	Salem Township			
12 ✓ Chris Ethling	Shiloh	Dir. of Public Works		

St. Louis, MO ~ Belleville, IL ~ Chicago, IL ~ O'Fallon, IL ~ Salem, IL ~ Louisville, KY



Gonzalez Companies, LLC
Engineering - Construction Management

www.gonzalezcos.com

Name	Municipality	Title	Email Changes or New	Cell Phone #
13 ✓ Don Nolan	City of O'Fallon	Consto Facilities Manager		
14 Doris Dickemper	IEPA	FDS	Doris Dickemper 20 Illinois 618-929-0315	
15 Don Poole	City of Belleville	Dir. of P.W		618-772-1122
16 Sarah Porlic	Gonzalez			
17 Tony Schenk	Gonzalez			
18 Tammy Meze	Gonzalez			
19 Brad Burnworth	Gonzalez			
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				

St. Louis, MO ~ Belleville, IL ~ Chicago, IL ~ O'Fallon, IL ~ Salem, IL ~ Louisville, KY



Gonzalez Companies, LLC
Engineering – Construction Management

www.gonzalezcos.com

MEETING SIGN-IN SHEET

ST. CLAIR COUNTY MS4

21-1034.000

MS4 QUARTERLY MEETING

SEPTEMBER 17, 2024

Name	Municipality	Title	Email Changes or New	Cell Phone #
1 Cody Terry	Lebanon	Street Dept		
2 Adam Engel	Lebanon	Street Dept		
3 KENT KOHLBRECHT	LEBANON	STREET & DEPT		
4 KEVIN BERKEMANN	LEBANON	STREET DEPT		
5 Josh Vandevet	Sauget	Supervisor		
6 Sue Gruberman	St. Clair Township	Accountant		
7 Randy Bolle	Vic of Dyke	Asst. Supt		
8 Chris Davis	Strokey Township	Street Dept.		
9 David May ^{NW}	Caseyville Township	Foreman	Dmny1223@gmail.com	
10 John Haker	Fairview Hts	Dir. of P.W.		
11 Jon Nolan	O'Fallon	Const. Facilities Mgr		
12 Chris Smith	Columbia	City Engineer		

St. Louis, MO ~ Belleville, IL ~ Chicago, IL ~ O'Fallon, IL ~ Salem, IL ~ Louisville, KY



Gonzalez Companies, LLC
Engineering – Construction Management

www.gonzalezcos.com

Name	Municipality	Title	Email Changes or New	Cell Phone #
13 Tim Ahrens	CITY OF COLUMBIA	ASSISTANT CITY ENGINEER		
14 James Harris	St. Clair County			
15 NORM				
16 Alex King	O'Fallon TWP			
17 Brandon Downs	O'Fallon TWP			
18 MARK DOWNS	O'Fallon Road Dist			
19 Scott Saeger	City of Belleville	City Engineer		
20 Tarrun Ivory	City of Belleville	Project Technician		
21 Chris Etling	Shiloh	Dir of PW		
22 Jason R Foster	Belleville			
23				
24				
25				
26				
27				
28				
29				

St. Louis, MO ~ Belleville, IL ~ Chicago, IL ~ O'Fallon, IL ~ Salem, IL ~ Louisville, KY



MEETING SIGN-IN SHEET

ST. CLAIR COUNTY MS4

21-1034.000

MS4 QUARTERLY MEETING

DECEMBER 3, 2024

Name	Municipality	Title	Email Changes or New	Cell Phone #
1 David Treiman	St. Clair Township	Laborer	treiman.john13@gmail.com	618-604-8742
2 Sue Gruberman	St. Clair Township	Accountant	---	618-616-4040
3 Bob Trentman	11	Road Comish	---	618-660-3639
4 Tom Quirk	FAIRVIEW HEIGHTS	CITY Engineer	---	618-444-2739
5 Craig Maue	Belleville	Assistant Director	cmare@belleverille.net	618-920-5834
6 Al Brooks	E. St. Louis	Pump Station Monitor	albrooks560@yahoo.com	314-373-9861
7 Josh Vandevet	Sageat	Supervisor	---	618-779-0462
8 James Harris	S.C.C.	---	---	---
9 Kevin Berkehaman	CITY OF LEDARON	FOREMAN	---	618-401-8099
10 Kent Kongrecker	CITY OF LEDARON	STREETS	---	618-402-7981
11 Chris Smith	City of Glenview	---	---	---
12 NUREM	ST Clair Co	Engineer	---	---



Gonzalez Companies, LLC
Engineering – Construction Management

www.gonzalezcos.com

Name	Municipality	Title	Email Changes or New	Cell Phone #
13 Don Nolan	City of O'Fallon			
14 Mark Downs	O'Fallon Road Dist.			
15 Bobby Ginter	O'Fallon Road Dist.			
16 Brandon Downs	O'Fallon Road Dist.			
17 Alex Kutz	O'Fallon RD DIST			
18 Kris Elting	Shiloh			
19 Tim Ahrens	CITY OF COLUMBIA			
20 MARIETY CRAWFORD	CENTREVILLE TOWNSHIP			
21 Doreen Allen	City of E. St. Louis			
22 Dora Dickemper	IEPA			
23 Susan Phillips	IEPA			
24				
25				
26				
27				
28				
29				

St. Louis, MO ~ Belleville, IL ~ Chicago, IL ~ O'Fallon, IL ~ Salem, IL ~ Louisville, KY

EXHIBIT B.3-D

**2024 Quarterly Meeting
Attendance Certificates**



Certificate of Attendance

Tim Ahrens Participated in:

MS4 training that included
“Annual Report Preparation and Permit Updates”

Presented by
Tony Schenk

1 PDH is awarded for participation

March 5, 2024



Tony Schenk
Project Manager
Gonzalez Companies, LLC



Certificate of Attendance / Completion

Tim Ahrens, City of Columbia
Name

"Illicit Discharge Detection and Elimination"

1 PDH is awarded for participation

June 4, 2024

Tony Schenk
Project Manager
Gonzalez Companies, LLC



Certificate of Attendance / Completion

Chris Smith, City of Columbia

Name

“Post Construction Management /
Construction Site Runoff Control”

1 PDH is awarded for participation

September 17, 2024

Tony Schenk
Project Manager
Gonzalez Companies, LLC



Certificate of Attendance / Completion

Tim Ahrens, City of Columbia

Name

“Post Construction Management /
Construction Site Runoff Control”

1 PDH is awarded for participation

September 17, 2024

Tony Schenk
Project Manager
Gonzalez Companies, LLC



Certificate of Attendance / Completion

Chris Smith, City of Columbia

Name

“Good Housekeeping /
Operation and Maintenance”

1 PDH is awarded for participation

December 3, 2024



Tony Schenk
Project Manager
Gonzalez Companies, LLC



Certificate of Attendance / Completion

Tim Ahrens, City of Columbia

Name

“Good Housekeeping /
Operation and Maintenance”

1 PDH is awarded for participation

December 3, 2024



Tony Schenk
Project Manager
Gonzalez Companies, LLC

EXHIBIT B.6-A

**St. Clair County
Promoted Programs /
Public Awareness**

Tammy Mezo

From: Marla Rose <mrose@columbiaail.gov>
Sent: Tuesday, April 15, 2025 3:14 PM
To: Tim Ahrens
Subject: FW: Columbia Electronic Recycling

Here is what Jonathan responded with...

From: Jonathon vanBuren <jonnyvanb@gmail.com>
Sent: Tuesday, April 15, 2025 3:11 PM
To: Marla Rose <mrose@columbiaail.gov>
Subject: Re: Columbia Electronic Recycling

CAUTION: This email originated from outside of the organization. DO NOT click links or open attachments unless you have verified the sender and know the content is safe. Contact IT with questions or for assistance.

It was an estimated 11000lbs total all in. A fair chunk 8-10% was viable for being fixed instead of recycled (which is way better economically).

One piece of medical equipment even went to an under served area in Australia.

We look forward to handling the recycling for you guys again. We tend to get very different and interesting items that help us learn.

This year we are doing a few more events, two of which with our state rep. Looking forward to see how that affects the perception of these events this year.

August 7th 730am I will be there.

Thanks for reaching out,

Jon

On Tue, Apr 15, 2025, 1:35 PM Marla Rose <mrose@columbiaail.gov> wrote:

Jon,

Just checking in with you for our event this August!! I am looking forward to hosting again with you and your team. Do you know how much you collected from last year?

From: Jonathon vanBuren <jonnyvanb@gmail.com>
Sent: Saturday, January 18, 2025 2:37 PM

HERITAGE - CRYSTAL CLEAN



WORK ORDER #: 00-00SA647
CUSTOMER ID: 224819
SERVICE REQUEST ID: 287603

Page 1 of 2

EMERGENCY #: 800-424-9300
DATE: October 25, 2024 10:30:43
CRYSTAL CLEAN REPRESENTATIVE: JAMES TAYLOR2

CUSTOMER/SHIPPER CITY OF COLUMBIA PUBLIC WORKS 110 W SAND BANK RD COLUMBIA, IL 62236 CONTACT NAME: MIKE SANDER (618)281-4264 GEN.STATUS:VSQG FEDERAL EPA ID #: STATE EPA ID #: COMMENTS:	DESTINATION 114 TRADE CENTER DRIVE ST PETERS, MO 63376 PHONE NUMBER: (314)429-2845 CARRIER: HERITAGE-CRYSTAL CLEAN, LLC EPA ID #: ILR000130062 PHONE NUMBER: (847)836-5670
---	--

BILL OF LADING

NON-DOT REGULATED USED OIL/OILY WATER,	240	gallons
--	-----	---------

SUMMARY OF CHARGES

PRODUCT	DESCRIPTION	QTY	PRICE	TOTAL	INTERVAL	CONTAINER	CNT	WS_NBR
306C	USED OIL PICKUP - CHARGE	240	0.00	0.00	12 Week		240	10-54
Interval: 12 Week					Next Service Date: 10/24/2025 (UPDATED)			
310	TRIP FEE - USED OIL SERVICE	1	0.00	0.00	One Time		1	
Interval: One Time								
PAYMENTS : \$0.00								
CHARGES : \$0.00								
TAX : \$0.00								

-----Generator Certification-----

THIS FORM IS DEEMED PART OF THE SERVICE AGREEMENT (AGREEMENT) BETWEEN CRYSTAL CLEAN, LLC (CC) AND THE IDENTIFIED GENERATOR AND ALL TERMS, CONDITIONS AND CERTIFICATIONS CONTAINED IN THAT AGREEMENT ARE DEEMED A PART OF THIS FORM. GENERATOR UNDERSTANDS THAT CC WILL RELY UPON THE ACCURACY OF THE INFORMATION SUBMITTED BELOW TO MANAGE THE GENERATOR'S MATERIAL IN ACCORDANCE WITH ALL APPLICABLE LAWS AND REGULATIONS.

EPA Reporting Status :Very Small Quantity Generator (VSQG)

The Generator certifies that it qualifies as a Very Small Quantity Generator (40 CFR 262.14, including state counterparts) because it generates less than 100 kg/220 lbs. of hazardous waste including the characteristic wastes (D code) or listed non-acute wastes (F, K, and U codes), and less than one kg (or 2.2 lbs.) of acute listed hazardous waste (P codes) in a calendar month. The Generator also certifies that it accumulates no more than 1000 kg/2200 lbs. of characteristic waste, non-acute F, K or U-listed hazardous waste, and no more than one kg of P-listed acute hazardous waste on-site at any one time during a calendar month. The Generator will immediately inform CC if it accumulates more than 1,000 kg of characteristic waste, F, K, or U-listed non-acute hazardous waste, or more than one kg of P-listed acute hazardous waste on-site at any time during a

CRYSTAL CLEAN



WORK ORDER #: 00-00TA44G
CUSTOMER ID: 224819
SERVICE REQUEST ID: 287603

Page 1 of 2

EMERGENCY #: 800-424-9300
DATE: March 20, 2025 11:51:24
CRYSTAL CLEAN REPRESENTATIVE: JAMES TAYLOR2

CUSTOMER/SHIPPER CITY OF COLUMBIA PUBLIC WORKS 110 W SAND BANK RD COLUMBIA, IL 62236 CONTACT NAME: MIKE SANDER (618)281-4264 GEN.STATUS:VSQG FEDERAL EPA ID #: STATE EPA ID #: COMMENTS:	DESTINATION 114 TRADE CENTER DRIVE ST PETERS, MO 63376 PHONE NUMBER: (314)429-2845 CARRIER: CRYSTAL CLEAN, LLC EPA ID #: ILR000130062 PHONE NUMBER: (847)836-5670
---	---

BILL OF LADING

NON-DOT REGULATED USED OIL/OILY WATER,	190	gallons
--	-----	---------

SUMMARY OF CHARGES

PRODUCT	DESCRIPTION	QTY	PRICE	TOTAL	INTERVAL	CONTAINER	CNT	WS_NBR
306C	USED OIL PICKUP - CHARGE	190	0.00	0.00	12 Week		190	10-54
	Interval: 12 Week				Next Service Date: 3/20/2026 (UPDATED)			
310	TRIP FEE - USED OIL SERVICE	1	0.00	0.00	One Time		1	
	Interval: One Time							
PAYMENTS : \$0.00								
CHARGES : \$0.00								
TAX : \$0.00								

-----Generator Certification-----

THIS FORM IS DEEMED PART OF THE SERVICE AGREEMENT (AGREEMENT) BETWEEN CRYSTAL CLEAN, LLC (CC) AND THE IDENTIFIED GENERATOR AND ALL TERMS, CONDITIONS AND CERTIFICATIONS CONTAINED IN THAT AGREEMENT ARE DEEMED A PART OF THIS FORM. GENERATOR UNDERSTANDS THAT CC WILL RELY UPON THE ACCURACY OF THE INFORMATION SUBMITTED BELOW TO MANAGE THE GENERATOR'S MATERIAL IN ACCORDANCE WITH ALL APPLICABLE LAWS AND REGULATIONS.

EPA Reporting Status :Very Small Quantity Generator (VSQG)

The Generator certifies that it qualifies as a Very Small Quantity Generator (40 CFR 262.14, including state counterparts) because it generates less than 100 kg/220 lbs. of hazardous waste including the characteristic wastes (D code) or listed non-acute wastes (F, K, and U codes), and less than one kg (or 2.2 lbs.) of acute listed hazardous waste (P codes) in a calendar month. The Generator also certifies that it accumulates no more than 1000 kg/2200 lbs. of characteristic waste, non-acute F, K or U-listed hazardous waste, and no more than one kg of P-listed acute hazardous waste on-site at any one time during a calendar month. The Generator will immediately inform CC if it accumulates more than 1,000 kg of characteristic waste, F, K, or U-listed non-acute hazardous waste, or more than one kg of P-listed acute hazardous waste on-site at any time during a

Receipt: 1176172
Date: 4/9/2024
Time: 11:30:45 AM

PAYMENT RECEIPT

Southern Metal Processing
6400 South Broadway
St. Louis, MO 63111
314-481-2800

Customer: 106518
CITY OF COLUMBIA
110 WEST SAND BANK ROAD
COLUMBIA, IL 62236
ID Number:

Ticket:1213950		Weigh In:4/3/2024 11:38:34 AM		Weigh Out:4/3/2024 12:05:38 PM		Operator:Brittany	
Commodity		Gross	Tare	Net	Price	TOTAL \$	
Sheet Steel		54,360	36,480	17,880	135.0000/NT	1,206.90	
						Ticket Total:	1,206.90
						This Payment:	-1206.90
						Balance Due:	\$0.00

No. of Tickets: 1
Payment Method: Check
Check Number: 30335

Total Paid:	\$1,206.90
--------------------	-------------------

Signature



Stormwater Hotline
(618) 825-2690

For more information

St. Clair County Board Office

or

St. Clair County Planning and Zoning Department
10 Public Square
Belleville, IL, 62220
(618) 277-6600

St. Clair County Health Department
Pollution Prevention Program
19 Public Square, Suite 150
Belleville, IL 62220
(618) 233-7769



www.epa.gov

ST. CLAIR COUNTY'S STORMWATER GUIDE FOR BUSINESSES

Rain washes oil, fertilizer
and other pollutants
into storm drains...




which flows untreated
into lakes and streams.

You can help prevent water pollution
by volunteering to apply drain markers
to storm drains in your neighborhood.



Also, consider adopting a stream to
keep trash out of our creeks.





stop someone from ripping you off

You many not hear it.
You may not see it...
But you definitely pay for it.

Dumping waste into storm drains, ditches or waterways is illegal. Dumping contaminates drinking water supplies, recreation areas and wildlife habitat. Cleanup efforts cost millions of dollars each year. And that's your tax dollars hard at work.

Avoid getting ripped off. Report illegal dumping right away. Your action will help prevent further water contamination and reduce potential clean up costs.



Spill Prevention And Clean-Up Plan

- Take the time to use precautions to prevent spills.
- Keep materials inside water-tight and rodent-proof containers.
- Sweep and mop frequently to reduce the amount of dirt and other residues that accumulate where you work.
- Clean up spills promptly if they do happen.
- Clean up without water whenever possible by sweeping.



“Please don’t soil our waters!”



It's no fish story: soil erosion
is our #1 water pollutant.

Storm Water Tips

- ⇒ Don't dispose of oil and other chemicals onto driveways, parking lots or storm drains. Use a recycling center.
- ⇒ Wash vehicles at commercial car washes that recycle their wastewater.
- ⇒ Store and dispose of all chemicals according to the manufacturer's recommendations.
- ⇒ Sweep parking lots and storage areas once a month. Dispose of the dirt and debris in the appropriate trash can.
- ⇒ Place trash in its proper closed container and pick up litter from others.
- ⇒ Cover materials stored outdoors to prevent excess runoff to storm water drains.
- ⇒ Use water for cleaning exterior area sparingly.



Stormwater Hotline
(618) 825-2690

For more information

St. Clair County Board Office

or

St. Clair County Planning and Zoning Department

10 Public Square

Belleville, IL, 62220

(618) 277-6600

St. Clair County Health Department

Pollution Prevention Program

19 Public Square, Suite 150

Belleville, IL 62220

(618) 233-7769



www.epa.gov

ST. CLAIR COUNTY'S RESIDENT STORMWATER GUIDE

Seven Simple Steps to Clean Water



1 Help keep pollution out of storm drains

2 Recycle sparingly and responsibly

3 Carefully store and dispose of household cleaners, chemicals, and oil

4 Clean up after your pet

5 Practice good car care

6 Choose earth-friendly landscaping

7 Save water

Our Water. Our Future. Ours to Protect.



Carefully store and dispose of household cleaners, chemicals, and oil.

Did you know that many household products are dangerous to our kids, pets, and the environment?

These materials pollute our waterways if washed or dumped into storm drains or roadside ditches that lead directly to our lakes and rivers. Household cleaners, pesticides, gasoline, antifreeze, used motor oil, and other hazardous products need to be labeled, stored, and disposed of properly.

So what can you do? Simple.

- Be aware of household products that can harm children, pets and the environment. Pay attention to words such as "warning" or "caution" on product labels.
- Reduce waste and save money by purchasing only the materials you need.
- Keep unused products in their original containers with labels.
- Never dump hazardous products down storm drains, roadside ditches, sinks, or on the ground—take them to your local community's hazardous waste collection day

Help keep our homes and the environment safe.



Send them packing! There are lots of less toxic ways to control pests in your home and garden without using harmful chemicals.

You can have a lush garden and pest-free home while keeping your family and our waterways healthy.

Just insects? Use anti-bait instead of poisonous spray.

Stormwater Tips

- Don't dispose of oil and other chemicals onto driveways, streets or storm drains. Use a recycling center.
- Wash your car at commercial car washes that recycle their wastewater.
- Dispose of all chemicals according to the containers.
- Sweep driveways instead of hosing.
- Do not overwater lawns and gardens.
- Reduce the amount of fertilizers and pesticides you apply on your lawn and landscaping.
- Place trash in closed containers and pick up litter from others.
- Have your car tuned up and make sure it's not leaking fluids.
- Pick up after your pets when you walk them.



STOP STORMWATER POLLUTION.


PLANT
MORE
PLANTS



STORMWATER RUNOFF TRAVELS FROM YOUR YARD
TO LOCAL STREAMS, CREEKS, RIVERS AND THE BAY



residential rain garden



ST. CLAIR
COUNTY



ST. CLAIR
COUNTY

STORMWATER MANAGEMENT

STORMWATER MANAGEMENT

St. Clair County
Stormwater Management

For more information

St. Clair County
Building and Zoning Department
10 Public Square
Belleville, IL 62220

Stormwater Hotline
618-825-2690

Email: stormwater@co.st-clair.il.us



co.st-clair.il.us/stormwater

Homeowner
Best Management
Practices

618-825-2531

stormwater@co.st-clair.il.us

co.st-clair.il.us/stormwater



ST. CLAIR
COUNTY



ST. CLAIR
COUNTY

HELP YOUR WATERSHED!

STORMWATER MANAGEMENT

STORMWATER MANAGEMENT

Everyone lives in a watershed, and it takes a community to maintain and protect it!

St. Clair County is looking for input on water quality concerns or issues in your watershed. If you have any information, please provide it online at:

co.st-clair.il.us/stormwater/concerns

However, no matter where you live in a watershed, you contribute to the health of local streams and rivers. If you don't have information to contribute, you can still help improve the health of your watershed by following the guidance in this brochure!



St. Clair County Stormwater Management

For more information

St. Clair County
Building and Zoning Department
10 Public Square
Belleville, IL 62220

Stormwater Hotline
618-825-2690

Email: stormwater@co.st-clair.il.us



co.st-clair.il.us/stormwater

co.st-clair.il.us/stormwater

BEST MANAGEMENT PRACTICES

618-825-2531

stormwater@co.st-clair.il.us



A riparian landowner

owns property adjacent to

a lake or stream. The

shoreline of a lake or


stream and the immediate

adjacent area is called a **riparian buffer**. Riparian

landowners are the last defense to protect our

lakes and streams.

Healthy riparian buffers serve many purposes such as protecting water quality, reducing erosion, enhancing wildlife habitat, minimizing impacts of human activities, and providing positive aesthetics.



Riparian landowners enjoy benefits from the lake or stream's natural attributes and are responsible for maintaining the streambanks or lakeshore (and riparian buffer) on your property.

This brochure provides some helpful tips for maintaining a healthy riparian buffer. Riparian buffers should be at least 10 feet of dense native plants to grow along the water's edge and streambank to allow pollutants to filter out and the banks to stabilize.

Resources

STREAM/SHORELINE BEST MNGT. PRACTICES

- ◆ Before making any stream or shoreline modifications please contact:
- ◆ Lake Co. Stormwater Management Commission, 500 W. Winchester, Suite 201, Libertyville, IL 60048, (847) 377-7700, www.lakecountyil.gov/stormwater

PLANT/TREE INFORMATION

- ◆ Illinois Native Plant Guide, download from the Natural Resources Conservation Service (NRCS): www.nrcs.usda.gov/wps/portal/nrcs/main/il/plantsanimals/
- ◆ Native Tree/Shrub Information: at Conserve Lake County website: <http://www.conserve-lake-county-illinois.pdf>
- ◆ Tree and plant descriptions—Morton Arboretum: <http://www.mortonarb.org/trees-plants/tree-plant-descriptions>
- ◆ Purchasing Native Plants—IL Native Plant Society—www.ill-nps.org/
- ◆ Midwest Invasive Plant Network—Invasive Species Alternatives: <http://www.mipn.org/publications>
- ◆ **SHORELINE MNGT., POLLUTANTS, & WATER QUALITY**
- ◆ Lake Co. Health Department, Lakes Management Unit (LCHD), 500 W. Winchester Rd. Libertyville, IL 60048, (847) 377-8000, <http://health.lakecountyil.gov/Population/Pages/Lakes-Management.aspx>

SOIL TESTING

- ◆ University of Illinois Extension—Grayslake, IL <http://extension.illinois.edu/soiltest/>
- ◆ **FUNDING FOR THIS PROJECT PROVIDED, IN PART, BY THE ILLINOIS ENVIRONMENTAL PROTECTION AGENCY THROUGH SECTION 319 OF THE CLEAN WATER ACT, & THE LAKE COUNTY STORMWATER MANAGEMENT COMMISSION (LCSMCG).**

PUBLISHED (FEBRUARY 2016)

Lake County Stormwater Management Commission
500 W. Winchester Road, Libertyville, IL 60048
Phone: 847-377-7700
E-mail: awarren@lakecountyil.gov

LIVING ON THE WATER'S EDGE



Living on the water's edge refers to landowners that live at properties along the shoreline of a lake or stream and the immediate adjacent area; this is also referred to as **RIPARIAN BUFFER**.



STORMWATER MANAGEMENT COMMISSION

Best Management Practices for Properties Adjacent to Streams and Lakes

DON'T DUMP!

Dumping yard waste and other debris in your riparian buffers and streams can cause stream blockages, elevate flood stages, and wash sediment and debris (excessive nutrients) into the water bodies.



- ◆ Never dispose of chemicals in the streams, lakes or riparian buffers.
- ◆ Never dispose of branches, leaves, or clippings in the riparian buffers.
- ◆ Remove fallen trees that block flows

FERTILIZE WISELY


One of the largest problems in Lake County streams and lakes is high amount of nutrients, which produce excessive growth of algae and other undesirable aquatic plants.

- ◆ Test your soil before fertilizing.
- ◆ Don't apply fertilizer before a rain event
- ◆ Be P-free with your fertilizers!
- ◆ Don't apply fertilizers to riparian buffers.

MINIMIZE STORMWATER RUNOFF

Impervious surfaces (roofs and driveways) convey runoff and pollution to our waterways. By minimizing impervious surfaces you can reduce the transport of sediment, chemicals, and other pollutants to waters.

- ◆ Disconnect flow from downspouts & sump pumps from the stream or lake and direct to a rain garden or bioswale



RIPARIAN BUFFER

RIGHT PLANT—RIGHT PLACE!

Deep rooted native plants and trees have long root systems to keep soils in place, absorb runoff, and filter out pollutants. When ground and banks are left bare, soil erodes and washes off into nearby lakes and streams.

- ◆ Remove invasive plants from your yard & riparian buffers
- ◆ Use deep rooted native plants in your landscaping—less water required



Rain Gardens are shallow depressions planted with native plants and are positioned to capture stormwater runoff.

REFERENCES

- Riparian Area Management A Citizen's Guide. Lake County Stormwater Management Commission, (LCSMC.) Libertyville, Illinois, 2014.
- Managing the Water's Edge, Making Natural Connections: Southeastern Wisconsin Regional Planning Commission, Waukegan, Wisconsin, 2010.



HELP YOUR WATERSHED!

"Send Only Rain Down the Drain!"

In order to protect the water quality of local streams, car wash kits or other protection measures should be used when holding a car wash event.



ST. CLAIR
COUNTY

STORMWATER MANAGEMENT

St. Clair County

Stormwater Management

For more information

St. Clair County
Building and Zoning Department
10 Public Square
Belleville, IL 62220

Stormwater Hotline
618-825-2690

Email: stormwater@co.st-clair.il.us



co.st-clair.il.us/stormwater



ST. CLAIR
COUNTY

STORMWATER MANAGEMENT

CAR WASH GUIDELINES

618-825-2531

stormwater@co.st-clair.il.us

co.st-clair.il.us/stormwater

CAR WASH GUIDELINES

To Learn More

Visit us at: co.st-clair.il.us/stormwater

Or

Call us at 618-825-2531

OVERVIEW

Washing your car at home or at a local fundraiser can wreak havoc on nearby bodies of water, simply by sending pollutants like dirt, soap, oil, grease and metals, along with the wash water, into streams and river. Ideally, waste water from car washes should be emptied into a sanitary sewer (the system that transports wastewater to a treatment facility) if allowed by local jurisdiction.

The following suggestions are some other ways to make your car washes friendly to our local waterways.

REMEMBER: Only rain goes down the storm drain!

AT HOME:

- Pull your car onto the lawn before washing. You can water your lawn at the same time you wash your car.
- Use phosphate-free, biodegradable cleaning products.
- Avoid using degreasers, solvents and tire cleaning products.
- Wring out sponges and rags in a bucket, then empty the bucket into the sanitary sewer system, via sinks or toilets. You can also empty the bucket onto pervious landscaped areas where wastewater can be absorbed.
- Use a low-flow nozzle for your hose and turn it off when you're not using the water.
- Sweep up any debris (rather than hosing it to the street) and dispose of it in the garbage.
- If possible, take your car to a commercial car wash. These facilities use technology to achieve minimal water usage and discharge their water in a regulated and safe manner. Some car washes reuse water and even employ environmentally friendly soaps!
- **Bonus Tip:** Ensure you're regularly changing your oil to prevent excessive oil leakage.

AT A FUNDRAISER:

- Follow guidelines in the "At Home" section.
- Use a car wash kit to prevent soapy, dirty water from entering the storm sewer.
- Hold the event at commercial car wash. The increased traffic can benefit both the fundraiser and the commercial car wash!
- Sell tickets to a commercial car wash, where soapy water is disposed in a safe manner.
- Use earth-friendly cleaning products.
- Make use of a pressure washer. This will get the job done, but use less water.
- Follow the *Just Enough* principle. Use just enough soap and water needed to get the job done. Even if the soap is biodegradable, it can still have an effect on fish and invertebrates in our rivers. Less soap also means more of a profit for the charity!



ST. CLAIR COUNTY

co.st-clair.il.us/stormwater



What NOT to put in your Sharps Container:

- NOTHING other than sharps.
- No bandages, gauze, alcohol wipes, or other trash.
- No medications: over-the-counter or prescription.

Where to dispose of medications:

- CVS at 4609 W. Main St., Belleville
- CVS at 753 W. Hwy. 50, O'Fallon
- Walgreens at 5890 N. Belt West, Belleville
- Walgreens at 2510 State St., East St. Louis
- Copper Bend Pharmacy, Ste. 920B, Belleville
- Caseyville, Fairmont City, Fairview Heights, & O'Fallon Police Departments.
- St. Clair County Sheriff's Dept., entrance at 700 N. 5th St., Belleville

Our current grant ends on June 30, 2024. Full containers can be dropped off until that date.

MEMORANDUM

Leo Dumstorff, DDS

President

St. Clair County Board of Health

**Myla Blandford,
MPH, REHS, LEHP**

Executive Director

St. Clair County Health Department

Administrative/Fiscal

618.233.7703

618.222.1630 fax

Infectious Disease Prevention

Communicable Disease

618.233.6175

618.233.9356 fax

Southwestern Illinois

HIV Care Connect

618.825.4501

618.825.4585 fax

Emergency Preparedness

618.233.7703

618.233.9356 fax

**Health Promotion & Wellness
Clinical Services & Systems**

Maternal-Child Health Programs

618.233.6170

618.236.0831 fax

Breast and Cervical Cancer

618.233.7703

618.233.7712 fax

Environmental Health

618.233.7769

618.236.0676 fax

To: All Units of Local Government, Cities, Townships, Highway Commissioners, and Public Works Directors

Date: August 2, 2024

RE: LOCAL GOVERNMENT ONLY Used Tire Collection 2024

The Illinois Environmental Protection Agency is pleased to sponsor a used tire collection for St. Clair County. This tire collection is for **Governmental Entities ONLY** and is **NOT open to the general public**. No used tires from ULG fleets or from private entities are allowed. Please DO NOT advertise this collection to the public.

The collection will be held on Tuesday September 17, 2024 and Wednesday, September 18, 2024 from 8:00a.m. until 3:00p.m. on both days.

Illinois Department of Transportation has graciously allowed the use of their property at 8313 Shiloh Valley Township Line Road, Lebanon, Illinois.

Tires on rims, large truck, and tractor tires MUST be kept separate to facilitate unloading in a different area at the collection site.

Please take the necessary steps to ensure that mud and comingled waste materials (i.e. rocks/bricks, lumber, and garbage are removed from each load PRIOR to delivery.

If you have any specific questions, please contact one of us:

Gary Gasawski
St. Clair County Health Dept.
618-825-4452 office
Gary.Gasawski@co.st.clair.il.us

Jacob McQuaid
Illinois EPA
618-346-5142 office
Jacob.McQuaid@illinois.gov

Follow us on:

Facebook:

@SCC.HealthDepartment

Twitter:

@StClairHealth



Tammy Mezo

From: Norm Etling <Norm.Etling@co.st-clair.il.us>
Sent: Wednesday, September 18, 2024 2:59 PM
To: Tammy Mezo
Cc: Cheri M. Weaver
Subject: FW: Tires to recycle 9-17 and 9-18-2024



From: Michael Suarez <michaelsuarez30@yahoo.com>
Sent: Wednesday, September 18, 2024 2:54 PM
To: Norm Etling <Norm.Etling@co.st-clair.il.us>
Subject: Tires

We had 27 tandems loads of tires yesterday and today.

Michael

Caution: This is an external email. Please take care when clicking links or opening attachments. When in doubt, contact your IT Department.

Waste Management Clean Sweep Tickets - Total to Date 443.12

March - May 2024

June - September 2024

Oct. 2024 - Feb. 2025

[illegible]

Ticket #	Date	Tons
1999575	06/03/24	7.24
1999964	06/04/24	7.80
2000614	06/06/24	4.85
2001429	06/11/24	8.32
2003030	06/18/24	8.31
2003675	06/20/24	5.61
2004774	06/25/24	5.37
2005105	06/26/24	1.77
2007148	07/08/24	3.44
2008585	07/15/24	7.27
2009140	07/17/24	6.11
2009353	07/18/24	5.74
2009983	07/22/24	4.05
2010990	07/25/24	3.31
2011791	07/29/24	7.61
2012083	07/30/24	7.50
2012338	07/31/24	3.40
2013363	08/05/24	7.04
2013643	08/06/24	7.50
2014126	08/08/24	3.32
2015087	08/13/24	7.14
2015506	08/14/24	0.97
2016688	08/19/24	4.86
2017008	08/20/24	5.82
2019498	08/28/24	5.79
2021445	09/05/24	5.30
2022870	09/11/24	4.58
2023883	09/16/24	6.96
2024180	09/17/24	6.40
2024713	09/19/24	3.95
2025466	09/23/24	7.03
2025674	09/24/24	5.00
2026039	09/25/24	6.11
TOTAL		185.47

[illegible]

Tammy Mezo

From: Norm Etling <Norm.Etling@co.st-clair.il.us>
Sent: Tuesday, May 7, 2024 8:51 AM
To: Tammy Mezo
Cc: James Harms
Subject: FW: FW: Emergency Storm Clean up Assistance 4-19-2024, 5-6-2024

[External Email - Please confirm before you open any links or attachments!]



Good Morning,

Storm damage clean up in Fairmont City 4-23, 4-24, 4-26 and 4-27

From: Roger Juenger <rjuenger@fairmontcityil.com>
Sent: Tuesday, May 07, 2024 8:41 AM
To: Norm Etling <Norm.Etling@co.st-clair.il.us>
Cc: James Harms <James.Harms@co.st-clair.il.us>
Subject: Re: FW: Emergency Storm Clean up Assistance 4-19-2024, 5-6-2024

Good morning Norm attached her photos per your request thank you for all of your help cleaning our town up. I guess your gentleman that came down here to assist us took between 25 and 30 loads of limbs away.

Thank You

Roger

EXHIBIT B.7-A

**St. Clair County
Public Meeting Agenda**

**City of Columbia, Illinois
Agenda for City Council Meeting
Monday, March 3, 2025 – 6:30 p.m.
City Hall, 208 South Rapp Avenue**



A. Call Meeting to Order

B. Roll Call

C. Pledge of Allegiance

D. Proclamations/Recognition/Presentations

1. Retirement of Columbia Public Library Director Annette Bland
2. Columbia High School Cheerleading State Finals
3. NPDES Permit for Storm Water Discharges from Separate Storm Sewer Systems (MS4) Report

E. Public Input

F. Comments & Announcements – Mayor

G. Comments & Announcements – Aldermen

H. Comments & Announcements – Department Directors

I. Consent Agenda

1. Motion to Approve Minutes of the February 18, 2025 Regular City Council Meeting
2. Motion to Approve Closed Session Minutes of the February 18, 2025 Regular City Council Meeting
3. Motion to Approve Payment of Vouchers for the Period of February 12, 2025 through February 26, 2025 Totaling \$169,250.23
4. Motion to Approve Special Event Application – Sons of the American Legion Squadron 581 Meat Shoot (April 19, 2025)
5. Motion to Approve Special Event Application – Monroe County BackStoppers Hot Rod's for Heroes Car Show (June 22, 2025)
6. Motion to Approve Special Event Application – Metro Tri Club Zilla Tri and Teen Zilla Tri/Sprint Triathlon (August 3, 2025)
7. Motion to Approve Special Event Application – Columbia Public Library Summer Events (Multiple)

J. Unfinished Business

1. Ordinance No. 3691 Granting a Special Use Permit to Allow a Short-Term Rental at 419 S. Main St. (C-2 Zoning District)
2. Ordinance No. 3692 Authorizing First Amendment to a Municipal Services Agreement for the Provision of City of Columbia Water Service to Certain Property Located in Unincorporated Monroe County

K. New Business

1. Motion to Approve Proposal for Engineering Services by Curry & Associates Engineers Inc for Design and Construction Services for an Elevated Water Storage Tank
2. Discussion of Zoning Hearing Officer's Findings of Fact and Decision - Variance (83 Hillcastle Lane)

L. Closed Session

1. 5 ILCS 120/2(c)(1) Appointment, Employment, Compensation, Discipline, Performance, or Dismissal of Specific Employees of the Public Body

2. 5 ILCS 120/2(c)(5) Purchase or Lease of Real Property for the Use of the Public Body
3. 5 ILCS 120/2(c)(6) Setting of a Price for Sale or Lease of Property Owned by the Public Body
4. 5 ILCS 120/2(c)(11) Pending, Probable, or Imminent Litigation

M. Announcements

N. Adjournment



Agenda Item Report

<u>Date of Meeting:</u>	March 3, 2025
<u>Item:</u>	NPDES Permit for Storm Water Discharges from Separate Storm Sewer Systems (MS4) Report
<u>Agenda Section:</u>	Proclamations/Recognition/Presentations
<u>Affected Ward:</u>	N/A (Citywide)
<u>Background:</u>	The City is considered to be included in the metro east "urbanized area" and is therefore, subject to having to have a NPDES Permit for Storm Water Discharge. Attached is some background information of the NPDES permit and a copy of the City of Columbia's 2023-2024 Annual Facility Report. A requirement of the permit is to have an annual public informational meeting regarding the permit.
<u>Recommendation:</u>	Item is for Council discussion only.
<u>Item Submitted By:</u>	Chris A. Smith, P.E., City Engineer
<u>Attachments:</u>	2023-2024 IEPA Annual Facility Inspection Report for NPDES Permit for Storm Water Discharges from MS4 systems

**Minutes of the Regular Meeting of the City Council of the City of Columbia, Illinois
Held Monday, March 03, 2025 in the Council Room of City Hall.**

A. Call Meeting to Order

Mayor Hill called the City Council of Columbia, Illinois to order at 6:30 PM.

B. Roll Call

Present: Aldermen Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe, and Hitzemann.

Absent: None.
Quorum present.

Administrative Staff present:

City Clerk Derek Reichert
City Attorney Terry Bruckert
Deputy Chief of Police Karla Heine
EMS Chief Kim Lamprecht
Director of IT James Mitchell
Library Director Annette Bland

City Administrator Douglas Brimm
Chief of Police Jason Donjon
Director of Public Works Mike Sander
City Engineer Chris Smith
Deputy City Clerk Kelly Mathews

C. Pledge of Allegiance

Those in attendance recited the Pledge of Allegiance.

D. Proclamations/Recognitions/Presentations

1. Retirement of Columbia Public Library Director Annette Bland

Mayor Hill recognized Annette Bland for her 36 years of service to the Columbia Public Library.

2. Columbia High School Cheerleading State Finals

Mayor Hill presented the Columbia High School cheerleaders a Certificate of Excellence and a City challenge coin for their first-place win 2025 IHSA Competitive Cheer State Finals in the Small Division.

3. NPDES Permit for Storm Water Discharges from Separate Storm Sewer Systems (MS4) Report

City Engineer Chris Smith reviewed the NPDES Permit.

E. Public Input

1. Carl Woodcock

Mr. Woodcock addressed the Council regarding ongoing water drainage issues in his yard.

2. Robert Reichert

Mr. Reichert addressed the Council regarding agenda item K.2. Mr. Bruckert explained he would have another chance to address the Council during the discussion pertaining to that item.

3. Tom Prindirille

Mr. Prindirille inquired if the City has ever considered annexing the portion of D Road from in between Valmeyer Road and The Pines Subdivision.

F. Comments & Announcements - Mayor

Mayor Hill

G. Comments & Announcements - Aldermen

There were no Aldermen Comments & Announcements.

H. Comments & Announcements - Department Directors

There were no Department Directors Comments & Announcements.

I. Consent Agenda

City Clerk Reichert read the Consent Agenda.

1. Motion to Approve Minutes of the February 18, 2025 Regular City Council Meeting
2. Motion to Approve Closed Session Minutes of the February 18, 2025 Regular City Council Meeting
3. Motion to Approve Payment of Vouchers for the Period of February 12, 2025 through February 26, 2025 Totaling \$169,250.23
4. Motion to Approve Special Event Application – Sons of the American Legion Squadron 581 Meat Shoot (April 19, 2025)
5. Motion to Approve Special Event Application – Monroe County BackStoppers Hot Rod's for Heroes Car Show (June 22, 2025)
6. Motion to Approve Special Event Application – Metro Tri Club Zilla Tri and Teen Zilla Tri/Sprint Triathlon (August 3, 2025)
7. Motion to Approve Special Event Application – Columbia Public Library Summer Events (Multiple)

Mayor Hill inquired if the Council wished to remove any items prior to a motion. There were none.

Motion:

It was moved by Alderman Niemietz, and seconded by Alderman Riddle, to approve the Consent Agenda as read.

Motion Passed.

Roll Call Vote results:

8 Aye: Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe and Hitzemann

0 Nay:

0 Absent:

0 Abstain:

J. Unfinished Business

1. Ordinance No. 3691 Granting a Special Use Permit to Allow a Short-Term Rental at 419 S. Main St. (C-2 Zoning District)

Motion:

It was moved by Alderman Hitzemann, and seconded by Alderman Riddle, to Pass and Approve Ordinance No. 3691, and Ordinance Granting a Special Use Permit to Allow a Short-Term Rental at 419 S. Main St. (C-2 Zoning District)

Motion Passed.

Roll Call Vote results:

8 Aye: Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe and Hitzemann

0 Nay:

0 Absent:

0 Abstain:

2. Ordinance No. 3692 Authorizing First Amendment to a Municipal Services Agreement for the Provision of City of Columbia Water Service to Certain Property Located in Unincorporated Monroe County

Motion:

It was moved by Alderman Lawlor, and seconded by Alderman Khoury, to Pass and Approve Ordinance No. 3692, an Ordinance Authorizing First Amendment to a Municipal Services Agreement for the Provision of City of Columbia Water Service to Certain Property Located in Unincorporated Monroe County

Motion Passed.

Roll Call Vote results:

8 Aye: Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe and Hitzemann

0 Nay:

0 Absent:

0 Abstain:

K. New Business

1. Motion to Approve Proposal for Engineering Services by Curry & Associates Engineers Inc for Design and Construction Services for an Elevated Water Storage Tank

Motion:

It was moved by Alderman Lawlor, and seconded by Alderman Nobbe, to Approve Proposal for Engineering Services by Curry & Associates Engineers Inc for Design and Construction Services for an Elevated Water Storage Tank

Motion Passed.

Roll Call Vote results:

8 Aye: Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe and Hitzemann

0 Nay:

0 Absent:

0 Abstain:

2. Discussion of Zoning Hearing Officer's Findings of Fact and Decision - Variance (83 Hillcastle Lane)

Mr. Bruckert inquired if the property owner, Robert Reichert, of 83 Hillcastle Lane retained an attorney on this matter.

After a brief discussion, it was the consensus of the Council to postpone the agenda item K.2. and consider it at the March 17, 2025 Council meeting.

Motion:

It was moved by Alderman Niemietz, and seconded by Alderman Holtkamp, to Postpone the Discussion of Zoning Hearing Officer's Findings of Fact and Decision - Variance (83 Hillcastle Lane) until the March 17, 2025 Council meeting

Motion Passed.

Roll Call Vote results:

8 Aye: Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe and Hitzemann

0 Nay:

0 Absent:

0 Abstain:

L. Closed Session

Mayor Hill informed the Council that he would entertain a motion to go into Closed Session to discuss 5 ILCS 120/2(c)(1) Appointment, Employment, Compensation, Discipline, Performance, or Dismissal of Specific Employees of the Public Body, 5 ILCS 120/2(c)(5) Purchase or Lease of Real Property for the Use of the Public Body, 5 ILCS 120/2(c)(6) Setting of a Price for Sale or Lease of Property Owned by the Public Body, and 5 ILCS 120/2(c)(11) Pending, Probable, or Imminent Litigation.

Motion:

It was moved by Alderman Lawlor, and seconded by Alderman Nobbe, to direct the Mayor to go into Closed Session at 7:00 PM to discuss 5 ILCS 120/2(c)(1) Appointment, Employment, Compensation, Discipline, Performance, or Dismissal of Specific Employees of the Public Body, 5 ILCS 120/2(c)(5) Purchase or Lease of Real Property for the Use of the Public Body, 5 ILCS 120/2(c)(6) Setting of a Price for Sale or Lease of Property Owned by the Public Body, and 5 ILCS 120/2(c)(11) Pending, Probable, or Imminent Litigation.

Motion Passed.

Roll Call Vote results:

8 Aye: Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe and Hitzemann

0 Nay:

0 Absent:

0 Abstain:

Mayor Hill called the Regular Session of the City Council back to order at 8:11 PM. Upon return to Regular Session, Aldermen Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe, Hitzemann were present.

M. Announcements

There were no Announcements.

N. Adjournment

Motion:

It was moved by Alderman Lawlor, and seconded by Alderman Niemietz to adjourn the Regular City Council meeting held Monday, March 03, 2025 at 8:12 PM.

Motion Passed.

Roll Call Vote results:

8 Aye: Niemietz, Huch, Holtkamp, Riddle, Khoury, Lawlor, Nobbe and Hitzemann

0 Nay:

0 Absent:

0 Abstain:



DEREK REICHERT, CITY CLERK



MAYOR BOB HILL

TRANSPORTATION COMMITTEE
Minutes Monday January 13, 2025
4:00 PM Highway Office
1415 North Belt West
Conference Room

Members in Attendance

Rich Vernier, Chairperson
Marty Crawford, Asst. Chairperson
Engineer
Robert Allen
Michael O'Donnell
Robert Trentman
Harry Hollingsworth
Roy Mosley, Jr.

GUEST

Norm Etling, County Engineer
Randy Georgen, Asst. County
Cheri Weaver, Road & Bridges

The Asst. Chairperson called to order with the Pledge of Allegiance at 4:00 p.m.

Mr. Mosley made a motion seconded by Mr. Hollinsworth for the approval of minutes from the 12-2-2024 meeting.

The Asst. Chairperson asked if there were any comments on the agenda. None were present.

The Asst. Chairperson asked if there were any comments from the audience. None were present.

Discussion Item 1) MS4 program and status discussion. Information and status was given by the County Engineer.

Ordinance

Mosley

A) Ordinance altering the Maximum Speed Limit throughout the Country Crossing Subdivision to 25 miles per hour. Mr.

made a motion seconded by Mr. O'Donnell to approve. All members voted aye.

Resolutions:

- A) Resolution authorizing the furnishing of aggregate materials per the unit price material quotations received 1-7-2025; Section 25-00000-00-GM. Mr. O'Donnell made a motion seconded by Mr. Allen to approve. All members present voted aye.
- B) Resolution authorizing the award to repair the bridge which carries Bowler Road over Ogles Creek in O'Fallon Road District to the low bidder, Lake Contracting Incorporated in the amount of \$99,977.00; Section 24-15104-02-BR. Mr. Mosley made a motion seconded by Mr. Allen to approve. All members voted aye.
- C) Resolution authorizing the award to furnish and apply bituminous road oil materials to the low bidder, Piasa Road Oil, LLC in the amount of \$1,44,845.0; Section 25-(1-9)000-00-GM. Mr. O'Donnell made a motion seconded by Mr. Mosley to approve. All members present voted aye.
- D) Resolution authorizing the furnishing of bituminous materials per the unit price material quotations received 1-7-2025; Section 25-00000-00-GM. Mr. O'Donnell made a motion seconded by Mr. Mosley to approve. All members present voted aye.
- E) Resolution authorizing a contract with Hanks Excavating in the amount of \$19,425.00 to replace a deteriorated culvert on State Street. Mr. Mosley made a motion seconded by Mr. Allen to approve. All members present voted aye.
- F) Resolution authorizing an agreement with the City of Fairview Heights related to the STP grant application to improve Ashland Avenue in the City of Fairview Heights. Mr. Mosley made a motion seconded by Mr. O'Donnell to approve. All members present voted aye.
- G) Resolution authorizing an agreement with the Village of Shiloh related to improvements on Maple Street in Shiloh. Mr. Mosley made a motion seconded by Mr. Allen to approve. All members present voted aye.
- H) Resolution authorizing the purchase of metal culverts at the low bidder unit price; Section 25-00000-00-GM. Mr. Trentman made a motion seconded by Mr. Mosley to approve. All members present voted aye.
- I) Resolution authoring the purchase of a 2024 Ford F250 Crew Cab 4X4 in the amount of \$55,500.00. Section 25-0000-00-EQ. Mr. Mosley made a motion seconded by Mr. Allen to approve. All members present voted aye.

- J) Resolution authorizing a contract with Gonzalez Companies LLC for professional services relative to the MS4 Program in the base amount \$1800.00 plus costs per sampling. Mr. Mosley made a motion seconded by Mr. Hollinsworth to approve. All members present voted aye.

Engineer's Report

Pre-Con for the Frank Scott Parkway Extension 1-9-2025.

Resolution reached for number of lanes on Greenmount Bridge south of FSP.

Public involvement Meeting on the northerly portion of Greenmount widening 12-3-2024. Comments received.

Public involvement Meeting for the FSP infill I project 1-18-2024; comments received.

Joint Agreement for the intersection improvement to Ashland and Old Collinsville Road in for review.

Skid reimbursement received from clean sweep.

Mr. Mosley made a motion seconded by Mr. O'Donnell to approve. All members present voted aye.

The Asst. Chairperson asked if there was any Old Business: None presented.

The Asst. Chairperson asked if there was any New Business: None presented.

ACTION ITEM

Mr. Mosley made a motion seconded by Mr. Allen to go into Executive Session to discuss personnel. All members present voted aye.

Following return to regular session Mr. Allen made a motion seconded by Mr. Hollingsworth to approve what was discussed in Executive Session.

All members present voted aye.

Adjournment

Mr. Mosley made a motion seconded by Mr. Allen to adjourn. All members present voted aye.

The Asst. Chairperson adjourned the meeting at 4:30 p.m.

EXHIBIT D.2-A

BMP Training

Erosion & Sediment Control

Why Control Erosion and Sedimentation?

Sedimentation from erosion causes the following impacts:

1) Physical Impacts

- Damages aquatic areas and property
- Increases flooding effects
- Strains public infrastructure
- Increases maintenance costs



2) Biological Impacts

- Hinders plant growth
- Kills organisms and fish
- Disrupts the food chain

Controlling Erosion and Sedimentation

Best Management Practices

Stabilize Exits:

- Fabric Lined
- Clean 2-3" Stone
- Sweeping is in conjunction with, not instead of, stabilized access
- Can use rumble grates





Controlling Erosion and Sedimentation

Best Management Practices

Perimeter Controls

- Adequate for drainage area and site conditions
- Shouldn't be the only BMP
- Properly Installed and Maintained




Controlling Erosion and Sedimentation

Best Management Practices

Outfalls & Stormwater Ponds

- Check for discharges off site or the MS4
- Turbidity, erosion, stabilization



Controlling Erosion and Sedimentation

Best Management Practices


Stabilization

Vegetation

Structural

Best Management Practices

Stabilization





Illinois Department of Transportation

Storm Water Pollution Prevention Plan Erosion Control Inspection Report

Date of Inspection:	_____	County:	_____
Name of Inspector:	_____	Section:	_____
Type of Inspection:	Weekly ☐	Route:	_____
>0.5" Precip. ☐	Precip. Amt: _____"	District:	_____
Contractor:	_____	Contract No:	_____
Subs:	_____	Job No:	_____
	_____	Project:	_____
NPDES/ESC Deficiency Deduction:	\$ _____	NPDES Permit No:	_____
Total Disturbed Area:	_____ acre	Ready for Final Cover:	_____ acre
		Final Cover Established:	_____ acre

Erosion and Sediment Control Practices

Item # / BMP		YES	NO	N/A
1.	Slopes: Do all slopes and exposed areas where soil disturbing activities have temporarily or permanently ceased, and not permanently stabilized, have adequate temporary seed or other stabilization in accordance with the NPDES permitted 7 and 14 day rule?	☐	☐	☐
2.	Ditches Are all ditches (existing and temporary) clear of sediment and/or debris? Do all ditches have adequate stabilization and structural practices in place?	☐ ☐	☐ ☐	☐ ☐
3.	Perimeter Erosion Barrier: Are all perimeter erosion barriers in good working order? Has perimeter barrier no longer needed been removed and the area stabilized?	☐ ☐	☐ ☐	☐ ☐
4.	Temporary Ditch Checks: Are all temporary ditch checks in good working order? Are the current ditch checks adequate to control erosion?	☐ ☐	☐ ☐	☐ ☐
5.	Temp Diversions/ Slope Drains: Are all Temporary Diversions and Slope Drains functioning properly?	☐	☐	☐
6.	Inlet Protection: Are ALL inlet protection devices in good working order? Are ALL inlet filters less than 25% full and fabric unobstructed?	☐ ☐	☐ ☐	☐ ☐
7.	Sediment Basins/Traps: Are ALL sediment basins/traps in good working order? Does sufficient capacity exist for the design stormwater event?	☐ ☐	☐ ☐	☐ ☐
8.	Areas of Interest – Wetland/Prairie/Tree Preservation: Has the contractor remained clear of all designated "no entry" areas? Are all "no intrusion" areas adequately marked to prevent accidental entry?	☐ ☐	☐ ☐	☐ ☐
9.	Stock Piles: Are all stockpiles properly situated and maintained to prevent runoff and protected to minimize discharge of materials or residue in case of erosion?	☐	☐	☐
10.	Borrow/Waste Sites: Are all borrow and waste locations, including those located offsite, in compliance with NPDES requirements?	☐	☐	☐
11.	Other Installations: Are all other BMP installations shown in the plans properly functioning? (note in comments)	☐	☐	☐

General Site Maintenance Required of the Permit

12.	Vehicle Tracking: Is the site free from mud, sediment and debris from the vehicles entering/leaving off road areas throughout the site?	☐	☐	☐
	Are Stabilized Construction field entrances properly located?	☐	☐	☐
	Are Stabilized Construction field entrances in good working condition?	☐	☐	☐

Item # / BMP

YES NO N/A

- | | | | | |
|-------------------------------------|--|--|--|--|
| 13. Concrete Washout Areas: | Are concrete washout areas adequately signed and maintained?
Has all washout occurred only at designated washout locations? | ☐
☐ | ☐
☐ | ☐
☐ |
| 14. Staging/Storage Areas: | Are all staging/storage facilities free of litter, leaking containers, leaking equipment, spills, etc? | ☐ | ☐ | ☐ |
| 15. Fuel/Chemical Storage: | Are all fuels and chemicals stored only in designated locations?
Are all designated locations free of evidence of leaks and or spills? | ☐
☐ | ☐
☐ | ☐
☐ |
| 16. Previous Inspection Follow Up: | Have all corrections from the last report been properly completed?
If not, has a NPDES/ESC Deficiency Deduction been assessed? | ☐
☐ | ☐
☐ | ☐
☐ |
| 17. Update SWPPP: | Have all changes to the projects SWPPP been noted on the graphic site plan, signed and dated? | ☐ | ☐ | ☐ |
| 18. Off-site Discharge of Sediment: | Has sediment or other pollutants of concern been released from the project site?
If Yes, has the Illinois Environmental Protection Agency been notified within 24 hours of your observation of the discharge and an Incidence of Non-Compliance (ION) mailed within 5 days? | ☐
☐ | ☐
☐ | ☐
☐ |

Specific Instructions Related to "No" Answers From Above:

Item #	Station or Station to Station	Practice	Comments/Actions Required	Time for Repair

Other Comments:

Additional Pages (Attached As Needed)

- ☐ Outfalls / Receiving Waters
☐ Drainage Structure/Ditch Check Locations
☐ Additional Instructions to Contractor

Other:

If the answer to any of Items 1-16 above is "No", the contractor is hereby ordered to correct the deficiency. Repairs and stabilization are to be completed within 24 hours of this report (or as indicated above) or the DAILY NPDES/ESC Deficiency Deduction will be assessed for each noted deficiency until the required action is completed.

Inspector's Signature

 Date/Time:

Contractor's Signature

 Date/Time

Original: Project File
cc: Contractor

EXHIBIT E.4-A


BMP Training

Post Construction Management



Stormwater Best Management Practice

General Construction Site Waste Management



Minimum Measure: Construction Site Stormwater Runoff Control
Subcategory: Good Housekeeping/Materials Management

Description

Construction staff manage and dispose of building materials and other construction site wastes to reduce the risk of pollution to stormwater. Practices such as trash disposal, recycling, proper material handling, and spill prevention and cleanup measures can reduce the potential for stormwater flow to mobilize construction site wastes and contaminate surface or ground water.

Applicability

Proper management and disposal of wastes will reduce pollution in stormwater discharge from any construction site. Good waste management practices include properly locating refuse piles, covering materials that stormwater discharges might displace, and preventing spills and leaks from hazardous materials.

Siting and Design Considerations

Waste management practices vary depending on the type of waste being managed, whether it is hazardous, and whether it might contaminate stormwater. Below are examples of management practices for different categories of construction site waste.

General Solid Wastes:

- Designate a waste collection area on-site that does not receive a substantial amount of stormwater flow from upland areas and does not drain directly to a waterbody.
- Ensure that containers have lids to cover them when it rains, or keep containers in a covered area whenever possible.
- Schedule waste collection to prevent the containers from overfilling.
- Clean up spills immediately. Use an absorbent material such as sawdust or cat litter to contain the spill.
- During the demolition phase of construction, provide extra containers and schedule more frequent pickups.
- Collect, remove and dispose of all construction site wastes at authorized disposal areas. Contact a local environmental agency to identify these disposal sites.



Construction waste should be collected in designated waste collection areas on-site, such as metal dumpsters.

Hazardous Materials and Wastes:

- For spills of hazardous materials, follow cleanup instructions on the package or, if applicable, the Safety Data Sheet.
- Consult with local waste management authorities about the requirements for disposing of hazardous materials.
- Never remove the original product label from the container—it contains important safety information. Follow the manufacturer's recommended method of disposal, which should appear on the label.
- Never mix excess products when disposing of them, unless the manufacturer specifically recommends doing so.
- For soils containing hazardous substances, consult with state or local solid waste regulatory agencies or private firms to ensure proper disposal. Some landfills might accept contaminated soils, but they require laboratory tests first.
- Construction staff often use sandblasting to remove paint and dirt from surfaces. This produces sandblasting grits—sand and paint and dirt particles. Sandblasting grits from older structures are hazardous, because they are more likely to contain lead-, cadmium- or chrome-based paints. To ensure

proper disposal of sandblasting grits, contract with a licensed waste management or transport and disposal firm.

Pesticides and Fertilizers:

- Follow all federal, state and local regulations that apply to the use, handling or disposal of pesticides and fertilizers.
- Do not handle the materials any more than necessary.
- Store pesticides and fertilizers in a dry, covered area.
- Construct berms or dikes to contain stored pesticides and fertilizers in case of spillage.
- Follow the application rates and methods specified on the product label.
- Have equipment and absorbent materials available in storage and application areas to contain and clean up any spills.

Petroleum Products:

- Store new and used petroleum products for vehicles in covered areas with berms or dikes in place to contain any spills.
- Immediately contain and clean up any spills with absorbent materials.
- Have equipment available in fuel storage areas and in vehicles to contain and clean up any spills.

Detergents:

- Detergents that contain phosphorus and nitrogen are common in wash water for cleaning vehicles. Excesses of these nutrients can be a major source of water pollution. Use detergents only as recommended and limit their use on the site. Do not dump wash water containing detergents into the storm drain system; direct it to a sanitary sewer or

capture and contain it for transport to a wastewater treatment plant for proper treatment.

Limitations

An effective waste management system requires training and signage to promote awareness of the hazards of improper storage, handling and disposal of wastes. Site superintendents should be aware of worker habits and inspect storage areas regularly. They may need to spend extra management time to ensure that all workers are following the proper procedures.

Maintenance Considerations

Construction staff should inspect storage and use areas and identify containers or equipment that could malfunction and cause leaks or spills. In addition, it is important for staff to check equipment and containers for leaks, corrosion, support or foundation failure, or other signs of deterioration, and test them for soundness. Construction staff should immediately repair or replace any defective containers.

Effectiveness

Waste management practices are effective only when all construction staff follow them consistently. In storage and use areas, site superintendents should post the guidelines for proper handling, storage and disposal of construction site wastes. In addition, site superintendents should ensure that workers receive training in these practices to ensure that everyone is knowledgeable enough to participate.

Cost Considerations

The costs associated with construction site waste management include purchasing and posting signs, increased management time for oversight, additional labor needed for special handling of wastes, transportation costs for waste hauling, and fees charged by disposal facilities to take the wastes.

Additional Information

Additional information on related practices and the Phase II MS4 program can be found at EPA's National Menu of Best Management Practices (BMPs) for Stormwater website

Disclaimer

This fact sheet is intended to be used for informational purposes only. These examples and references are not intended to be comprehensive and do not preclude the use of other technically sound practices. State or local requirements may apply.

Post-Construction Runoff Control Minimum Control Measure



Photo Credit: Image reproduced with permission from Montgomery County, MD Department of Environmental Protection

This fact sheet profiles the Post-Construction Runoff Control minimum control measure, one of six measures that the operator of a Phase II regulated small municipal separate storm sewer system (MS4) is required to include in its stormwater management program in order to meet the conditions of its National Pollutant Discharge Elimination System (NPDES) permit. This fact sheet offers some general considerations on strategies used by MS4s to implement post-construction runoff control programs. It is important to keep in mind that the small MS4 operator has flexibility in choosing exactly how to satisfy the requirements in its NPDES permit.

Post-Construction Runoff Control Minimum Control Measure

Why Is the Control of Post-Construction Runoff Important?

Post-construction stormwater management in areas undergoing new development or redevelopment helps control pollutants in runoff from these areas, which has been shown to significantly affect receiving waterbodies. Prior planning and design will minimize pollutants in post-construction stormwater discharges in the most cost-effective manner for stormwater quality management.

There are generally two forms of substantial impacts from post-construction runoff. The first is caused by an increase in the type and quantity of pollutants in stormwater runoff. As runoff flows over areas altered by development, it picks up harmful sediment and chemicals such as oil and grease, pesticides, heavy metals, and nutrients (e.g., nitrogen and phosphorus). These pollutants often become suspended in runoff and are carried to receiving waters, such as lakes, ponds, and streams. These pollutants can impact aquatic species in a variety of ways, including by being absorbed through fish tissue. The second kind of post-construction runoff impact occurs as a result of increasing the quantity of water delivered to the waterbody during storms. Increased impervious surfaces (e.g., parking lots, driveways, rooftops) interrupt the natural cycle of gradual percolation of water through vegetation and soil. Instead, water is collected from surfaces such as asphalt and concrete and routed to drainage systems where large volumes of runoff quickly flow to the nearest receiving water. The effects of this process include streambank scouring and downstream flooding, which often lead to a loss of aquatic life and damage to property.

What Is Required?

The Phase II regulations specify that permits require small MS4s to develop, implement, and enforce a program to address stormwater runoff from new development and redevelopment projects that result in the land disturbance of greater than or equal to 1 acre, or of less than one acre but that is part of a larger common plan of development or sale. NPDES permits will also require, at a minimum, that the small MS4 operator be required to:

- Develop and implement strategies which include a combination of structural and/or non-structural best management practices (BMPs).
- Use an ordinance or other regulatory mechanism to address post-construction runoff from new development and redevelopment projects to the extent allowable under state, tribal, or local law.
- Ensure adequate long-term operation and maintenance of controls.

What Is Considered a “Redevelopment” Project?

The post-construction runoff requirement in the Phase II Final Rule applies to “redevelopment” projects that alter the “footprint” of an existing site or building in such a way that there is a disturbance of equal to or greater than 1 acre of land (or less than one acre but part of a larger

Post-Construction Runoff Control Minimum Control Measure

common plan of development or sale). Redevelopment projects do not include such activities as exterior remodeling.

Because redevelopment projects may have site constraints not found on new development sites, the Phase II regulations provide flexibility for implementing post-construction controls on redevelopment sites that consider these constraints.

Post-Construction Permit Requirements

Each permit specifies the minimum elements that must be included in each post-construction runoff control program. These elements will differ from state to state although all permits will share the bottom-line requirement that the MS4 must implement a post-construction runoff control program that is tailored to the specific stormwater pollution control problems facing the community.

EPA has compiled several examples from federal and state MS4 permits that address the post-construction runoff minimum control measure. These examples are included in a series of permit compendia available on the EPA's stormwater website. See particularly Section E (Post-Construction Runoff) in the EPA's [*Compendium of MS4 Permitting Approaches – Part 1: Six Minimum Control Measures*](#).

Post-Construction BMPs

This section includes some non-structural and structural BMPs that could be used to satisfy post-construction requirements in small MS4 permits. It is important to recognize that many BMPs are climate-specific, and not all BMPs are appropriate in every geographic area. Because the requirements of this measure are closely tied to the requirements of the construction site runoff control minimum measure (see Fact Sheet 2.6), EPA recommends that small MS4 operators develop and implement these two measures in tandem.

- **Planning Procedures.** Runoff problems can be addressed efficiently with sound planning procedures. Local master plans, comprehensive plans, and zoning ordinances can promote improved water quality in many ways, such as guiding the growth of a community away from sensitive areas to areas that can support it without compromising water quality.
- **Site-Planning Based BMPs.** These may include buffer and riparian zone preservation, site restrictions on the amount of disturbance and imperviousness, and maximization of open space.
- **Stormwater Harvesting BMPs.** These practices may include rain barrels and cisterns that collect and temporarily store stormwater from rooftops for later release and/or use.
- **Stormwater Retention/Detention BMPs.** Retention or detention BMPs control stormwater by gathering runoff in wet ponds, dry basins, or multichamber catch basins and slowly releasing it to receiving waters or drainage systems. These practices can be

Post-Construction Runoff Control Minimum Control Measure

designed to both control stormwater volume and settle out particulates for pollutant removal.

- **Infiltration BMPs.** Infiltration BMPs are designed to facilitate the percolation of runoff through the soil to ground water, and, thereby, result in reduced stormwater runoff quantity and reduced mobilization of pollutants. Examples include infiltration basins/trenches, dry wells, and porous pavement.
- **Vegetative BMPs.** Vegetative BMPs are landscaping features that, with optimal design and good soil conditions, remove pollutants, and facilitate percolation of runoff, thereby maintaining natural site hydrology, promoting healthier habitats, and increasing aesthetic appeal. Examples include bioswales, filter strips, artificial wetlands, and rain gardens.

For Additional Information

Contacts

A list of contacts for the U.S. EPA's Office of Wastewater Management (Headquarters), each EPA regional office, and state office is located at:
<https://www.epa.gov/npdes/contact-us-stormwater>

Your NPDES Permitting Authority

Most states and territories are authorized to administer the NPDES Program, except the following, for which EPA is the permitting authority:

- American Samoa
- District of Columbia
- Guam
- Johnston Atoll
- Massachusetts
- Midway and Wake Islands
- New Hampshire
- New Mexico
- Northern Mariana Islands
- Puerto Rico
- Most Indian country lands

Reference Documents

- [EPA's Stormwater Website](#)
- [Stormwater Phase II Final Rule \(64 FR 68722\)](#)
- [Final MS4 General Permit Remand Rule \(81 FR 89320\)](#)
- [Final Small MS4 Urbanized Area Clarification \(88 FR 37994\)](#)
- [Phase II Final Rule Fact Sheet Series](#)
- [National Menu of Best Management Practices for Stormwater Phase II](#)
- [MS4 Permits – Compendium of Clear, Specific, and Measurable Permitting Examples](#)
- [EPA's Green Infrastructure Website](#)
- [EPA's Urban Nonpoint Source Guidance Website](#)

Disclaimer: This information is guidance only and does not establish or affect legal rights or obligations. Agency decisions in any particular case will be made by applying the law and regulations to the specific facts of the case.

EXHIBIT F.1-A

BMP Training Operations (Good Housekeeping)

BEST MANAGEMENT PRACTICES

To Learn More
Visit us at: co.st-clair.il.us/stormwater

Or

Call us at 618-825-2531

WHAT ARE BEST MANAGEMENT PRACTICES?

Stormwater best management practices (BMPs) are techniques, measures or structural controls used to manage the quantity and improve the quality of stormwater runoff. The goal of BMPs is to mimic the natural way water moved through an area before development by using design techniques to infiltrate, evaporate, and reuse runoff close to its source. BMPs help reduce the amount of and improve the quality of stormwater runoff. Please preserve our streams by utilizing these BMPs.

QUICK FIXES

Rain barrels are an easy and inexpensive way to capture and store runoff falling from gutters. The stored water can later be used to water gardens and lawns. You can make your own barrels or purchase them locally with simple installation. Another easy fix is adding a rain garden to your property. This attractive BMP is effective in reducing the amount of runoff leaving your property. Rain gardens utilize native plants with deep roots to absorb runoff, filter pollutants and promote groundwater recharge. Even simple changes in habit can be a BMP. For example, using phosphate-free products when washing your car or fertilizing your lawn go a long way in reducing pollutants in stormwater runoff. Something as small as cleaning up after your pet and ensuring litter is properly disposed of can also help.

CONSTRUCTION SOLUTIONS

Some BMPs require more involvement, but should be considered when building or renovating homes. For example, green roofs are an excellent way to decrease the amount of runoff leaving your property. Green roofs not only utilize water where it falls, but help prevent urban heat islands. Green roofs are a more expensive upgrade to your property, but they save money on heating and cooling costs. They can also be constructed on flat and sloped surfaces. A permeable paver is another BMP used as an alternative to traditional concrete or asphalt paving. The pavers decrease runoff by allowing water to seep into cracks that are filled with an aggregate. Remember, anything you can do to reduce pollutants in St. Clair County streams helps everyone!

REMEMBER...

- Use permeable pavers instead of asphalt or concrete.
- Plant rain gardens using native species.
- Mix composts into lawns and gardens to use for fertilizer.
- Install rain barrels and use it to water your plants and lawn.
- Don't use your hose as a broom.
- Build green vegetated roofs.
- Keep your vehicle regularly maintained and free of leakage.
- Use phosphate-free products outdoors.
- Put litter in its place.
- Use alternative deicing methods on your driveway in the winter.
- Clean up animal waste.
- Properly dispose of grass clippings and leaves.
- Wash your car on the lawn.
- Report illicit discharge into sewers and streams.

ST. CLAIR COUNTY

co.st-clair.il.us/stormwater

Best Management Practices for Good Housekeeping

Follow these BMPs to control pollutant discharges. The objectives are: 1) to keep pollutants from contacting rain, and 2) to keep pollutants from being dumped or poured into the storm drains. The goal is "only rain in the storm drain."

Activities

Best Management Practices

- | | |
|----------------------------|---|
| Pavement Cleaning | <ul style="list-style-type: none">• Sweep parking lots and other paved areas periodically to remove debris. Dispose of debris in the garbage.• If outdoor pavement cleaning with detergent is required, collect wash water and dispose in indoor sinks or drains for discharge to the sanitary sewer. Contact your local wastewater treatment agency. |
| Litter Control | <ul style="list-style-type: none">• Provide an adequate number of trash receptacles for your customers and employees. This helps keep trash from overflowing the receptacles.• Pick up litter and other wastes daily from outside areas including storm drain inlet grates. |
| Waste Disposal | <ul style="list-style-type: none">• Inspect dumpsters and other waste containers periodically. Repair or replace leaky dumpsters and containers.• Cover dumpsters and other waste containers.• Never dispose of waste products in storm drain inlets.• Recycle wastes or dispose properly. |
| Materials Storage | <ul style="list-style-type: none">• Store materials such as grease, paints, detergents, metals, and raw materials in appropriate, labeled containers.• Make sure all outdoor storage containers have lids, and that the lids are adequately closed.• Store stockpiled materials inside a building, under a roof, or covered with a tarp to prevent contact with rain. |
| Training | <ul style="list-style-type: none">• Train employees regularly on good housekeeping practices.• Assign a person to be responsible for effective implementation of BMPs. |
| Equipment/Vehicle Cleaning | <ul style="list-style-type: none">• Maintain equipment and vehicles regularly. Check for and fix leaks.• Use drip pans to collect leaks or spills during maintenance activities.• Wash equipment/vehicles in a designated and/or covered area where the wash water is collected to be recycled or discharged to the sanitary sewer. Contact your local wastewater treatment agency. |

Some Facilities will require structural control BMPs if simpler operation ones are not adequate for keeping pollutant discharges from the storm drains.

* Hazardous materials must comply with hazardous materials storage and disposal requirements.

REFERENCES

- California Industrial/Commercial Best Management Practice Handbook, March 1993
- City of Richmond Storm Water Management Program, Your Business and the City of Richmond Partners in Protecting the Bay, 1993
- City of Portland, New York, and Union City, Service Contracts for Storm Water Pollution Prevention, October 1993
- ACT RCWP "Responsible" Storm, January 1994
- ACT RCWP Best Management Practices for Industrial Storm Water Pollution Control, March 1994

Additional Community Activities-A

Public Works

Work Orders

Ditch Clean Log

[illegible]

[illegible]

[illegible]

LIMB PICK-UP

APRIL 1st -12th 2024

TRUCKS	LOADS PICKED UP	TOTAL CUBIC YARDS PICKED UP
K-3 (6 CUBIC YDS)	11	66
K-17 (13 CUBIC YDS)	12	156

Sept 30 - Oct 11 2024

TRUCKS	LOADS PICKED UP	TOTAL CUBIC YARDS PICKED UP
K-3 (6 CUBIC YDS)	6	78
K-17 (13 CUBIC YDS)	8	48

2024 Street Sweeper Log

Date Swept	Truck #	Loads		Total Cu Yds	Debris or Chip
1/3/2024	K-17	1	6	6	Debris
1/4/2024	K-3	1	13	13	Debris
1/5/2024	K-17	2	12	24	Debris
1/24/2024	K-17	3	18	54	Debris
1/25/2024	K-17	1	6	6	Debris
3/5/2024	K-17	3	18	54	Debris
3/6/2024	K-17	1.5	9	13.5	Debris
3/7/2024	K-17	2	12	24	Debris
3/8/2024	K-17	2	12	24	Debris
3/18/2024	K-17	2	12	24	Debris
3/19/2024	K-17	0.5	3	1.5	Debris
3/20/2024	K-17	1	6	6	Debris
3/21/2024	K-17	0.5	3	1.5	Debris
3/26/2024	K-17	1	6	6	Debris
4/19/2024	K-17	3	18	54	Debris
4/23/2024	K-17	1	6	6	Debris
4/26/2024	K-17	2	12	24	Debris
5/7/2024	K-17	1	6	6	Debris
5/9/2024	K-17	1	6	6	Debris
5/14/2024	K-17	0.5	3	1.5	Debris
5/15/2024	K-17	0.5	3	1.5	Debris
5/16/2024	K-17	0.5	3	1.5	Debris
6/5/2024	K-17	0.5	3	1.5	Debris
6/7/2024	K-17	2	12	24	Debris
6/19/2024	K-17	5	30	150	Debris
6/20/2024	K-17	4	24	96	Debris
6/21/2024	K-17	1	6	6	Debris
7/2/2024	K-17	0.5	3	1.5	Debris
7/3/2024	K-17	1	6	6	Debris
7/10/2024	K-17	2	12	24	Debris
7/11/2024	K-17	1	6	6	Debris
7/17/2024	K-17	3	18	54	Debris
7/18/2024	K-17	3	18	54	Debris
7/19/2024	K-17	3	18	54	Debris
7/22/2024	K-17	2	12	24	Debris
7/23/2024	K-17	1	6	6	Debris
7/24/2024	K-17	1	6	6	Debris
8/8/2024	K-17	1	6	6	Debris
8/12/2024	K-17	1	6	6	Debris
8/14/2024	K-17	1	6	6	Debris
8/15/2024	K-17	1	6	6	Debris
8/16/2024	K-17	0.5	3	1.5	Debris
8/19/2024	K-17	0.5	3	1.5	Debris
9/6/2024	K-17	0.5	3	1.5	Debris
9/13/2024	K-17	6	36	216	Chips
9/18/2024	K-17	4	24	96	Chips
9/19/2024	K-17	5	30	150	Chips
9/20/2024	K-17	5	30	150	Chips
9/23/2024	K-17	4	24	96	Chips
9/24/2024	K-17	2	12	24	Debris
11/1/2024	K-17	2	12	24	Debris
11/6/2024	K-17	4	24	96	Debris
11/7/2024	K-17	4	24	96	Debris
11/8/2024	K-17	3	18	54	Debris
12/9/2024	K-17	3	18	54	Debris
				0	Debris
				0	Debris
				0	Debris
Total				1955.5	

Debris Total	
Chip Total	0

Cubic Yds	
K-17	6
K-3	13
K-9	13

ON April 24, 2024, at 10:00 I sent pictures to Drew Zajicek from IEPA regarding 355 Carr Creek Dr fuel spill, after he reviewed pictures and I answered questions about the Outfall of storm sewer and the conditions after the night before rain storm, I told him that everything looked good and there was no smell, he then instructed me to remove the booms and straw Bales from the flared end section and to dispose them in a dumpster

Mike Sander
mike sander



St. Clair Special Emergency Services Association

21 April 2024

Chief Mike Roediger
Columbia FD
1020 N. Main Street
Columbia, IL 62236

SGT Joshua Bayer
Columbia PD
1020 N. Main Street
Columbia, IL 62236

Chief Roediger, SGT Bayer:

Attached are details for the response report for SCSESA's activity on 19 April 2024. SCSESA was requested by Columbia FD to assist with identification and containment of an unknown liquid in a residential storm sewer, located at 355 Carr Creek Drive, Columbia, IL.

SCSESA is a not-for-profit emergency response organization, providing hazardous materials, technical rescue, swift water and K9 response services to emergency responders in St. Clair County. SCSESA, through mutual aid agreements, also supports responders in southern Illinois and the St. Louis metro area. SCSESA operates under the guidance of the St. Clair County local emergency planning committee (LEPC). The organization is composed of industry professionals, local emergency responders, and local government.

I hope that you were satisfied with SCSESA's response. If SCSESA can provide additional information concerning this response, or provide assistance in the future, please contact me directly. Refer to SCSESA incident 2404-H01.

A handwritten signature in black ink, appearing to read "Brian K. Donley".

Brian K. Donley
Deputy Chief – Hazmat/WMD
St. Clair Special Emergency Services Association
2900 Falling Springs Road
Sauget, IL 62206
brian.donley@scsesa.org
314-744-1693

cc: Chief Cory Ellis – SCSESA
Deputy Chief Chris Jundt – SCSESA
Assistant Chief Jason Bruns – SCSESA
Lieutenant Bernard Thebeau - SCSESA
Cindy Shirley – SCSESA Board of Directors

Work Order Spreadsheet March 2024 - February 2025

[illegible]

Date	Ditching	Debris	Open	Stock-	Trash /	Curb &	Culvert	Tire	Guardrail	Street	Fair-	Storm
			Drains	Pile	Animals	Gutter	Repl. /			Sweeping	grounds	
			CleanUp	CleanUp			Cleanup	Pickup	Cleanup		Cleanup	Cleanup
05/07/24	X		X		X							
05/08/24			X									
05/09/24					X							
05/22/24									X			
05/23/24									X			
05/24/24									X			
05/28/24									X			
05/29/24									X			
05/30/24									X			
05/31/24									X			
06/03/24									X			
06/04/24									X			
06/05/24									X			
06/06/24									X			
06/07/24					X				X			
06/10/24									X			
06/11/24									X			
06/12/24									X			
06/13/24									X			
06/14/24									X			
07/09/24		X	X									
07/10/24		X										
07/12/24					X							
07/16/24		X	X		X							
07/17/24		X										X
07/18/24		X										
07/19/24		X										
07/22/24		X										
07/31/24					X							
08/05/24					X							
08/06/24		X										
08/07/24					X							
09/04/24		X										
09/13/24		X			X							
09/17/24								X		X		
09/18/24					X			X		X		
09/23/24			X									
09/24/24		X	X			X						
09/25/24		X										
09/26/24		X										
09/27/24		X	X									
09/30/24		X										
10/18/24					X							
10/30/24		X										
10/31/24			X		X	X						
11/04/24			X			X						

[illegible]

EXHIBIT Additional Community Activities-B

Groups and Organizations



IACE Spring Conference, May 13-15, 2024
Professional Development Hours Completion Certificate

NORMAN ETLING, received the below checked Professional Development Hours (PDH) for a maximum of (9) PDHs for attending the Illinois Association of County Engineers Spring Conference held at the DoubleTree, Bloomington, Illinois May 13-15, 2024.

Attendee-please check each line for the session(s) you attended and write the sum of your PDH gained on the line below.

General Session: Tuesday 9:00 a.m. - 5:00 p.m.

- ☒ Steel Options for County Owned Bridges
- ☒ IPWMAN
- ☒ Federal Highway Administration Update
- ☒ Illinois Department of Transportation Local Roads Update
- ☒ Illinois Department of Transportation Bridge Update
- ☒ FHWA MUTCD Update
- ☒ Local & State Floodway Permitting
- ☒ Bridge Inspection Options
- ☒ OSHA Audits

Morning Speaker: Wednesday 8:15 a.m.

- ☐ National Association of County Engineers Update, President Stephen McCall
- ☐ WIU GIS/Drones

7.8 Total Professional Development Hours

Thank you for attending the 2024 IACE Spring Conference.

Conrad Moore

Conrad Moore
Woodford County Engineer
Conference Planning Chair



IACE Fall Conference, October 3-4, 2024

Professional Development Hours Completion Certificate

NORMAN ETLING, received the below checked Professional Development Hours (PDH) for a maximum of (8) PDHs for attending the Illinois Association of County Engineers Fall Conference held at the Embassy Suites in East Peoria, Illinois October 3-4, 2024.

Attendee-please check each line for the session(s) you attended and write the sum of your PDH gained on the line below.

General Session: Thursday 9:00 a.m. - 5:00 p.m.

- ☒ Concrete Overlays
- ☒ Illinois Department of Transportation Update
- ☒ ~~Federal Highway Administration Update~~ NACE update Earmarks, fly-ins
- ☒ Illinois Department of Transportation Bridge Update
- ☒ Fuel System Maintenance
- ☒ IDOT Section 106 – Historic Preservation
- ☒ IDFPR Ethics
- ☒ Geophysics as a Tool to Reduce Risk
- ☒ Opportunities & Challenges in Broadband Development
- ☒ Township Officials of Illinois Update

Morning Speaker: Friday 8:15 a.m.

 National Association of County Engineers Update, Executive Director Kevan Stone

7 Total Professional Development Hours

Thank you for attending the 2024 IACE Fall Conference.

Conrad Moore

Woodford County Engineer
Conference Planning Chair

Kiefer Heiman

Washington County Engineer
Conference Planning Chair

CERTIFICATE

This certificate declares that

Norman Etling

has completed

**September 2024 First Friday - Bioswales,
Bio-Infiltration, Basins, and Basin Retrofits –The 3
Bs of Natural Based Solutions**

on 9/6/2024



With passing score of 100%

Certificate ID MJCNU-CE000084

CERTIFICATE

This certificate declares that

Wayne Sandheinrich

has completed

**September 2024 First Friday – Bioswales,
Bio-Infiltration, Basins, and Basin Retrofits –The 3
Bs of Natural Based Solutions**

on 9/6/2024



With passing score of 100%

Certificate ID MJCNU-CE000072



Illinois Department of Transportation

Awards this certificate of training to

Etling, Norm

In recognition of successful completion of

TT - Permitting in the Floodplain

PDH Hours: 1.00

Date: 11/06/2024 Serial No: 5220628

EXHIBIT Additional Community Activities-C

Quarterly Visual Inspection

Field Sheets

Outfall Dry Weather Screening

Field Sheets

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE.</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TIM AHRENS</u>			Inspection Date <u>3/15/24</u>
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-3504</u>
Outfall Number (make reference to site map) <u>#1</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>3/14/24 11:00pm</u>	Time of Visual Inspection <u>3/15/24 1:00pm</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>2.5" MEASURED @ 80PM</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☐ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure:			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments: <u>NONE</u>			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62232</u>	
Name of Person Conducting Inspection <u>TIM ARENS</u>		Inspection Date <u>3/15/24</u>	
Employer <u>CITY OF COLUMBIA</u>		Telephone Number <u>618-281-3504</u>	
Outfall Number (make reference to site map) <u>82</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>3/14/24 11:00pm</u>	Time of Visual Inspection <u>3/15/24 1:30pm</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>2.5" MEASURED @ DOPW</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☐ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure:			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments: <u>NONE</u>			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It does not have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48 hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TEM AHRENS</u>			Inspection Date <u>3/15/24</u>
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-5504</u>
Outfall Number (make reference to site map) <u>#3</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>3/14/24 11:00pm</u>	Time of Visual Inspection <u>3/15/24 2:00pm</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>2.5" MEASURED @ RAPP</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☐ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure:			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments: <u>NONE</u>			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TIM AHRENS</u>			Inspection Date <u>3/15/24</u>
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-3564</u>
Outfall Number (make reference to site map) <u>#4</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>3/14/24 11:00pm</u>	Time of Visual Inspection <u>3/15/24 2:30pm</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>2.5" MEASURED E DAWN</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☐ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure:			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments: <u>NONE</u>			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

3t. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It does not have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TIM ARENS</u>		Inspection Date <u>5/7/24</u>	
Employer <u>CITY OF COLUMBIA</u>		Telephone Number <u>618-281-7144</u>	
Outfall Number (make reference to site map) <u>* 1</u>	Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>		
Time of Rainfall Event <u>5/7/24 4:00am</u>	Time of Visual Inspection <u>8:30am 5/7/24</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>.58" MEASURED @ DOPW</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color:	☐ Clear	☐ Red	☐ Yellow
	☒ Brown	☐ Other:	
Odor:	☒ None	☐ Musty	☐ Sewage
	☐ Rotten Egg	☐ Other:	
Clarity:	☐ Clear	☐ Cloudy	☐ Opaque
	☒ Suspended Solids	☐ Other:	
Floatables:	☒ None	☐ Foam	☐ Garbage
	☐ Oily Film	☐ Other:	
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge
	☒ Sediments	☐ Other:	
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth
	Extent:		
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure:	☒ None	☐ Concrete Cracking	☐ Concrete Spalling
	☐ Other:		
	☐ Peeling Paint	☐ Corrosion	Extent:
Comments: <u>HAVE PHOTO IN FILE OF CREEK</u>			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TIM ARENS</u>		Inspection Date <u>5/7/24</u>	
Employer <u>CITY OF COLUMBIA</u>		Telephone Number <u>618-281-7144</u>	
Outfall Number (make reference to site map) <u>#2</u>	Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>		
Time of Rainfall Event <u>5/7/24 4:00 AM</u>	Time of Visual Inspection <u>9:00 AM 5/7/24</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>.5" MEASURED @ DOPW</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color:	☐ Clear	☐ Red	☐ Yellow
	☒ Brown	☐ Other:	
Odor:	☒ None	☐ Musty	☐ Sewage
	☐ Rotten Egg	☐ Other:	
Clarity:	☐ Clear	☐ Cloudy	☐ Opaque
	☒ Suspended Solids	☐ Other:	
Floatables:	☒ None	☐ Foam	☐ Garbage
	☐ Oily Film	☐ Other:	
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge
	☒ Sediments	☐ Other:	
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth
	Extent:		
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure:	☒ None	☐ Concrete Cracking	☐ Concrete Spalling
	☐ Other:		
	☐ Peeling Paint	☐ Corrosion	Extent:
Comments:	<u>HAVE PHOTO IN FILE OF CREEK</u>		

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TIM AHRENS</u>			Inspection Date <u>5/7/04</u>
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-7144</u>
Outfall Number (make reference to site map) <u>#3</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>5/7/04 4:00 AM</u>	Time of Visual Inspection <u>10:00 AM 5/7/04</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>1.5" MEASURED @ DDPW</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☐ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments: <u>PHOTO OF CREEK IN FILE.</u>			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>Tim AHENS</u>			Inspection Date <u>5/7/04</u>
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-231-7144</u>
Outfall Number (make reference to site map) <u>#4</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>5/7/04 4:00AM</u>	Time of Visual Inspection <u>9:32 AM 5/7/04</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>.5" MEASURED @ DOWN</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☐ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments: <u>PHOTO IN FILE OF CREEK.</u>			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE.</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>Tim Ahrens</u>			Inspection Date <u>7/5/24</u>
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-7144</u>
Outfall Number (make reference to site map) <u>#1</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>7/3 - 7/4</u>	Time of Visual Inspection <u>9:50 7/5/24</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>4" + (OVERFILLS GAUGE EDOWN)</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☒ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments:			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

3t. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It does not have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TIM AHRENS</u>		Inspection Date <u>7/5/24</u>	
Employer <u>CITY OF COLUMBIA</u>		Telephone Number <u>618-281-7144</u>	
Outfall Number (make reference to site map) <u>#2</u>	Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>		
Time of Rainfall Event <u>7/3-7/4</u>	Time of Visual Inspection <u>9:15 AM 7/5/24</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>480 4" + (OVER FULLED GAUGE @ DOW)</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color:	☐ Clear	☐ Red	☐ Yellow
	☒ Brown	☐ Other:	
Odor:	☒ None	☐ Musty	☐ Sewage
	☐ Rotten Egg	☐ Other:	
Clarity:	☐ Clear	☐ Cloudy	☐ Opaque
	☒ Suspended Solids	☐ Other:	
Floatables:	☒ None	☐ Foam	☐ Garbage
	☐ Oily Film	☐ Other:	
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge
	☒ Sediments	☐ Other:	
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth
	Extent:		
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure:	☒ None	☐ Concrete Cracking	☐ Concrete Spalling
	☐ Other:		
	☐ Peeling Paint	☐ Corrosion	Extent:
Comments:			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

3t. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It does not have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAPP AVE.</u>		City <u>COLUMBIA</u>	State <u>IL</u>
Name of Person Conducting Inspection <u>Tim Ahrens</u>		ZIP Code <u>62236</u>	
Employer <u>CITY OF COLUMBIA</u>		Inspection Date <u>7/5/04</u>	
Telephone Number <u>618-281-7144</u>			
Outfall Number (make reference to site map) <u># 3</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>7/3-7/4</u>	Time of Visual Inspection <u>10:15am 7/5/04</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>4" + (OVER FLOOD GAUGE @ DOWNTOWN)</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color: ☐ Clear ☐ Red ☐ Yellow ☒ Brown ☐ Other:			
Odor: ☒ None ☐ Musty ☐ Sewage ☐ Rotten Egg ☐ Other:			
Clarity: ☐ Clear ☐ Cloudy ☐ Opaque ☒ Suspended Solids ☐ Other:			
Floatables: ☒ None ☐ Foam ☐ Garbage ☐ Oily Film ☐ Other:			
Deposits / Stains: ☐ None ☐ Oily ☐ Sludge ☒ Sediments ☐ Other:			
Vegetation: ☒ Normal ☐ Excessive ☐ Inhibited Growth Extent:			
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure: ☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:			
☐ Peeling Paint ☐ Corrosion Extent:			
Comments:			

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality

CITY OF COLUMBIA

Facility Name

CITY OF COLUMBIA

Street Address

208 S. RAPP AVE.

City

COLUMBIA

State

IL

ZIP Code

62236

Name of Person Conducting Inspection

TIM AHRENS

Inspection Date

7/5/24

Employer

CITY OF COLUMBIA

Telephone Number

618-281-7144

Outfall Number (make reference to site map)

#4

Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.)

CREEK

Time of Rainfall Event

7/3-7/4

Time of Visual Inspection

10:45am 7/5/24

Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch)

4" + (OVERFLOWED GUTTER @ DOWN)

Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.

Color:	☐ Clear	☐ Red	☐ Yellow	☒ Brown	☐ Other:
Odor:	☒ None	☐ Musty	☐ Sewage	☐ Rotten Egg	☐ Other:
Clarity:	☐ Clear	☐ Cloudy	☐ Opaque	☒ Suspended Solids	☐ Other:
Floatables:	☒ None	☐ Foam	☐ Garbage	☐ Oily Film	☐ Other:
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge	☒ Sediments	☐ Other:
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth	Extent:	
Identify Structure: CREEK					
Damage to Outfall Structure:	☒ None	☐ Concrete Cracking	☐ Concrete Spalling	☐ Other:	
	☐ Peeling Paint	☐ Corrosion	Extent:		

Comments:

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>					
Facility Name <u>CITY OF COLUMBIA</u>					
Street Address <u>208 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>	ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>TIM ARENS</u>			Inspection Date <u>11/6/24</u>		
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-7144</u>		
Outfall Number (make reference to site map) <u>#1</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>			
Time of Rainfall Event <u>11/3 - 11/5</u>	Time of Visual Inspection <u>1:40pm</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>7.5" measured @ DOPW</u>			
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.					
Color:	☐ Clear	☐ Red	☐ Yellow	☐ Brown	☒ Other: <u>LIGHT BROWN</u>
Odor:	☒ None	☐ Musty	☐ Sewage	☐ Rotten Egg	☐ Other:
Clarity:	☐ Clear	☒ Cloudy	☐ Opaque	☐ Suspended Solids	☐ Other:
Floatables:	☒ None	☐ Foam	☐ Garbage	☐ Oily Film	☐ Other:
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge	☒ Sediments	☐ Other:
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth	Extent:	
Identify Structure: <u>CREEK</u>					
Damage to Outfall Structure:	☒ None	☐ Concrete Cracking	☐ Concrete Spalling	☐ Other:	
	☐ Peeling Paint	☐ Corrosion	Extent:		
Comments: <u>NONE</u>					

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It does not have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>				
Facility Name <u>CITY OF COLUMBIA</u>				
Street Address <u>203 S. RAPP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>	ZIP Code <u>62236</u>
Name of Person Conducting Inspection <u>Tim Andrews</u>			Inspection Date <u>11/6/24</u>	
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-7144</u>	
Outfall Number (make reference to site map) <u>#2</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>		
Time of Rainfall Event <u>11/3-11/5</u>	Time of Visual Inspection <u>2:15pm</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>7.5" MEASURED @ DOWN</u>		
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.				
Color:	☐ Clear	☐ Red	☐ Yellow	☐ Brown
	☒ Other: <u>LIGHT BROWN</u>			
Odor:	☒ None	☐ Musty	☐ Sewage	☐ Rotten Egg
	☐ Other:			
Clarity:	☐ Clear	☒ Cloudy	☐ Opaque	☐ Suspended Solids
	☐ Other:			
Floatables:	☒ None	☐ Foam	☐ Garbage	☐ Oily Film
	☐ Other:			
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge	☒ Sediments
	☐ Other:			
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth	Extent:
Identify Structure: <u>CREEK</u>				
Damage to Outfall Structure:	☒ None	☐ Concrete Cracking	☐ Concrete Spalling	☐ Other:
	☐ Peeling Paint	☐ Corrosion	Extent:	
Comments: <u>NONE</u>				

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

St. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality <u>CITY OF COLUMBIA</u>			
Facility Name <u>CITY OF COLUMBIA</u>			
Street Address <u>208 S. RAIP AVE</u>		City <u>COLUMBIA</u>	State <u>IL</u>
		ZIP Code <u>62236</u>	
Name of Person Conducting Inspection <u>Tim ARENS</u>			Inspection Date <u>11/6/24</u>
Employer <u>CITY OF COLUMBIA</u>			Telephone Number <u>618-281-7144</u>
Outfall Number (make reference to site map) <u>#3</u>		Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.) <u>CREEK</u>	
Time of Rainfall Event <u>11/3 - 11/5</u>	Time of Visual Inspection <u>3:15pm</u>	Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch) <u>7.5" MEASURED @ DOPW</u>	
Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.			
Color:	☐ Clear	☐ Red	☐ Yellow
	☐ Brown	☒ Other: <u>LIGHT BROWN</u>	
Odor:	☒ None	☐ Musty	☐ Sewage
	☐ Rotten Egg	☐ Other:	
Clarity:	☐ Clear	☒ Cloudy	☐ Opaque
	☐ Suspended Solids	☐ Other:	
Floatables:	☒ None	☐ Foam	☐ Garbage
	☐ Oily Film	☐ Other:	
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge
	☒ Sediments	☐ Other:	
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth
	Extent:		
Identify Structure: <u>CREEK</u>			
Damage to Outfall Structure:	☒ None	☐ Concrete Cracking	☐ Concrete Spalling
	☐ Other:		
	☐ Peeling Paint	☐ Corrosion	Extent:
Comments:	<u>NONE</u>		

This outfall could not be evaluated during this quarter due to the following reason:

Quarterly Visual Inspection - Field Sheet

3t. Clair County MS4 Co-permittee Group

This form is for your own use and should be kept as part of your MS4 documentation. It **does not** have to be submitted to the IEPA unless requested. Use one form per outfall.

This inspection should be performed when sufficient runoff occurs during daylight hours. Try to make observations within the first 30 minutes after runoff begins discharging from the outfall, or as soon as practical. At a minimum test should be taken within 48-hours of a rainfall event greater than or equal to 0.25" in a 24-hour period. If you find visible pollution, note the probable source and list any possible Best Management Practices that could be used to reduce or eliminate the problem.

Municipality

CITY OF COLUMBIA

Facility Name

CITY OF COLUMBIA

Street Address

269 S. RAPP AVE.

City

COLUMBIA

State

IL

ZIP Code

62236

Name of Person Conducting Inspection

Tim ARENS

Inspection Date

11/6/04

Employer

CITY OF COLUMBIA

Telephone Number

618-281-7144

Outfall Number (make reference to site map)

#4

Description of Outfall (e.g., ditch, concrete pipe, grassed swale, etc.)

CREEK

Time of Rainfall Event

11/3 - 11/5

Time of Visual Inspection

2:45pm

Optional: Amount of Rainfall at the Time of Observation (nearest tenth of an inch)

7.5" MEASURED @ DOPW

Describe your observations. An easy way to conduct this inspection is to use a glass jar to collect a sample of the storm water being discharged from the facility and visually inspect the water. Include any observations of color, odor, turbidity, floating solids, foam, oil sheen or any other visual indicators of storm water pollution and the probable sources of any observed storm water contamination.

Color:	☐ Clear	☐ Red	☐ Yellow	☐ Brown	☒ Other: LIGHT BROWN
Odor:	☒ None	☐ Musty	☐ Sewage	☐ Rotten Egg	☐ Other:
Clarity:	☐ Clear	☒ Cloudy	☐ Opaque	☐ Suspended Solids	☐ Other:
Floatables:	☒ None	☐ Foam	☐ Garbage	☐ Oily Film	☐ Other:
Deposits / Stains:	☐ None	☐ Oily	☐ Sludge	☒ Sediments	☐ Other:
Vegetation:	☒ Normal	☐ Excessive	☐ Inhibited Growth	Extent:	

Identify Structure:

CREEK

Damage to Outfall Structure:

☒ None ☐ Concrete Cracking ☐ Concrete Spalling ☐ Other:

☐ Peeling Paint ☐ Corrosion Extent:

Comments:

NONE

This outfall could not be evaluated during this quarter due to the following reason: